

Contract No. HHSN272201200010C

Immune Epitope Database and Analysis Program

2012 Annual IEDB Compendium

La Jolla Institute for Allergy and Immunology
9420 Athena Circle
La Jolla, CA 92037

858-752-6923
858-752-6987 (fax)
wfleri@liai.org

18 April 2013

Table of Contents

Table of Contents.....	i
Table of Figures	iii
Introduction	1
1 Antibody and T Cell Epitopes	2
2 Website Features	58
2.1 Home Page	58
2.2 Browse	59
2.2.1 Browse Records by MHC Allele	60
2.2.2 Browse Records by Source Organism	60
2.2.3 Browse by 3D Structure	63
2.3 Query	64
2.3.1 Perform a Keyword Search.....	64
2.3.2 Perform a Home Page Search.....	65
2.3.3 Advanced query.....	67
2.3.4 Search Results Summary	72
2.3.4.1 Peptide MHC Binding Motif Displays.....	78
2.3.4.2 Accessing the EpitopeViewer.....	80
2.3.4.3 Result Tabs	81
2.3.4.4 Immunome Browser.....	82
2.3.5 Finders Overview.....	89
2.3.5.1 Allele Finder.....	90
2.3.5.2 Assay Finder.....	90
2.3.5.3 Disease Finder.....	91
2.3.5.4 Molecule Finder	92
2.3.5.5 Organism Finder.....	95
2.3.5.6 Geolocation Finder	97
2.4 Tools	98
2.4.1 T Cell Epitope Prediction	99
2.4.1.1 T Cell Epitopes - MHC binding prediction.....	99
2.4.1.1.1 Peptide Binding to MHC Class I Molecules.....	99
2.4.1.1.1.1 MHC Class I Binding Prediction Resource.....	101
2.4.1.1.2 Peptide Binding to MHC Class II Molecules.....	101
2.4.1.2 T Cell Epitopes – MHC I Processing Prediction	103
2.4.1.2.1 Proteasomal cleavage/TAP transport/MHC class I combined predictor ..	103
2.4.1.2.2 Neural network based prediction of proteasomal cleavage sites (NetChop) and T cell epitopes (NetCTL/NetCTLpan)	103
2.4.2 B Cell Epitope Prediction	104
2.4.2.1 Prediction of linear epitopes from protein sequence.....	104
2.4.2.2 DiscoTope - Prediction of epitopes from protein structure.....	104
2.4.2.3 ElliPro - Epitope prediction based upon structural protrusion	104
2.4.3 Epitope Analysis Tools.....	104
2.4.3.1 Population coverage	104
2.4.3.2 Epitope conservancy.....	105
2.4.3.3 Epitope Cluster Analysis	106
2.4.3.4 Homology Mapping Tool and EpitopeViewer	106
2.4.4 Other Ways to Access Tools.....	107
2.5 Support Overview	107

2.5.1	Solutions Center	107
2.5.2	Provide Feedback.....	108
2.5.3	Help Request.....	108
2.5.4	Data Field Descriptions.....	108
2.5.5	Video Tutorials.....	108
2.5.6	Help with Common Queries	109
2.6	More IE�DB	109
2.6.1	Acknowledgements.....	109
2.6.2	Citing the IE�DB	109
2.6.3	Database Export	110
2.6.4	Documents	111
2.6.5	IE�DB Ontology.....	111
2.6.6	Links to External Sources	111
2.6.7	Patent List.....	112
2.6.8	Publications	112
2.6.9	Terms of Use	112
3	Scientific Publications.....	113
3.1	Publications of the IE�DB team by Year	113
3.1.1	2012	113
3.1.2	2011	113
3.1.3	2010	114
3.1.4	2009	114
3.1.5	2008	115
3.1.6	2007	116
3.1.7	2006	116
3.1.8	2005	117
3.1.9	2004	117
3.2	Publications Citing the IE�DB in 2012	117
3.2.1	General IE�DB	118
3.2.2	Analysis Resource.....	127
3.2.3	Curation.....	137
3.2.4	Epitope Meta-Analyses	138
4	References.....	143

Table of Figures

Figure 2-1 IEDB 2.10 Home page	59
Figure 2-2 Browse by MHC Allele interface	60
Figure 2-3 Peptide structures associated with MHC Class I Mamu-B*04 allele	61
Figure 2-4 Browse by Source Organism interface	62
Figure 2-5 Using the search feature on the Browse by Source Organism page.....	62
Figure 2-6 Source Organism information (epitopes) for Home sapiens	63
Figure 2-7 Browse by 3D Structure interface.....	64
Figure 2-8 Home page Simple Search	65
Figure 2-9 Query results for a substring search performed on the input sequence AELLVALENQHTIDL	66
Figure 2-10 Epitope Search input screen. Epitope Type is defined as Any.....	68
Figure 2-11 Epitope query fields in the Advanced Search for Linear peptide epitopes	69
Figure 2-12 Epitope query fields in the Advanced Search for Discontinuous peptide epitopes	69
Figure 2-13 Epitope query fields in the Advanced Search for Discontinuous peptide on multi-chain epitopes.....	70
Figure 2-14 Epitope query fields in the Advanced Search for Non-peptidic epitopes	70
Figure 2-15 B Cell Search input screen.....	71
Figure 2-16 Identifier Search input screen.....	72
Figure 2-17 Sample of Search Result Summary	73
Figure 2-18 Screen generated by drilling down on the positive epitope hyperlink in the Search Result Summary	73
Figure 2-19 Epitope results sorted by sequence in the Structure column, showing the first sequence starting with a “D” as specified in the “Go To Records That Start With” field in the upper right.	74
Figure 2-20 Query results for clustering at 70% sequence identity	75
Figure 2-21 Screen generated by drilling down on the positive T cell assay hyperlink in the Search Result Summary	76
Figure 2-22 Screen generated by drilling down on the Epitope Source Organism link in the Search Result Summary	76
Figure 2-23 Screen generated by drilling down on the Host Organism link in the Search Result Summary	77
Figure 2-24 Screen generated by drilling down on the Restricting MHC Allele link in the Search Result Summary	77
Figure 2-25 Screen generated by drilling down on the reference hyperlink in the Search Result Summary	78
Figure 2-26 Sample MHC Allele Information page with Peptide MHC Binding Motif diagram for H-2_Db. Note the link to the corresponding Amino Acid Binding Chart on the bottom right of the diagram	79
Figure 2-27 Amino acid binding matrix for MHC allele H-2-Db	80
Figure 2-28 B Cell Response screen with Epitope Viewer links in the leftmost column	81
Figure 2-29 Many results pages have information organized into tabs	82
Figure 2-30 Search result summary page returned by the IEDB website.....	83
Figure 2-31 Default parameter setting for mapping query results to a selected reference proteome	84
Figure 2-32 Parameters needed to map query results onto the reference proteome	85
Figure 2-33 Mapping results.....	87
Figure 2-34 Visualization of mapped query results to an HCV polyprotein	88
Figure 2-35 A zoom-in of a region of the HCV polyprotein containing the immunodominant epitope at positions 1248-1261 in the NS3 protein.....	88

Figure 2-36 A screen shot of the table of peptides for the region containing the immunodominant epitope at positions 1248-1261 of the NS3 protein.....	89
Figure 2-37 Find form on the Allele Finder	90
Figure 2-38 Assay Finder on the T Cell Advanced Search page. Assays are displayed in a tree structure and users can find displays by their method/technique and by the characters with which the assay name starts.	91
Figure 2-39 The disease finder within the Immune Mediated Disease Association section of the Home Page search with diabetes highlighted	92
Figure 2-40 Example of the non-peptidic branch of the Molecule Finder tree showing the branches before and after penicillin. Notice the pop-up balloon adding information for each entry.....	93
Figure 2-41 Example of the protein tree as found in the Source Antigen Molecule Finder on the IEDB home page	94
Figure 2-42 Results for searching for ha (Hemagglutinin) molecules for a strain of Influenza A virus.....	95
Figure 2-43 Common selections in Organism finder.....	96
Figure 2-44 NCBI Taxonomy Tree	97
Figure 2-45 Geolocation finder. This example shows the tree structure by continent, region, and country. A search was made for Mexico within the tree using the Find box on the left, which produced one result. This was then highlighted in the tree, as shown. Clicking on “Mexico” in the tree populated the Current Selection field in the upper left corner of the finder.....	98
Figure 2-46 IEDB Database Export web page.....	111

Introduction

The Immune Epitope Database and Analysis Resource (IEDB) is a public repository of immune epitope data and is sponsored by the National Institute for Allergy and Infectious Diseases (NIAID). The IEDB development started in December 2003 and it became available to the public in a beta test phase on 15 February 2006. The IEDB contains data related to antibody and T cell epitopes for humans, non-human primates, rodents, and other animal species. The IEDB also makes available a variety of analytical and epitope prediction tools and resources within its Analysis Resource.

This eighth Annual Compendium of the Immune Epitope Database and Analysis Resource consists of three sections. The first section contains a list of the antibody and T cell epitope information in the database as of 4 January 2013. The second section describes the features of the IEDB 2.10 website. The third section lists the scientific publications in 2012 for which the IEDB played a contributory role.

Since the publication of last year's 2011 Annual Compendium, the quantity of data available in the IEDB has increased significantly with the addition of over 800 fully curated references. The curation of peptidic and non-peptidic epitope data relating to all infectious diseases, including NIAID Category A, B, and C priority pathogens and NIAID Emerging and Re-emerging infectious diseases, allergens, autoimmune diseases, and transplant/alloantigens has been kept current throughout the year.

1 Antibody and T Cell Epitopes

Many new references and many new species were added to the IEDB in 2012, as demonstrated in Table 1.1. The table lists the number of distinct B cell and T cell epitopes in the database by source species at the end of 2011 and 2012. Of the 2854 species/strains listed, 150 were added in 2012. It should be noted that the source organism is the species/strain from which the epitopes originate, and may not be from an infecting organism or vaccine target. The curation of MHC binding peptides, cross-reactive epitopes, and autoimmune epitopes has resulted in the appearance of human (*Homo sapiens*) and mouse (*Mus musculus*) epitopes on the list.

In the table below, the leftmost column labeled "New 2012" indicates with an "X" if epitopes for the species/strain was added to the IEDB in 2012. A font color of red is used to highlight the information in the row. The Organism ID matches the NCBI taxonomy ID if it exists. Otherwise it represents an IEDB-assigned identifier, which are eight digit numbers starting with "1000". These are easily distinguishable from the NCBI identifiers which are six digits or less. The columns labeled "B-11", "T-11", "B-12", and "T-12" indicate the cumulative number of distinct B cell and T cell epitopes in the database at the end of 2011 and 2012, respectively. The two rightmost columns display the differences in the B and T cell epitope counts from 2011 to 2012. The changes in B and T cell epitope counts are shown in red. In 2012, the number of B cell epitopes increased by 1,968 from 28,692 to 30,660, and the number of T cell epitopes increased by 6,345 from 58,393 to 64,738.

Table 1.1 Summary of B and T cell epitopes contained in the IEDB

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	5755	Acanthamoeba castellanii	14	2	14	3		1
X	4026	<i>Acer pseudoplatanus</i>			1		1	
	2147	Acholeplasma	1		1			
	264635	Acholeplasma granularum	1		1			
	2148	Acholeplasma laidlawii		2		2		
	351607	Acidothermus cellulolyticus 11B		1		1		
	470	Acinetobacter baumannii		1		1		
	471	Acinetobacter calcoaceticus		1		1		
	29430	Acinetobacter haemolyticus	1		1			
	10001530	Acinetobacter haemolyticus strain 57	1		1			
	10001531	Acinetobacter haemolyticus strain 61	1		1			
	10001503	Acinetobacter lwoffii F78	1		1			
	62977	Acinetobacter sp. ADP1		1		1		
	7902	Acipenser gueldenstaedtii	1		1			
	228399	Actinobacillus pleuropneumoniae serovar 1 str. 4074	2	1	2	1		
	416269	Actinobacillus pleuropneumoniae serovar 5b str. L20		1		1		
	209841	Actinobacillus pleuropneumoniae serovar 7	1		1			
	272636	Adeno-associated virus		18		18		
	10804	Adeno-associated virus - 2	20	66	21	66	1	
	202813	Adeno-associated virus - 8		7	1	7	1	
	10508	Adenoviridae	3	2	3	2		
	7160	Aedes albopictus	7		7			
	4494	Aegilops markgraffii		1		1		
	37682	Aegilops tauschii		1		1		
	6100	Aequorea victoria	1		1			
	105751	Aeromonas bestiarum		1		1		
	645	Aeromonas salmonicida	59		59			
	29491	Aeromonas salmonicida subsp. salmonicida		1		1		
	56636	Aeropyrum pernix	3		3			
	272557	Aeropyrum pernix K1		2		2		
	117204	African horse sickness virus 3	21		21			
	36421	African horse sickness virus 4	28		28			
	10497	African swine fever virus	1		1			
	10498	African swine fever virus BA71V	46		46			
	85777	Agelas mauritiana		1		1		
	714	Aggregatibacter actinomycetemcomitans	1	4	1	4		
	10001628	Aggregatibacter actinomycetemcomitans serotype b str. Y4	1		1			
	358	Agrobacterium tumefaciens		1		1		
	10000828	Ajellomyces dermatitidis ATCC 60636		2		2		
	65690	AK7 murine leukemia virus		1		1		
	11791	AKR (endogenous) murine leukemia virus		7		7		
	11790	AKT8 murine leukemia virus		1		1		
	10001458	Alcaligenes eutrophus		1		1		
	511	Alcaligenes faecalis		1	3	1	3	
	512	Alcaligenes sp.		1		1		
	10783	Aleutian mink disease parvovirus (STRAIN G)	3		3			
	28314	Aleutian mink disease virus	1		1			
	172148	Alkhumra hemorrhagic fever virus		4		4		
	3517	Alnus glutinosa		11		17		6
	9502	Alouatta caraya	1		1			

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	333754	Alphapapillomavirus 10	4		4			
	337043	Alphapapillomavirus 4		6		6		
	337042	Alphapapillomavirus 7	9	4	9	4		
	5599	Alternaria alternata	5		5	36		36
	314275	Alteromonas macleodii str. 'Deep ecotype'		1		1		
	261202	Alto Paraguay hantavirus		3		3		
	45218	Amapari virus		3		3		
	4212	Ambrosia artemisiifolia	4	2	4	32		30
	4215	Ambrosia artemisiifolia var. elatior	9	12	9	12		
	4214	Ambrosia trifida		6		10		4
	86782	Amur virus		35		35		
	170955	Amur virus Solovey/AP63/1999		2		2		
	4011	Anacardiaceae		4		4		
	171929	Anacardium occidentale	52		52			
	4615	Ananas comosus	3		3			
	769	Anaplasma centrale		1		1		
	770	Anaplasma marginale	15	14	17	14	2	
	10000760	Anaplasma marginale South Idaho		2		2		
	320483	Anaplasma marginale str. Florida	19	61	19	61		
	234826	Anaplasma marginale str. St. Maries	16	1	16	22		21
	212042	Anaplasma phagocytophilum HZ	21		21			
	10001573	Anatid herpesvirus 1 Clone-03	1		1			
	46607	Andes virus	2	77	2	77		
	10000553	Andes virus CHI-7913	53		53			
	6858	Androctonus australis	9		9			
	70175	Androctonus australis hector	23		23			
	6860	Androctonus mauritanicus mauritanicus	1		1			
	334426	Angiostrongylus costaricensis	1	1	1	1		
	6269	Anisakis simplex	8		8			
	155017	Anogeissus	1		1			
	7165	Anopheles gambiae		1		1		
	8845	Anser cygnoides	2		2			
X	29661	Anthoxanthum odoratum				3		3
	9505	Aotus trivirgatus	1		1			
	7460	Apis mellifera	14	99	14	99		
	7469	Apis mellifera ligustica		1		1		
	4045	Apium graveolens		14		14		
	224324	Aquifex aeolicus VF5		3		3		
	3702	Arabidopsis thaliana		4	2	4	2	
	201444	Aracatuba virus		5		5		
	3818	Arachis hypogaea	382	54	386	54	4	
	308159	Araucaria virus		3		3		
	10000980	Arcanobacterium pyogenes Strain 42	4		4			
	224325	Archaeoglobus fulgidus DSM 4304		1		1		
	41118	Arenavirus sp.		2		2		
	3704	Armoracia rusticana	5		5			
	6661	Artemia franciscana	2		2			
	4220	Artemisia vulgaris	1	19	1	68		49
	29320	Arthrobacter nicotinovorans	1		1			
	290399	Arthrobacter sp. FB24		1		1		
	6253	Ascaris suum	1	1	1	1		
	746128	Aspergillus fumigatus	125	32	126	50	1	18
X	451804	Aspergillus fumigatus A1163				13		13

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
X	330879	Aspergillus fumigatus Af293					18	18
	5061	Aspergillus niger		1		1		
	5067	Aspergillus parasiticus		1		1		
	5064	Aspergillus restrictus	1		1			
X	33178	Aspergillus terreus				2		2
	9509	Ateles geoffroyi		1		1		
	9510	Ateles paniscus	1		1			
	9511	Ateles sp.	1		1			
	287752	Aurantimonas manganoxydans SI85-9A1		1		1		
	4497	Avena nuda		1		1		
	4498	Avena sativa		4		4		
	11861	Avian erythroblastosis virus	1		1			
	172851	Avian hepatitis E virus	15		15			
	11127	Avian infectious bronchitis virus (strain M41)	4	3	4	3		
	231428	Avian infectious bronchitis virus (strain Vic S)	11	8	11	8		
X	10001967	Avian leukosis virus isolate CAUHM01				1		1
	38171	Avian reovirus strain S1133	2		2			
	195700	Avian rotavirus PO-13	6		6			
	354	Azotobacter vinelandii		2		2		
	322710	Azotobacter vinelandii DJ		1		1		
	5866	Babesia bigemina		3		3		
	5865	Babesia bovis	3	8	3	8		
	10001459	Babesia bovis Argentina R1A	4		4			
	10000382	Babesia bovis Mexico	1	4	1	4		
	10000383	Babesia bovis Mexico Mo7	1	33	1	33		
	5872	Babesia equi	8		8			
	5868	Babesia microti	2		2			
	120505	Baboon cytomegalovirus		1		1		
	196403	Baboon endogenous virus	1	1	1	1		
	11764	Baboon endogenous virus strain M7	1		1			
	1390	Bacillus amyloliquefaciens	18	2	18	2		
	1392	Bacillus anthracis	237	197	252	199	15	2
	486619	Bacillus anthracis str. A0193		1		1		
	592021	Bacillus anthracis str. A0248		1		1		
	486623	Bacillus anthracis str. A0389		4		4		
	486621	Bacillus anthracis str. A0442		1		1		
	486620	Bacillus anthracis str. A0465		5		5		
	486624	Bacillus anthracis str. A0488		81		81		
	191218	Bacillus anthracis str. A2012		28		28		
	198094	Bacillus anthracis str. Ames		1		1		
	261594	Bacillus anthracis str. 'Ames Ancestor'		1		1		
	568206	Bacillus anthracis str. CDC 684		2		2		
	260799	Bacillus anthracis str. Sterne	5	3	5	3		
	10000291	Bacillus anthracis str. Sterne 34F2	1		1			
	405536	Bacillus anthracis str. Tsiankovskii-I		1		1		
	1396	Bacillus cereus	1	4	1	4		
	572264	Bacillus cereus 03BB102		1		1		
	451709	Bacillus cereus 03BB108		8		8		
	405533	Bacillus cereus AH1134		3		3		
	222523	Bacillus cereus ATCC 10987		1		1		
	226900	Bacillus cereus ATCC 14579		2		2		
	526977	Bacillus cereus ATCC 4342		1		1		
	405532	Bacillus cereus B4264		1		1		

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
X	347495	<i>Bacillus cereus</i> F837/76					1	1
	269801	<i>Bacillus cereus</i> G9241		34		34		
	405531	<i>Bacillus cereus</i> G9842		1		1		
	451708	<i>Bacillus cereus</i> H3081.97		12		12		
	451707	<i>Bacillus cereus</i> NVH0597-99		7		7		
	405917	<i>Bacillus cereus</i> W		1		1		
	441769	<i>Bacillus coahuilensis</i> m4-4		1		1		
	315749	<i>Bacillus cytotoxicus</i> NVH 391-98		2		2		
	1467	<i>Bacillus lentus</i>		1		1		
	1402	<i>Bacillus licheniformis</i>		10		10		
	1404	<i>Bacillus megaterium</i>		1		1		
X	313627	<i>Bacillus</i> sp. NRRRL B-14911					1	1
	1423	<i>Bacillus subtilis</i>	2	4	2	4		
	224308	<i>Bacillus subtilis</i> subsp. <i>subtilis</i> str. 168		1		1		
	535026	<i>Bacillus subtilis</i> subsp. <i>subtilis</i> str. NCIB 3610		1		1		
	1428	<i>Bacillus thuringiensis</i>	5		5			
	527019	<i>Bacillus thuringiensis</i> IBL 200		1		1		
	339854	<i>Bacillus thuringiensis</i> serovar <i>israelensis</i> ATCC 35646		6		6		
	29339	<i>Bacillus thuringiensis</i> serovar <i>kurstaki</i>	3		3			
	527029	<i>Bacillus thuringiensis</i> serovar <i>pondicheriensis</i> BGSC 4BA1		1		1		
	1435	<i>Bacillus thuringiensis</i> serovar <i>san diego</i>	2		2			
	527026	<i>Bacillus thuringiensis</i> serovar <i>sotto</i> str. T04001		1		1		
	527024	<i>Bacillus thuringiensis</i> serovar <i>tochigiensis</i> BGSC 4Y1		1		1		
	412694	<i>Bacillus thuringiensis</i> str. Al Hakam		9		9		
	315730	<i>Bacillus weihenstephanensis</i> KBAB4		4		4		
	2	Bacteria	13		13			
	12040	Barley yellow dwarf virus-PAV	1		1			
	283166	<i>Bartonella henselae</i> str. Houston-1		1		1		
	37962	Bayou virus	1		1			
	12260	Bean pod mottle virus	2		2			
	31715	Bean-pod mottle virus (strain Kentucky G7)	9	1	9	1		
	31721	Beet necrotic yellow vein virus	10		10			
	12161	Beet yellows virus	5		5			
	3645	<i>Bertholletia excelsa</i>	7	24	7	24		
	161934	<i>Beta vulgaris</i>	5		5			
	3505	<i>Betula pendula</i>	43	210	44	355	1	145
	10629	BK polyomavirus		52		52		
	10001761	BK polyomavirus strain Dunlop		1		1		
	65743	Blackcurrant reversion virus	2		2			
	6973	<i>Blattella germanica</i>	9	15	20	56	11	41
	40697	<i>Blomia tropicalis</i>	18		19		1	
	40051	Bluetongue virus	7		7			
	10904	Bluetongue virus (serotype 1 / isolate Australia)	7		7			
	10900	Bluetongue virus (serotype 10 / American isolate)	3		3			
	33717	Bluetongue virus (serotype 13 / isolate USA)	2		2			
	33718	Bluetongue virus (serotype 17 / isolate USA)	4		4			
	35327	Bluetongue virus 1	3		3			
	10906	Bluetongue virus 10	3		3			
	35329	Bluetongue virus 11	6		6			
	35330	Bluetongue virus 13	1		1			
	10903	Bluetongue virus 17	4		4			
	94967	Bluetongue virus 4	2		2			
	197780	Bluetongue virus 8		10		10		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	388634	Bombyx mandarina nuclear polyhedrosis virus		1		1		
	271108	Bombyx mori NPV	2		2			
	360910	Bordetella avium 197N		1		1		
	518	Bordetella bronchiseptica		1		1		
	520	Bordetella pertussis	224	45	224	45		
	257313	Bordetella pertussis Tohama I	1	11	1	11		
	12455	Borna disease virus	8	4	8	4		
	10000518	Borna disease virus Giessen strain He/80	6		6			
	29518	Borrelia afzelii	1	1	1	1		
	390236	Borrelia afzelii PKo	2		2			
	139	Borrelia burgdorferi	41	40	44	40	3	
	498740	Borrelia burgdorferi 64b		2		2		
	224326	Borrelia burgdorferi B31	98	10	98	10		
	10001091	Borrelia burgdorferi BEP4	1		1			
	10000675	Borrelia burgdorferi CA12		6		6		
	64895	Borrelia burgdorferi group	3		3			
	521007	Borrelia burgdorferi N40	4	3	4	3		
	445985	Borrelia burgdorferi ZS7	2	45	2	45		
	412419	Borrelia duttonii Ly	7		7			
	29519	Borrelia garinii	4	29	4	29		
	10000530	Borrelia garinii IP90	3		3			
	9913	Bos taurus	1109	381	1151	386	42	5
	8722	Bothrops asper	1		1			
	11128	Bovine coronavirus	7		7			
	12064	Bovine enterovirus	13		13			
	12065	Bovine enterovirus strain VG-5-27	6		6			
	10000472	Bovine ephemeral fever virus BB7721	2		2			
	10320	Bovine herpesvirus 1	4	36	4	36		
	10000404	Bovine herpesvirus 1 Lam	1		1			
	263683	Bovine herpesvirus 5 strain TX89	2		2			
	79889	Bovine herpesvirus type 1.1	1		1			
	10323	Bovine herpesvirus type 1.1 (strain Cooper)	8	18	8	18		
	10324	Bovine herpesvirus type 1.1 (strain P8-2)	1		1			
	11901	Bovine leukemia virus	32	29	32	29		
	10559	Bovine papillomavirus type 1	16		16			
	10560	Bovine papillomavirus type 2	15		15			
	10562	Bovine papillomavirus type 4	10	3	10	3		
	11215	Bovine parainfluenza virus 3		1		1		
	11246	Bovine respiratory syncytial virus	2	1	2	1		
	31611	Bovine respiratory syncytial virus (strain 391-2)	3		3			
	11249	Bovine respiratory syncytial virus (strain RB94)	3		3			
	82823	Bovine respiratory syncytial virus strain lelystad	1		1			
	82824	Bovine respiratory syncytial virus strain snook		75		75		
	10927	Bovine rotavirus	7	1	7	1		
	36439	Bovine rotavirus strain NCDV/G6	1		1			
	10933	Bovine rotavirus strain RF	12	7	12	7		
	10934	Bovine rotavirus strain UK/G6		1		1		
	11099	Bovine viral diarrhea virus 1	1	11	1	11		
	11100	Bovine viral diarrhea virus 1-NADL	3	3	3	3		
	54315	Bovine viral diarrhea virus 2	1		1			
	82470	Bovine viral diarrhea virus strain Oregon C24V	5		5	3		3
	158474	Bovine viral diarrhea virus strain Trangie Y546	1		1			
	288000	Bradyrhizobium sp. BTAi1			1		1	

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	3707	<i>Brassica juncea</i>	9		9			
	235	<i>Brucella abortus</i>	4	29	4	29		
	520450	<i>Brucella abortus</i> bv. 2 str. 86/8/59		1		1		
	575591	<i>Brucella abortus</i> NCTC 8038		1		1		
	430066	<i>Brucella abortus</i> S19		13		13		
	641140	<i>Brucella abortus</i> str. 2308 A		1		1		
	10001424	<i>Brucella abortus</i> W99	1		1			
	483179	<i>Brucella canis</i> ATCC 23365		6		6		
	29459	<i>Brucella melitensis</i>	2	63	6	63	4	
	359391	<i>Brucella melitensis</i> biovar <i>Abortus</i> 2308		31		31		
	224914	<i>Brucella melitensis</i> bv. 1 str. 16M	6	6	6	6		
	520464	<i>Brucella melitensis</i> bv. 1 str. Rev.1	1		1			
	236	<i>Brucella ovis</i>		1		1		
	10001886	<i>Brucella ovis</i> 020	2		2			
	10001888	<i>Brucella ovis</i> 63/290	1		1			
	444178	<i>Brucella ovis</i> ATCC 25840		7		7		
	10001887	<i>Brucella ovis</i> Reo 198	1		1			
	29461	<i>Brucella suis</i>		7		7		
	204722	<i>Brucella suis</i> 1330		28		28		
	470137	<i>Brucella suis</i> ATCC 23445		3		3		
	6279	<i>Brugia malayi</i>	3	5	3	5		
	6280	<i>Brugia pahangi</i>	1		1			
	89462	<i>Bubalus bubalis</i>		1		1		
	32605	<i>Buffalopox virus</i>		2		2		
	8616	<i>Bungarus multicinctus</i>	17	3	17	3		
	32008	<i>Burkholderia</i>	1		1			
	339670	<i>Burkholderia ambifaria</i> AMMD		4		4		
	331271	<i>Burkholderia cenocepacia</i> AU 1054		4		4		
	350702	<i>Burkholderia cenocepacia</i> PC184		1		1		
	292	<i>Burkholderia cepacia</i>	3	1	3	1		
	134537	<i>Burkholderia fungorum</i>	1		1			
	13373	<i>Burkholderia mallei</i>		45		45		
	243160	<i>Burkholderia mallei</i> ATCC 23344		38		38		
	334802	<i>Burkholderia mallei</i> FMH		1		1		
	320390	<i>Burkholderia mallei</i> GB8 horse 4		1		1		
	334803	<i>Burkholderia mallei</i> JHU		2		2		
	412022	<i>Burkholderia mallei</i> NCTC 10229		10		10		
	320388	<i>Burkholderia mallei</i> SAVP1		25		25		
	28450	<i>Burkholderia pseudomallei</i>		1		1		
	357348	<i>Burkholderia pseudomallei</i> 1106a		1		1		
	441160	<i>Burkholderia pseudomallei</i> 14		1		1		
	320372	<i>Burkholderia pseudomallei</i> 1710b		3		3		
	425067	<i>Burkholderia pseudomallei</i> 305		2		2		
	360118	<i>Burkholderia pseudomallei</i> 406e		1		1		
	320373	<i>Burkholderia pseudomallei</i> 668		7		7		
	441158	<i>Burkholderia pseudomallei</i> 9		1		1		
	441159	<i>Burkholderia pseudomallei</i> 91		1		1		
	272560	<i>Burkholderia pseudomallei</i> K96243		22		22		
	320374	<i>Burkholderia pseudomallei</i> S13		1		1		
	269483	<i>Burkholderia</i> sp. 383		2		2		
	271848	<i>Burkholderia thailandensis</i> E264		2		2		
	269482	<i>Burkholderia vietnamiensis</i> G4		9		9		
	6239	<i>Caenorhabditis elegans</i>		11	1	11	1	

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	35305	California encephalitis virus		1		1		
	9522	Callicebus	1		1			
	9483	Callithrix jacchus		3		3		
	28873	Camelpox virus		2		2		
	203172	Camelpox virus CMS		28		28		
	203174	Camelpox virus CP1		1		1		
	203173	Camelpox virus M-96		133		133		
	306254	Campylobacter coli RM2228		3		3		
	32019	Campylobacter fetus subsp. fetus	3		3			
	197	Campylobacter jejuni	15	20	15	20		
	195099	Campylobacter jejuni RM1221		13		13		
	32022	Campylobacter jejuni subsp. jejuni	2		2			
	10000679	Campylobacter jejuni subsp. jejuni 16971.94GSH (O:41)	2		2			
	407148	Campylobacter jejuni subsp. jejuni 81116		14		14		
	354242	Campylobacter jejuni subsp. jejuni 81-176		3		3		
	482628	Campylobacter jejuni subsp. jejuni BH-01-0142		1		1		
	360112	Campylobacter jejuni subsp. jejuni HB93-13		2		2		
	192222	Campylobacter jejuni subsp. jejuni NCTC 11168 = ATCC 700819	10	12	10	12		
	306263	Campylobacter lari RM2100		1		1		
	28080	Campylobacter upsaliensis	3		3			
	44088	Canarypox virus		6		6		
	5476	Candida albicans	91	66	99	66	8	
	10000335	Candida albicans A-9 (serotype B)	1		1			
	10000337	Candida albicans KIT 1113	1		1			
	10001652	Candida albicans NIH B-792 (serotype B)	1		1			
	237561	Candida albicans SC5314		1		3		2
	10000339	Candida albicans serotype A	1		1			
	300021	Candida albicans var. stellatoidea	2		2			
	10001740	Candida glabrata IFO 0622	1		1			
	5480	Candida parapsilosis	1		1			
	10001747	Candida parapsilosis M1015	1		1			
	45582	Candida saitoana	1		1			
	234267	Candidatus Solibacter usitatus Ellin6076		2		2		
	292348	Canine calicivirus (strain 48)	2		2			
	11232	Canine distemper virus	4	8	4	8		
	11233	Canine distemper virus strain Onderstepoort	6	19	6	19		
	10788	Canine parvovirus	22	20	22	20		
	246878	Canine parvovirus 2	3		3			
	10790	Canine parvovirus strain CPV-D CORNELL 320	1		1			
	10791	Canine parvovirus strain N	47		47			
	9615	Canis lupus familiaris	5	61	6	68	1	7
	9925	Capra hircus	1		1			
	11660	Caprine arthritis encephalitis virus	14	1	14	1		
	11662	Caprine arthritis encephalitis virus G63	6		6			
	11661	Caprine arthritis encephalitis virus strain Cork	9		9			
	7957	Carassius auratus	3		3			
	64289	Carey Island virus		2		2		
	32201	Carya illinoiensis	19		19			
X	10185	Castor fiber					1	1
	10141	Cavia porcellus	31	72	32	72	1	
	9515	Cebus apella	1		1			
	6878	Centruroides noxius	8		8			
X	9864	Cervus elaphus nelsoni					4	4

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	13415	Chamaecyparis obtusa	1	62	1	68		6
	266779	Chelatavorans sp. BNC1		2		2		
	12618	Chicken anemia virus	3		3			
	37124	Chikungunya virus		3	3	3	3	
X	10001934	Chikungunya virus Singapore/11/2008				3		3
X	10001997	Chikungunya virus strain LR2006_OPY1 IMT/Reunion Island/2006				1		1
	310542	Chimpanzee adenovirus	2		2			
	7154	Chironomus thummi	2	3	2	3		
	7155	Chironomus thummi thummi	58	27	58	27		
	9397	Chiroptera	1		1			
	810	Chlamydia	12		13		1	
X	83560	Chlamydia muridarum					1	1
	243161	Chlamydia muridarum Nigg		28		28		
	83558	Chlamydia pneumoniae	56	21	57	21	1	
	83554	Chlamydia psittaci	78	2	78	2		
	813	Chlamydia trachomatis	122	58	122	58		
	315277	Chlamydia trachomatis A/HAR-13	6	1	6	1		
	10000858	Chlamydia trachomatis B/Jali-20/OT	2		2			
	272561	Chlamydia trachomatis D/UW-3/CX		1		1		
	10001141	Chlamydia trachomatis Serovar A	22	8	22	8		
	10000804	Chlamydia trachomatis Serovar B	47	5	47	5		
	10000763	Chlamydia trachomatis Serovar C	16	1	16	1		
	10001085	Chlamydia trachomatis Serovar D	3		3			
	10001121	Chlamydia trachomatis Serovar Da	1		1			
	10000764	Chlamydia trachomatis Serovar E	18	1	18	1		
	10000845	Chlamydia trachomatis Serovar F	3		3			
	10000765	Chlamydia trachomatis Serovar H	7		7			
	10000766	Chlamydia trachomatis Serovar I	10		10			
	10001008	Chlamydia trachomatis Serovar J	6		6			
	10000767	Chlamydia trachomatis serovar K	14		14			
	10000853	Chlamydia trachomatis Serovar L1	21	3	21	3		
	10000768	Chlamydia trachomatis Serovar L2	15	7	15	7		
	10000769	Chlamydia trachomatis Serovar L3	2		2			
	809	Chlamydiaceae	5		5			
	204428	Chlamydiae	1		1			
	83553	Chlamydophila	4		4			
	83555	Chlamydophila abortus	3		3			
	10000559	Chlamydophila abortus B-577	11		11			
	115713	Chlamydophila pneumoniae CWL029		49		49		
	10000852	Chlamydophila pneumoniae Kajaani 6		7		7		
	182082	Chlamydophila pneumoniae TW-183	7		7			
	331636	Chlamydophila psittaci 6BC	1		1			
	9534	Chlorocebus aethiops		3		3		
	169173	Choclo virus		2		2		
	7777	Chondrichthyes	1		1			
	544	Citrobacter	1		1			
	546	Citrobacter freundii	1		1			
	12162	Citrus tristeza virus	4		4			
	11096	Classical swine fever virus	7	1	12	3	5	2
	358769	Classical swine fever virus - Alfort/187	7		70		63	
	358805	Classical swine fever virus - Alfort/Tuebingen	5		5			
	11098	Classical swine fever virus - Brescia	4		4			

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	279150	Classical swine fever virus 96TD	2		2			
	10001025	Classical swine fever virus Glentorff		26		26		
	10001578	Classical swine fever virus LPC/AHRI	2		4		2	
	10001764	Classical swine fever virus Margarita (AJ704817)	4	1	4	1		
	10000451	Classical swine fever virus Shimen	16		16			
	36911	Clavispora lusitaniae	1		1			
	214432	Cloning vector pscFvCA-E8VHd		1		1		
	1491	Clostridium botulinum	125	60	178	76	53	16
	36826	Clostridium botulinum A	44		46		2	
	10000293	Clostridium botulinum A 1	1		1			
	10000294	Clostridium botulinum A 2	2		2			
	10000302	Clostridium botulinum A Kyoto-F	1		1			
	413999	Clostridium botulinum A str. ATCC 3502		3		3		
	441771	Clostridium botulinum A str. Hall	44		44			
	10000301	Clostridium botulinum A str. Hall hyper	3		3			
	36827	Clostridium botulinum B	28		29		1	
	10000295	Clostridium botulinum B 111	2		2			
	10000303	Clostridium botulinum B Lammann	1		1			
	10000305	Clostridium botulinum B Okra	3		3			
	508765	Clostridium botulinum B str. Eklund 17B		1		1		
	10000297	Clostridium botulinum C 92-13	5		5			
	10000306	Clostridium botulinum C Stockholm	2		2			
	36829	Clostridium botulinum D	2		2			
	10000296	Clostridium botulinum D 1873	2		2			
	36830	Clostridium botulinum E	3	3	3	3		
	10000299	Clostridium botulinum E Beluga	2		2			
	508767	Clostridium botulinum E3 str. Alaska E43		1		1		
	36831	Clostridium botulinum F	2		3		1	
	10000304	Clostridium botulinum F NCTC 10281	1		1			
	445335	Clostridium botulinum NCTC 2916		2		2		
	445338	Clostridium botulinum str. Iwanei E	6		6			
	1496	Clostridium difficile	15		15			
	10000307	Clostridium difficile BART'S W1	1		1			
	10001847	Clostridium difficile BI / NAP1/ 027	1		1			
	386415	Clostridium novyi NT		2		2		
	29362	Clostridium papyrosolvens	1		1			
	1502	Clostridium perfringens	10		10	1		1
	107819	Clostridium perfringens D	1		1			
	195102	Clostridium perfringens str. 13		1		1		
	1513	Clostridium tetani	76	231	76	236		5
	212717	Clostridium tetani E88		16		16		
	203119	Clostridium thermocellum ATCC 27405		1		1		
	5501	Coccidioides immitis		1		1		
	199306	Coccidioides posadasii		2		9		7
	5503	Cochliobolus lunatus	20	10	20	10		
	9014	Colinus virginianus	1	2	1	2		
	8932	Columba livia		8		8		
	314285	Congregibacter litoralis KT71		1		1		
	6491	Conus geographus	30		30			
	6492	Conus magus	2		2			
	6493	Conus striatus	11		11			
	32614	Convict Creek 107 virus	1	3	1	3		
	13451	Corylus avellana	27	53	27	53		

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	1717	Corynebacterium diphtheriae	10	50	10	50		
	152794	Corynebacterium efficiens		5		5		
	196164	Corynebacterium efficiens YS-314		2		2		
	1718	Corynebacterium glutamicum		22		22		
	196627	Corynebacterium glutamicum ATCC 13032		7		7		
	306537	Corynebacterium jeikeium K411		1		1		
	10703	Corynephage beta	2		2			
	12264	Cowpea mosaic virus		1		1		
	10243	Cowpox virus		22		22		
	265872	Cowpox virus (Brighton Red)		1		1		
	10000571	Cowpox virus (Brighton Red) White-pock		1		1		
	777	Coxiella burnetii		52		52		
	434923	Coxiella burnetii CbuG_Q212		1		1		
	434922	Coxiella burnetii Dugway 5J108-111		6		6		
	360116	Coxiella burnetii 'MSU Goat Q177'		4		4		
	360117	Coxiella burnetii Q321		14		14		
	360115	Coxiella burnetii RSA 331		6		6		
	227377	Coxiella burnetii RSA 493		10		10		
	12066	Coxsackievirus	1		1			
	103903	Coxsackievirus B3 (strain Nancy)	13	30	13	30		
	103905	Coxsackievirus B4 (strain E2)	6	41	6	41		
	103906	Coxsackievirus B4 (strain JVB / Benschoten / New York/51)		76		76		
	10029	Cricetulus griseus	1		1			
	11593	Crimean-Congo hemorrhagic fever virus		1		1		
	368445	Crocodilepox virus		2		2		
	8732	Crotalus durissus terrificus	4		4			
	5207	Cryptococcus neoformans	2	1	2	1		
	178876	Cryptococcus neoformans var. grubii	1		1			
	283643	Cryptococcus neoformans var. neoformans B-3501A	1	2	1	3		1
	10001132	Cryptococcus neoformans var. neoformans Serotype A	1		1			
	10001120	Cryptococcus neoformans var. neoformans Serotype D	1		1			
	3369	Cryptomeria japonica	41	181	41	181		
	237895	Cryptosporidium hominis		3		3		
	5807	Cryptosporidium parvum		28		28		
	353152	Cryptosporidium parvum Iowa II		76		76		
	220837	Cryptosporidium sp. MNJ-1		1		1		
	12305	Cucumber mosaic virus	1		1			
	117125	Cucumber mosaic virus (strain Pepo)	1		1			
	3656	Cucumis melo	12		13		1	
	208899	Cupixi virus		1		1		
X	13469	Cupressus sempervirens				8		8
	266264	Cupriavidus metallidurans CH34		2		2		
	301964	CY1014 virus		1		1		
	4903	Cyberlindnera jadinii	12		12			
	1004253	Cyberlindnera mrakii	1	1	1	1		
	46457	Cycloclasticus oligotrophus		1		1		
	28909	Cynodon dactylon	3	45	27	48	24	3
	10358	Cytomegalovirus		32		32		
	269798	Cytophaga hutchinsonii ATCC 33406		1		1		
	4509	Dactylis glomerata		2		7		5
	7955	Danio rerio	1	3	1	3		
	4039	Daucus carota		1		1		
X	29918	Davidiella tassiana				18		18

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	305674	Deerpox virus W-848-83		2		2		
	243164	Dehalococcoides ethenogenes 195		1		1		
	337052	Deltapapillomavirus 4	8		8			
	12637	Dengue virus	9	47	9	47		
	11053	Dengue virus 1	11	65	13	91	2	26
	10001582	Dengue virus 1 Mochizuki	2		2			
	11059	Dengue virus 1 Nauru/West Pac/1974	1		3		2	
X	10001945	Dengue virus 1 PVP159			1		1	
	33741	Dengue virus 1 Singapore/S275/1990		30		30		
	11060	Dengue virus 2	85	128	89	153	4	25
	31635	Dengue virus 2 16681-PDK53	3	2	3	2		
	11064	Dengue virus 2 Jamaica/1409/1983	262	11	263	11	1	
	11062	Dengue virus 2 Malaysia M2	1		1			
	10001583	Dengue virus 2 New Guinea C	1	3	1	4		1
	10001635	Dengue virus 2 PL046		7		7		
	11066	Dengue virus 2 Puerto Rico/PR159-S1/1969	30		30			
	10001768	Dengue virus 2 S-16803	9		10		1	
	31634	Dengue virus 2 Thailand/16681/84	25	55	30	57	5	2
	11065	Dengue virus 2 Thailand/NGS-C/1944	17	17	17	17		
	11069	Dengue virus 3	17	60	19	71	2	11
	408870	Dengue virus 3 Philippines/H87/1956	7	4	8	4	1	
	10001619	Dengue virus 3 strain 16652	16		16			
X	10001944	Dengue virus 3 Thailand/PaH881/1988			1		1	
	11070	Dengue virus 4	6	41	7	62	1	21
X	10001943	Dengue virus 4 Burma/63632/1976			1		1	
	408871	Dengue virus 4 Dominica/814669/1981	1	6	1	6		
	408686	Dengue virus 4 Philippines/H241/1956	2		3		1	
	408688	Dengue virus 4 Thailand/0348/1991		1		1		
	10000965	Dengue virus type 1 FGA/89	1		2		1	
	10000440	Dengue virus type 1 Hawaii		10	18	10	18	
	10000961	Dengue virus type 1 strain 16007	12		14		2	
	10000442	Dengue virus type 3 CH53489		7		7		
	246753	Dengue virus vector p4(Delta30)		2		2		
	6954	Dermatophagoides farinae	14	36	16	77	2	41
	6956	Dermatophagoides pteronyssinus	60	121	72	203	12	82
	439235	Desulfatibacillum alkenivorans AK-01		1		1		
	272564	Desulfitobacterium hafniense DCB-2		2		2		
	281689	Desulfuromonas acetoxidans DSM 684		1		1		
	11319	Dhori virus (strain Indian/1313/61)	1		1			
	44689	Dictyostelium discoideum		1		1		
	9265	Didelphidae		1		1		
	12506	Dobrava-Belgrade virus		16		16		
	7441	Dolichovespula maculata	11	20	11	20		
	292633	Dragon grouper nervous necrosis virus	20		20			
	7227	Drosophila melanogaster	3	11	3	14		3
	12639	Duck hepatitis B virus	189	20	263	20	74	
	10000466	Duvenhage virus 6		2		2		
	11021	Eastern equine encephalitis virus		1	1	1	1	
	11022	Eastern equine encephalitis virus (STRAIN VA33[TEN BROECK])		1		1		
	10000439	Eastern equine encephalitis virus SV	8		8			
	128952	Ebola virus - Mayinga, Zaire, 1976	11	13	11	13		
	205488	Ebola virus sp.		4		4		
	186536	Ebolavirus		1		1		

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	53751	Echinacea purpurea	1		1			
	6210	Echinococcus granulosus	39		39			
	6211	Echinococcus multilocularis	5		6		1	
	99586	Echis ocellatus	5		5			
	33758	Echovirus		1		1		
	12643	Ectromelia virus		5		5		
	944	Ehrlichia canis	7		7			
	269484	Ehrlichia canis str. Jake	16		16			
	945	Ehrlichia chaffeensis	13	1	13	1		
	205920	Ehrlichia chaffeensis str. Arkansas	23		23			
	35795	Ehrlichia muris	2	3	2	3		
	779	Ehrlichia ruminantium	3		3			
	5801	Eimeria acervulina	1		1			
	5802	Eimeria tenella	6		6			
	35321	El Moro Canyon virus		2		2		
X	3193	Embryophyta			2		2	
	6035	Encephalitozoon cuniculi		5		5		
	284813	Encephalitozoon cuniculi GB-M1		27		27		
	12104	Encephalomyocarditis virus		1		1		
	370354	Entamoeba dispar SAW760		16		16		
	5759	Entamoeba histolytica	29	13	29	13		
	294381	Entamoeba histolytica HM-1:IMSS		97		97		
	10000352	Entamoeba histolytica YS-27	1		1			
	12340	Enterobacteria phage 933J	2		2			
	10730	Enterobacteria phage 933W	1		1			
	291401	Enterobacteria phage CP-1639		1		1		
	10863	Enterobacteria phage f1		1	1	1	1	
	10864	Enterobacteria phage fd	7		7			
	10710	Enterobacteria phage lambda	2	7	2	7		
	10754	Enterobacteria phage P22	5		5			
	10658	Enterobacteria phage PRD1	2		2			
	55884	Enterobacteria phage SfV		1		1		
	10665	Enterobacteria phage T4	10	20	10	20		
	10760	Enterobacteria phage T7	1		1			
	543	Enterobacteriaceae	3		3			
	12022	Enterobacterio phage MS2	1		1			
	1351	Enterococcus faecalis	2		2			
	1352	Enterococcus faecium	6		6			
	333849	Enterococcus faecium DO		1		1		
	12059	Enterovirus		9		9		
	150846	Enterovirus 5865/sin/000009	2		2			
	31330	Ephydatia fluvialis		1		1		
	82830	Epstein-barr virus strain ag876	1	1	1	1		
	10326	Equid herpesvirus 1	5		5			
	10000525	Equid herpesvirus 2 16V	1		1			
	10000526	Equid herpesvirus 2 5FN	1		1			
	10000524	Equid herpesvirus 2 691	1		1			
	10000391	Equid herpesvirus 2 ER32	1		1			
	10000527	Equid herpesvirus 2 FIN60	1		1			
	10331	Equid herpesvirus 4	5		5			
	10000405	Equid herpesvirus 4 TH20	2		2			
	82831	Equid herpesvirus type 2 strain 86/87	1		1			
	11047	Equine arteritis virus	2		2			

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	11665	Equine infectious anemia virus	91	109	91	109		
	11670	Equine infectious anemia virus (CLONE 1369)		1		1		
	11671	Equine infectious anemia virus (STRAIN WSU5)		16		16		
	10000499	Equine infectious anemia virus PV		2		2		
	10000835	Equine rhinitis A virus 393/76	4		4			
X	650131	Equine rhinitis B virus 1 strain P1436/71				6	6	
X	10001929	Equine rhinitis B virus 2 strain 313/75				5	5	
X	10001930	Equine rhinitis B virus 3 isolate 2225AS				5	5	
	9796	Equus caballus	7	44	8	44	1	
	9798	Equus przewalskii		1		1		
	562	Escherichia coli	196	97	196	103		6
	10001633	Escherichia coli 055:B5	3		3			
	358709	Escherichia coli 101-1		5		5		
	10001145	Escherichia coli 1471	2		2			
	10000727	Escherichia coli 180/C3	1		1			
	362663	Escherichia coli 536		59		59		
	525281	Escherichia coli 83972		3		3		
	405955	Escherichia coli APEC O1		7		7		
	481805	Escherichia coli ATCC 8739		1		1		
	37762	Escherichia coli B	1	1	1	1		
	10000728	Escherichia coli B/r CM6		1		1		
	344601	Escherichia coli B171		11		11		
	550676	Escherichia coli B185		1		1		
	340184	Escherichia coli B7A		5		5		
	199310	Escherichia coli CFT073	1	1	1	1		
	340186	Escherichia coli E110019		1		1		
	340185	Escherichia coli E22		11		11		
	331111	Escherichia coli E24377A		31		31		
	316401	Escherichia coli ETEC H10407	64	31	64	31		
	340197	Escherichia coli F11		12		12		
	10001528	Escherichia coli F515	1		1			
	331112	Escherichia coli HS		8		8		
	585034	Escherichia coli IAI1	3		3			
	10001502	Escherichia coli J-5	1		1			
	10001753	Escherichia coli K1		1		1		
	83333	Escherichia coli K-12	13	16	13	16		
	679206	Escherichia coli MS 119-7		1		1		
	679205	Escherichia coli MS 124-1		1		1		
	10001659	Escherichia coli O125	1		1			
	168807	Escherichia coli O127:H6		1		1		
	83334	Escherichia coli O157:H7		103		103		
	478005	Escherichia coli O157:H7 str. EC4486		1		1		
	478006	Escherichia coli O157:H7 str. EC4501		2		2		
	478008	Escherichia coli O157:H7 str. EC869		14		14		
	155864	Escherichia coli O157:H7 str. EDL933	2	19	2	19		
	386585	Escherichia coli O157:H7 str. Sakai		13		13		
	10000733	Escherichia coli O5:K4:H4	1		1			
	244320	Escherichia coli O55:H7		1		1		
	217992	Escherichia coli O6		7		7		
	10000734	Escherichia coli O65:K:-H-	1		1			
	316385	Escherichia coli str. K-12 substr. DH10B		2		2		
	511145	Escherichia coli str. K-12 substr. MG1655		26		26		
	316407	Escherichia coli str. K-12 substr. W3110		1		1		

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	364106	Escherichia coli UTI89		2		2		
X	3039	Euglena gracilis			1		1	
	2759	Eukaryota	1		1			
	34828	Eulemur mongoz	1		1			
	6958	Euroglyphus maynei		10		10		
	420521	Expression vector pNIC-NHT-CF	1		1			
	3617	Fagopyrum esculentum	40		40			
	62330	Fagopyrum tataricum	5		5			
	6690	Farfantepenaeus aztecus	51		51			
	46835	Fasciola gigantica	2		2			
	6192	Fasciola hepatica	254	11	254	11		
	11978	Feline calicivirus	4		4			
	11981	Feline calicivirus (STRAIN F9)	2		2			
	11980	Feline calicivirus (STRAIN JAPANESE F4)	6		6			
	12663	Feline coronavirus		1		1		
	11673	Feline immunodeficiency virus		28		28		
	11674	Feline immunodeficiency virus (isolate Petaluma)	2	3	2	3		
	45409	Feline immunodeficiency virus (isolate wo)	3		3			
	36372	Feline immunodeficiency virus (strain UK8)		1		1		
	33734	Feline infectious peritonitis virus (strain 79-1146)	10	7	10	7		
	10001624	Feline infectious peritonitis virus (strain KU-2)	14	27	14	27		
	11769	Feline leukemia virus strain A/Glasgow-1	6		6			
	10001130	Feline leukemia virus subtype A	2		2			
	10786	Feline panleukopenia virus		4		4		
	9685	Felis catus	32	81	32	93		12
	4606	Festuca arundinacea	1		1			
	156586	Flavobacteria bacterium BBFL7		1		1		
	12110	Foot-and-mouth disease virus	22	2	24	4	2	2
	12111	Foot-and-mouth disease virus - type A		2		2		
	10000991	Foot-and-mouth disease virus - type A (strain A22 Iraq)	5	1	5	1		
	10000989	Foot-and-mouth disease virus - type A (strain A22)	8	6	8	6		
	110195	Foot-and-mouth disease virus - type Asia 1	8	3	8	3		
	10000995	Foot-and-mouth disease virus - type Asia 1 Pakistan	1		1			
X	10001946	Foot-and-mouth disease virus - type Asia 1 YS/CHA/05			1		1	
	12116	Foot-and-mouth disease virus - type C	6	26	6	26		
	12118	Foot-and-mouth disease virus - type O	24	4	25	4	1	
	10000801	Foot-and-mouth disease virus - type O (O/SKR/2002)	1		1			
	10001118	Foot-and-mouth disease virus - type O (strain HKN/14/82)	2		2			
	10000856	Foot-and-mouth disease virus - type O isolate O/UKG/35/2001		14		14		
	10001642	Foot-and-mouth disease virus - type O Wuppertal/FRG/82		1		1		
	10000992	Foot-and-mouth disease virus - type SAT 1 (Strain Bot 1/68)	1		1			
	35292	Foot-and-mouth disease virus - type SAT 2		1	1	1	1	
	10000993	Foot-and-mouth disease virus - type SAT 2 (Strain Ken 3/57)	1		1			
	10001000	Foot-and-mouth disease virus - type SAT 2 (strain Rho 1/48)	4		4			
	12123	Foot-and-mouth disease virus - type SAT 3		1		1		
	10000994	Foot-and-mouth disease virus - type SAT 3 (Strain Bec 1/65)	1		1			
	12112	Foot-and-mouth disease virus (strain A10-61)	8		8			
	12114	Foot-and-mouth disease virus (strain A12)	21		21			
	12115	Foot-and-mouth disease virus (strain A24 Cruzeiro)	17	4	17	4		
	12113	Foot-and-mouth disease virus (strain A5)	3		3			
	12120	Foot-and-mouth disease virus (strain C1-Santa Pau)	1		1			
	12117	Foot-and-mouth disease virus (strain C3 Indaial)	2		2			
	73482	Foot-and-mouth disease virus (strain O1)	18	1	18	1		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	10000820	Foot-and-mouth disease virus (strain O1) (O/Taiwan/1/97)	1		1			
	10000964	Foot-and-mouth disease virus (strain O1) (O1 Brugge)	2		2			
	10000516	Foot-and-mouth disease virus (strain O1) (O1 Campos)	18	18	18	18		
	10000513	Foot-and-mouth disease virus (strain O1) (O1 Kaufbeuren)	37	8	41	8	4	
	10000514	Foot-and-mouth disease virus (strain O1) (O1BFS 1860)	8		9		1	
	10000515	Foot-and-mouth disease virus (strain O1) (O1BFS)	4		5		1	
	10000556	Foot-and-mouth disease virus (strain O1) Kaufbeuren	42	12	42	12		
	161727	Foot-and-mouth disease virus A10/Holland	11	14	11	14		
	12121	Foot-and-mouth disease virus C1	1		1			
	10000840	Foot-and-mouth disease virus C1 Brescia It/64	2		2			
	10000986	Foot-and-mouth disease virus C1 CS30	1		1			
	10000836	Foot-and-mouth disease virus C1 CS8	22	24	22	24		
	46290	Foot-and-mouth disease virus C3	4	1	4	1		
	10001039	Foot-and-mouth disease virus C3 (strain Resendne-Br/55)	1		1			
	244367	Foot-and-mouth disease virus C-S8c1	12	17	12	17		
	13067	Forficula			2		2	
	31621	Four Corners hantavirus	2	5	2	5		
	10261	Fowlpox virus			7		7	
	10263	Fowlpox virus isolate HP-438/Munich			1		1	
	401614	Francisella novicida U112			1		1	
	263	Francisella tularensis			7		7	
	351581	Francisella tularensis subsp. holarktica FSC200			1		1	
	458234	Francisella tularensis subsp. holarktica FTNF002-00			1		1	
	376619	Francisella tularensis subsp. holarktica LVS	1	75	2	291	1	216
	393011	Francisella tularensis subsp. holarktica OSU18			5		5	
	119856	Francisella tularensis subsp. tularensis			5		5	
	430557	Francisella tularensis subsp. tularensis FSC033			27		27	
	393115	Francisella tularensis subsp. tularensis FSC198			50		50	
	177416	Francisella tularensis subsp. tularensis SCHU S4			90		90	
	418136	Francisella tularensis subsp. tularensis WY96-3418			1		1	
	298653	Frankia sp. EAN1pec			2		2	
X	38873	Fraxinus excelsior					3	3
	11795	Friend murine leukemia virus	6	25	6	25		
	209882	Fusobacterium nucleatum subsp. vincentii ATCC 49256			1		1	
	8053	Gadus morhua callarias	10		10			
	7137	Galleria mellonella	1		1			
	9031	Gallus gallus	252	164	257	171	5	7
X	373097	Gambierdiscus					1	1
	373098	Gambierdiscus toxicus	4		5		1	
	11824	Gardner-Arnstein feline leukemia oncivirus B	13		13			
	54290	GB virus C	16		16			
	471223	Geobacillus sp. WCH70			2		2	
	1422	Geobacillus stearothermophilus	1	1	1	1		
	5741	Giardia intestinalis			8		8	
	598745	Giardia intestinalis ATCC 50581			5		5	
	184922	Giardia lamblia ATCC 50803			239		239	
	28448	Gluconacetobacter xylinus			1		1	
	3847	Glycine max	71	2	71	2		
X	38251	Goose parvovirus					7	7
	9593	Gorilla gorilla			1		1	
	9595	Gorilla gorilla gorilla			5		5	
	55951	Grapevine leafroll-associated virus 3	1		1			
	35288	Grapevine virus A	19		19			

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	45219	Guanarito virus		838		838		
	10001616	Guanarito virus strain INH-95551		1		1		
	114727	H1N1 subtype	8	23	9	25	1	2
	10000477	H1N1 subtype Influenza A virus (A/Netherlands/306/00 (H1N1))		1		1		
	10001225	H1N1 subtype Influenza A/Oklahoma/7485/01		5		5		
	10001315	H1N1 swine influenza virus (A/swine/Korea/S10/2004(H1N1))		3		3		
	10001316	H1N1 swine influenza virus (A/swine/Korea/S175/2004(H1N1))		1		1		
	119210	H3N2 subtype	2	19	2	19		
	10001157	H3N2 subtype Influenza A virus (A/Hong Kong(H3N2))		15		15		
	102793	H5N1 subtype	7	22	14	31	7	9
	10001317	H9N2 subtype Influenza A virus (A/swine/Korea/S81/2004(H9N2))		1		1		
	10001318	H9N2 subtype Influenza A virus (A/swine/Korea/S83/2004(H9N2))		2		2		
	6289	Haemonchus contortus	1		1			
	197575	Haemophilus aegyptius	1		1			
	730	Haemophilus ducreyi	3	1	3	1		
	233412	Haemophilus ducreyi 35000HP	1		1			
	727	Haemophilus influenzae	24	64	24	64		
	374927	Haemophilus influenzae 22.1-21		1		1		
	375177	Haemophilus influenzae 3655		1		1		
	521004	Haemophilus influenzae 6P18H1		1		1		
	10001055	Haemophilus influenzae 6U	2		2			
	521005	Haemophilus influenzae 7P49H1		2		2		
	281310	Haemophilus influenzae 86-028NP	1		1			
	10001056	Haemophilus influenzae ATCC 9795	2		2			
	10001053	Haemophilus influenzae MinnA	9		9			
	10000833	Haemophilus influenzae NTHi 1128	6		6			
	10001042	Haemophilus influenzae NTHi 1479	12	4	12	4		
	10000807	Haemophilus influenzae NTHi UC19	2	2	2	2		
	374928	Haemophilus influenzae PittAA		2		2		
	374931	Haemophilus influenzae PittGG		1		1		
	374932	Haemophilus influenzae PittHH	1		1			
	262727	Haemophilus influenzae R2846		3		3		
	262728	Haemophilus influenzae R2866		1		1		
	375432	Haemophilus influenzae R3021		3		3		
	71421	Haemophilus influenzae Rd KW20		1		1		
	10000860	Haemophilus influenzae Serotype B	17	9	17	9		
	10001155	Haemophilus influenzae strain 1479	2		2			
	10001150	Haemophilus influenzae Strain Eagan	58		58			
	10001523	Haemophilus influenzae strain I-69 Rd-/b+	4		4			
	10001520	Haemophilus influenzae strain RM7004	1		1			
	10001149	Haemophilus influenzae Subtype 1H	23		23			
	10000861	Haemophilus influenzae Variant d1	18		18			
	10690	Haemophilus phage HP1		1		1		
	205914	Haemophilus somnus 129PT		1		1		
	228400	Haemophilus somnus 2336	1		1			
	6454	Haliotis rufescens	1		1			
	10626	Hamster polyomavirus	11		11			
	11599	Hantaan virus	2	45	2	45		
	11602	Hantaan virus 76-118	11	15	13	22	2	7
	370830	Hantaan virus Q32		4		4		
	470918	Hantaanvirus CGHu1		1		1		
	458678	Hantaanvirus CGRn93P8		2		2		
	11598	Hantavirus		3		3		

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	74942	Hantavirus CRF355		1		1		
	42358	Hantavirus Monongahela-3		5		5		
	37741	Hantavirus sp.		2		2		
	279233	Hantavirus Z37		2		2		
	13557	Hapalemur griseus		1		1		
	4232	Helianthus annuus	18		18			
	32025	Helicobacter hepaticus		1		1		
	235279	Helicobacter hepaticus ATCC 51449	2		2			
	210	Helicobacter pylori	35	3	37	4	2	1
	85962	Helicobacter pylori 26695	13	6	13	6		
	10001667	Helicobacter pylori 487	1		1			
	10001794	Helicobacter pylori B128 Gerbil-adapted variant 7.13	1		1			
	563041	Helicobacter pylori G27	2		2			
	10000718	Helicobacter pylori J223	2		2			
	85963	Helicobacter pylori J99		53		53		
	570508	Helicobacter pylori P12		2		2		
	102617	Helicobacter pylori SS1	1		1			
	10000720	Helicobacter pylori UA948	2		2			
	10000721	Helicobacter pylori UA955	1		1			
	6339	Heligmosomoides polygyrus	1		3		2	
	6536	Helix pomatia	1		1			
	63330	Hendra virus	7		7			
	11102	Hepacivirus		3		3		
	12092	Hepatitis A virus	23	22	23	22		
	10407	Hepatitis B virus	246	460	246	478		18
	12513	Hepatitis B virus 2		1		1		
	31512	Hepatitis B virus adr/mutant		1		1		
	10409	Hepatitis B virus adr4		11		11		
	10410	Hepatitis B virus adw/991	2	2	2	2		
	10412	Hepatitis B virus adw/Indonesia/PIDW420		2		2		
	10415	Hepatitis B virus adw/Okinawa/PODW282		4		4		
	45410	Hepatitis B virus adw4/Brazil/isolate w4b		6		6		
	10411	Hepatitis B virus alpha1		15		15		
	489469	Hepatitis B virus ayw/China/Tibet127/2002	1		1			
	391647	Hepatitis B virus ayw2	6		6			
	391646	Hepatitis B virus ayw3	1		1			
	391650	Hepatitis B virus ayw4	1		1			
	10000433	Hepatitis B virus genotype B	1		1			
	10000434	Hepatitis B virus genotype C	3		3			
	10000435	Hepatitis B virus genotype D	1		1			
	10414	Hepatitis B virus LSH/chimpanzee		2		2		
	10001156	Hepatitis B virus subtype AD	3	3	3	3		
	106820	Hepatitis B virus subtype adr	23	25	23	25		
	106821	Hepatitis B virus subtype adw	17	60	17	60		
	10408	Hepatitis B virus subtype adw2	71	60	71	60		
	10419	Hepatitis B virus subtype adyw		35		35		
	10000436	Hepatitis B virus subtype AY	7		7			
	10000437	Hepatitis B virus subtype AYR		1		1		
	10418	Hepatitis B virus subtype ayw	57	165	57	165		
	11103	Hepatitis C virus	640	865	645	866	5	1
	11104	Hepatitis C virus (isolate 1)	37	223	37	223		
	356391	Hepatitis C virus (isolate 6a33)		5		5		
	356413	Hepatitis C virus (isolate BEBE1)		10		10		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	11105	Hepatitis C virus (isolate BK)	3	42	3	43		1
	333284	Hepatitis C virus (isolate Con1)	3	3	4	3	1	
	356419	Hepatitis C virus (isolate EUH1480)		4		4		
	329389	Hepatitis C virus (isolate Glasgow)	2	1	3	1	1	
	11108	Hepatitis C virus (isolate H)	128	81	128	81		
	63746	Hepatitis C virus (isolate H77)	41	207	84	207	43	
	356410	Hepatitis C virus (isolate HC-G9)	2	1	2	1		
	11110	Hepatitis C virus (isolate HCT18)	1		1			
	356416	Hepatitis C virus (isolate HCV-K3a/650)		14		14		
	31644	Hepatitis C virus (isolate HCV-KF)	1	1	1	1		
	356386	Hepatitis C virus (isolate India)		1		1		
	11116	Hepatitis C virus (isolate Japanese)	6	18	6	18		
	356417	Hepatitis C virus (isolate JK049)		5		5		
	356415	Hepatitis C virus (isolate NZL1)	1	1	1	1		
	31645	Hepatitis C virus (isolate Taiwan)	3	19	3	19		
	356421	Hepatitis C virus (isolate Th580)		4		4		
	357355	Hepatitis C virus (isolate Tr Kj)		3		3		
	356424	Hepatitis C virus (isolate VN004)		1		1		
	41856	Hepatitis C virus genotype 1	2	60	2	60		
	40271	Hepatitis C virus genotype 2	41	6	41	6		
	356114	Hepatitis C virus genotype 3	121	13	121	13		
	33745	Hepatitis C virus genotype 4		2		2		
	33746	Hepatitis C virus genotype 5		1		2	1	
	42182	Hepatitis C virus genotype 6		7		7		
	421877	Hepatitis C virus isolate HC-J1	3	26	3	26		
	11113	Hepatitis C virus isolate HC-J6	7	2	7	2		
	11115	Hepatitis C virus isolate HC-J8	2	1	2	1		
	356411	Hepatitis C virus JFH-1	3	1	6	1	3	
	31646	Hepatitis C virus subtype 1a	185	357	195	358	10	1
	10000453	Hepatitis C virus subtype 1a (isolate Gla)	5		5			
	10000455	Hepatitis C virus subtype 1a 1/910		17		17		
	10000457	Hepatitis C virus subtype 1a Chiron Corp.	1	1	1	1		
	31647	Hepatitis C virus subtype 1b	526	197	530	222	4	25
	10000456	Hepatitis C virus subtype 1b AD78	71		71			
	10000968	Hepatitis C virus subtype 1b isolate BE-11	3		3			
	10000460	Hepatitis C virus subtype 1b JK1	13		13			
	31649	Hepatitis C virus subtype 2a	78	23	80	23	2	
	31650	Hepatitis C virus subtype 2b	100	3	101	3	1	
	356426	Hepatitis C virus subtype 3a	5	30	8	53	3	23
	42792	Hepatitis C virus subtype 3g	1		1			
	31653	Hepatitis C virus subtype 4a	1	1	1	1		
	31654	Hepatitis C virus subtype 5a	1	1	1	1		
	31655	Hepatitis C virus subtype 6a		1		1		
	12475	Hepatitis delta virus	48	7	48	7		
	10000522	Hepatitis delta virus (isolate TW2667)		5		5		
	12461	Hepatitis E virus	133	27	133	27		
	31767	Hepatitis E virus (strain Burma)	160		160			
	31768	Hepatitis E virus (strain Mexico)	31		31			
	10000519	Hepatitis E virus China Xinjiang	1		1			
	10000520	Hepatitis E virus SAR-55	1	6	1	6		
	39113	Hepatitis GB virus B		4		4		
	28300	Heron hepatitis B virus		1		1		
	10299	Herpes simplex virus (type 1 / strain 17)	44	30	44	30		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	10301	Herpes simplex virus (type 1 / strain Angelotti)		1		1		
	10304	Herpes simplex virus (type 1 / strain F)	17	5	17	5		
	10303	Herpes simplex virus (type 1 / strain HFEM)	2		2			
	10308	Herpes simplex virus (type 1 / strain Patton)	3		3			
	10309	Herpes simplex virus (type 1 / strain SC16)	6	2	6	2		
	126283	Herpes simplex virus unknown type		1		1		
	10292	Herpesviridae		1		1		
	49011	Hesperocyparis arizonica	2		2	6		6
	3981	Hevea brasiliensis	169	43	169	43		
	388799	HIV-1 group O	1		1			
X	505184	HIV-1 M:A			5		5	
X	505185	HIV-1 M:B			1		1	
	11685	HIV-1 M:B_ARV2/SF2		43		43		
	11706	HIV-1 M:B_HXB2R	1	12	11	12	10	
	11696	HIV-1 M:B_MN	3	21	9	21	6	
X	505186	HIV-1 M:C			5		5	
	327105	HIV-1 O_ANT70	1		1			
	11583	HoJo virus		1		1		
	29679	Holcus lanatus	14		14			
	9606	Homo sapiens	5058	7108	5775	1087		
	397342	Horsepox virus		6		6		
	343462	Human adenovirus 11p	7		7			
	28282	Human adenovirus 12	10	2	10	2		
	46921	Human adenovirus 13	1		1			
	28276	Human adenovirus 15	1		1			
	10515	Human adenovirus 2	28	5	28	5		
	45659	Human adenovirus 3	20	1	20	1		
	28284	Human adenovirus 40	2	1	2	1		
	46941	Human adenovirus 46	1		1			
	28285	Human adenovirus 5	22	173	22	173		
	31545	Human adenovirus 8	1		1			
	10001392	Human adenovirus B strain Harbin04B	5		5			
	129951	Human adenovirus C	1	3	1	3		
	130309	Human adenovirus F	1		1			
X	158465	Human calicivirus Hu/NLV/GII/MD145-12/1987/US			1		1	
	11137	Human coronavirus 229E		2		2		
	31631	Human coronavirus OC43		1		1		
X	31704	Human coxsackievirus A16			1		1	
	12067	Human coxsackievirus A9	30		30			
	12071	Human coxsackievirus B1	12		12			
	82639	Human coxsackievirus B2	1		1			
	12072	Human coxsackievirus B3	7	14	7	14		
	10001213	Human coxsackievirus B3 (strain RK)	1		1			
	12073	Human coxsackievirus B4	17	50	17	50		
	11827	Human endogenous retrovirus	2	1	2	1		
	64382	Human Endogenous Retrovirus IDDMK1,2-22	3		3			
	45617	Human endogenous retrovirus K	12		12			
	39054	Human enterovirus 71	4		12	1	8	1
X	69153	Human enterovirus 71 (strain BRCR)			1		1	
X	10001902	Human enterovirus 71 NUH0083/SIN/08			3		3	
	10000548	Human enterovirus 71 Subgenogroup C2	18		18			
	138948	Human enterovirus A	1	1	1	1		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	138950	Human enterovirus C	6	3	6	3		
	208726	Human hepatitis A virus	4		4			
	12098	Human hepatitis A virus Hu/Australia/HM175/1976	86	80	86	80		
	10298	Human herpesvirus 1	141	142	141	142		
	10000394	Human herpesvirus 1 103/65	1		1			
	10000396	Human herpesvirus 1 McIntyre		1		1		
	10000398	Human herpesvirus 1 NS	1		1			
	10306	Human herpesvirus 1 strain KOS	17	4	17	4		
	10310	Human herpesvirus 2	96	163	96	188		25
	10312	Human herpesvirus 2 strain 186		1		1		
	10313	Human herpesvirus 2 strain 333		4	2	5	2	1
	10315	Human herpesvirus 2 strain HG52		31		31		
	10335	Human herpesvirus 3	6	79	9	79	3	
	10000406	Human herpesvirus 3 H-551	26	15	26	15		
	10338	Human herpesvirus 3 strain Dumas		28		28		
	10376	Human herpesvirus 4	124	348	126	349	2	1
	10377	Human herpesvirus 4 (strain B95-8)	68	264	68	264		
	10000420	Human herpesvirus 4 BL74		1		1		
	10000421	Human herpesvirus 4 CKL		10		10		
	10000424	Human herpesvirus 4 GD1		1		1		
	36352	Human herpesvirus 4 type 1	4	12	4	12		
	12509	Human herpesvirus 4 type 2	2	5	2	5		
	10000427	Human herpesvirus 4 type A		5		5		
	10359	Human herpesvirus 5	83	471	83	474		3
	10360	Human herpesvirus 5 strain AD169	27	360	28	360	1	
	10363	Human herpesvirus 5 strain Towne	4	24	5	24	1	
	10368	Human herpesvirus 6	2	2	2	22		20
	10369	Human herpesvirus 6 (strain GS)	2		2			
	10370	Human herpesvirus 6 (strain Uganda-1102)	1	2	1	2		
	36351	Human herpesvirus 6 strain Z29	1		1	13		13
X	32603	Human herpesvirus 6A					6	6
	32604	Human herpesvirus 6B	1	2	1	2		
	10000535	Human herpesvirus 6B HST	1		1			
	10372	Human herpesvirus 7	2	2	2	2		
	57278	Human herpesvirus 7 strain JI		1		1		
	37296	Human herpesvirus 8	26	482	26	482		
	12721	Human immunodeficiency virus	1	16	1	16		
	11676	Human immunodeficiency virus 1	39	281	57	282	18	1
	10000500	Human immunodeficiency virus 1 IIIB		2	1	2	1	
	11709	Human immunodeficiency virus 2		6		6		
	11682	Human immunodeficiency virus type 1 (BH5 ISOLATE)		1		1		
	11686	Human immunodeficiency virus type 1 (BRU ISOLATE)	1	3	1	3		
	11687	Human immunodeficiency virus type 1 (CDC-451 ISOLATE)		3		3		
	11679	Human immunodeficiency virus type 1 (CLONE 12)		6		6		
	11689	Human immunodeficiency virus type 1 (ELI ISOLATE)		6		6		
	362651	Human immunodeficiency virus type 1 (isolate YU2)	21	5	21	5		
	11694	Human immunodeficiency virus type 1 (JH3 ISOLATE)	3		3			
	11688	Human immunodeficiency virus type 1 (JRCSF ISOLATE)		35		35		
	11697	Human immunodeficiency virus type 1 (MAL ISOLATE)		7		7		
	11704	Human immunodeficiency virus type 1 (MFA ISOLATE)		2		2		
	11695	Human immunodeficiency virus type 1 (NDK ISOLATE)		8		8		
	11698	Human immunodeficiency virus type 1 (NEW YORK-5 ISOLATE)		1	1	1	1	
	11699	Human immunodeficiency virus type 1 (OYI ISOLATE)		3		3		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	11701	Human immunodeficiency virus type 1 (RF/HAT ISOLATE)	1	19	1	19		
	11691	Human immunodeficiency virus type 1 (SF162 ISOLATE)	2	1	2	1		
	11690	Human immunodeficiency virus type 1 (SF33 ISOLATE)		2		2		
	11703	Human immunodeficiency virus type 1 (STRAIN UGANDAN / ISOLATE U455)		14		14		
	31678	Human immunodeficiency virus type 1 (WMJ1 isolate)		15		15		
	11705	Human immunodeficiency virus type 1 (WMJ2 ISOLATE)		1		1		
	11683	Human immunodeficiency virus type 1 (Z2/CDC-Z34 ISOLATE)		1		1		
	11678	Human immunodeficiency virus type 1 BH10	1	19	2	19	1	
	11714	Human immunodeficiency virus type 2 (ISOLATE BEN)		7		7		
	11715	Human immunodeficiency virus type 2 (ISOLATE CAM2)		1		1		
	11713	Human immunodeficiency virus type 2 (ISOLATE D194)		1		1		
	11716	Human immunodeficiency virus type 2 (ISOLATE D205,7)		1		1		
	11717	Human immunodeficiency virus type 2 (ISOLATE GHANA-1)		5		5		
	73484	Human immunodeficiency virus type 2 (isolate KR)		2		2		
	11718	Human immunodeficiency virus type 2 (ISOLATE SBLISY)		2		2		
	162145	Human metapneumovirus	7	22	8	119	1	97
	10566	Human papillomavirus	4	2	4	2		
	10580	Human papillomavirus type 11		9	40	9	40	
	10573	Human papillomavirus type 13		1	1	1	1	
	333760	Human papillomavirus type 16	302	345	311	359	9	14
	333761	Human papillomavirus type 18	20	77	22	77	2	
	10583	Human papillomavirus type 1a	7	7	7	7		
	333751	Human papillomavirus type 2		2		2		
	333762	Human papillomavirus type 26		1		1		
	37112	Human papillomavirus type 29		1		1		
	10614	Human papillomavirus type 3		3		3		
	10585	Human papillomavirus type 31	7	6	8	6	1	
	333763	Human papillomavirus type 32	1	1	1	1		
	10586	Human papillomavirus type 33		5	8	5	8	
	10587	Human papillomavirus type 35		1		1		
	10588	Human papillomavirus type 39		1		1		
	10617	Human papillomavirus type 4		4		4		
	10615	Human papillomavirus type 40	1	1	1	1		
	10592	Human papillomavirus type 44		1		1		
	10593	Human papillomavirus type 45		5		5		
	10595	Human papillomavirus type 51		1		1		
	10618	Human papillomavirus type 52		33		33		
	333765	Human papillomavirus type 53		1		1		
	10596	Human papillomavirus type 56		3		3		
	10598	Human papillomavirus type 58	1	32	1	32		
	37115	Human papillomavirus type 59		1		1		
	31552	Human papillomavirus type 6	11	4	11	4		
	45240	Human papillomavirus type 68		1		1		
	10600	Human papillomavirus type 6b		11	25	11	25	
	10620	Human papillomavirus type 7		1	3	1	3	
	51033	Human papillomavirus type 73		1		1		
	36412	Human parainfluenza 1 virus (strains A1426 / 86-315 / 62M-753)		1		1		
	11217	Human parainfluenza 3 virus (strain NIH 47885)	8		8			
	11212	Human parainfluenza virus 2	10		10			
	11214	Human parainfluenza virus 2 (strain Toshiba)	3		3			
	11216	Human parainfluenza virus 3	2		2			
	12063	Human parechovirus 1	5		5			

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	289365	Human parvovirus 4		3		3		
	10798	Human parvovirus B19	93	44	93	44		
	10000438	Human parvovirus B19 genotype 1	1		1			
	12080	Human poliovirus 1	6	1	6	1		
	12081	Human poliovirus 1 Mahoney	47	22	47	22		
	12082	Human poliovirus 1 strain Sabin	7		7			
	10001028	Human poliovirus 2 (strain MEF-1)	1		1			
	10001040	Human poliovirus 2 (strain Sabin)	2	7	2	7		
	12086	Human poliovirus 3	5	2	5	2		
	10001086	Human poliovirus 3 (strain Sabin)	36	1	36	1		
	270338	Human poliovirus 3 strain Sabin	49		49			
	11250	Human respiratory syncytial virus	20	69	21	186	1	117
	11255	Human respiratory syncytial virus (strain RSB6190)	6		6			
	11256	Human respiratory syncytial virus (strain RSB6256)	10		10			
	11252	Human respiratory syncytial virus (strain RSB642)	1		1			
	11251	Human respiratory syncytial virus (subgroup B / strain 18537)	2	1	2	1		
	208893	Human respiratory syncytial virus A	1	3	1	3		
	10000960	Human respiratory syncytial virus A Mon/3/88	6		6			
	11260	Human respiratory syncytial virus A strain Long	120	16	120	16		
	10001456	Human respiratory syncytial virus A strain RGH	1		1			
	11259	Human respiratory syncytial virus A2	52	114	52	114		
	79692	Human respiratory syncytial virus B1	1	25	1	25		
	410078	Human respiratory syncytial virus S2	1		1			
	12134	Human rhinovirus 1A			19		19	
	10000987	Human rhinovirus 2 Vienna	5		5			
	147711	Human rhinovirus A	1		1			
	12130	Human rhinovirus A2	11		11			
X	12132	Human rhinovirus A89			3		3	
	12131	Human rhinovirus B14	13		13			
	10950	Human rotavirus (SEROTYPE 2 / STRAIN DS1)	1		1			
	31569	Human rotavirus (serotype 2 / strain RV-5)	1		1			
	10941	Human rotavirus A	13	2	13	2		
	10960	Human rotavirus G4 strain St. Thomas 3	6	1	6	1		
	374507	Human rotavirus G9 isolate F45	7		7			
	10001215	Human rotavirus G9 WI61	1		1			
	408599	Human rotavirus G9P[8]	1		1			
	94432	Human rotavirus MP409	1	1	1	1		
	10952	Human rotavirus strain KU	9		9			
	10957	Human rotavirus strain P	1	4	1	4		
	10958	Human rotavirus strain RRV	1		1			
	10962	Human rotavirus strain WA	10	7	10	7		
	11927	Human T-cell lymphotrophic virus type 1 (Caribbean isolate)			5		5	
	10001004	Human T-cell lymphotrophic virus type 1 (Caribbean isolate) (Strain HS35)	1		1			
	11928	Human T-cell lymphotrophic virus type 1 (isolate MT-2)	1		1			
	11926	Human T-cell lymphotrophic virus type 1 (strain ATK)	30	118	30	118		
	39015	Human T-cell lymphotropic virus type 1 (african isolate)			2		2	
	11908	Human T-lymphotropic virus 1	233	180	233	276		96
	11909	Human T-lymphotropic virus 2	63	2	63	2		
	77644	IncQ plasmid pIE1120			1		1	
	11120	Infectious bronchitis virus	5		5			
	10000825	Infectious bronchitis virus Avian strain D207	11		11			
	10001431	Infectious bronchitis virus CK/CH/LDL/971	1		1			

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	633557	Infectious bronchitis virus CK/CH/LHLJ/04V	1		1			
	10995	Infectious bursal disease virus	10		10			
	10997	Infectious bursal disease virus 002-73/AUS	1		1			
	31560	Infectious bursal disease virus E	1		1			
	11290	Infectious hematopoietic necrosis virus	8		8			
	11002	Infectious pancreatic necrosis virus	1		1			
	11320	Influenza A virus	43	309	53	316	10	7
	229051	Influenza A virus (A/81/HO)		3		3		
	387139	Influenza A virus (A/Aichi/2/1968(H3N2))	10	10	11	10	1	
	203129	Influenza A virus (A/Aichi/2/1994(H3N2))		1		1		
	553345	Influenza A virus (A/Aichi/72/2007(H3N2))	1		1			
	385576	Influenza A virus (A/Alaska/6/1977(H3N2))		1		1		
	383602	Influenza A virus (A/Anas acuta/Primorje/695/1976(H2N3))		10		10		
	370810	Influenza A virus (A/Anhui/1/2005(H5N1))	2		2			
X	370811	Influenza A virus (A/Anhui/2/2005(H5N1))			1		1	
X	464314	Influenza A virus (A/Anhui/T2/2006(H5N1))			1		1	
	384498	Influenza A virus (A/Ann Arbor/6/1960(H2N2))	1	180	1	181		1
X	947939	Influenza A virus (A/aquatic bird/Korea/w44/2005(H7N3))				1		1
	62446	Influenza A virus (A/Argentina/3779/94(H3N2))		1		1		
X	444793	Influenza A virus (A/Auckland/590/2000(H1N1))				1		1
		Influenza A virus (A/Australian shelduck/Western						
X	359921	Australia/1756/1983(H15N2))				1		1
	385630	Influenza A virus (A/Bangkok/1/1979(H3N2))	2	4	2	4		
	223931	Influenza A virus (A/Bangkok/10/1983(H1N1))		1		1		
	336238	Influenza A virus (A/Bar-headed Goose/Qinghai/61/05(H5N1))		8		8		
X	647096	Influenza A virus (A/Beijing/01/2009(H1N1))				21		21
	384500	Influenza A virus (A/Beijing/11/1956(H1N1))		22		22		
	518922	Influenza A virus (A/Beijing/262/1995(H1N1))	1		1			
	380950	Influenza A virus (A/Beijing/32/1992(H3N2))		54		54		
	648856	Influenza A virus (A/Beijing/501/2009(H1N1))	1		1			
	304883	Influenza A virus (A/Belfast/53582/2004(H3N?))		2		2		
	1086859	Influenza A virus (A/Bilthoven/4791/1981(H3N2))		3		3		
	336092	Influenza A virus (A/black-headed goose/Qinghai/1/2005(H5N1))	2		2			
	88776	Influenza A virus (A/Brevig Mission/1/1918(H1N1))	1		1			
X	504904	Influenza A virus (A/Brisbane/59/2007(H1N1))				12		12
	385587	Influenza A virus (A/budgerigar/Hokkaido/1/1977(H4N6))		4		4		
	641501	Influenza A virus (A/California/04/2009(H1N1))	55	47	57	72	2	25
X	641809	Influenza A virus (A/California/07/2009(H1N1))			1	6	1	6
	352963	Influenza A virus (A/California/7/2004(H3N2))		1		1		
	387191	Influenza A virus (A/camel/Mongolia/1982(H1N1))		8		8		
X	402518	Influenza A virus (A/Canada/rv504/2004(H7N3))			1		1	
	205946	Influenza A virus (A/Chicken/Beijing/1/95(H9N2))		1		1		
	404137	Influenza A virus (A/chicken/Beijing/nl/2002(H9N2))		1		1		
	36418	Influenza A virus (A/chicken/Brescia/1902(H7N7))		1		1		
	342137	Influenza A virus (A/chicken/CA/375TR/2002(H6N2))		1		1		
	196462	Influenza A virus (A/chicken/California/1002a/00(H6N2))		1	1	1	1	
	11384	Influenza A virus (A/chicken/FPV/Weybridge(H7N7))		1		1		
	329593	Influenza A virus (A/chicken/Fujian/25/00(H9N2))		5		5		
	197579	Influenza A virus (A/Chicken/Guangdong/11/97(H9N2))		1		1		
	407418	Influenza A virus (A/chicken/Guiyang/2147/2005(H5N1))		1		1		
	435359	Influenza A virus (A/chicken/Hebei/706/2005(H5N1))		1		1		
	357205	Influenza A virus (A/chicken/Hong Kong/3123.1/2002(H5N1))		1		1		
X	97353	Influenza A virus (A/Chicken/Hong Kong/739/94(H9N2))				1		1

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	97348	Influenza A virus (A/Chicken/Hong Kong/G23/97(H9N2))		1		1		
X	292039	Influenza A virus (A/chicken/HongKong/SF1/03(H9N2))			1		1	
X	292045	Influenza A virus (A/chicken/HongKong/YU427/03(H9N2))			1		1	
	404150	Influenza A virus (A/chicken/Hubei/wk/1997(H5N1))		2		2		
	404155	Influenza A virus (A/chicken/Hunan/fg/2004(H5N1))		2		2		
X	680729	Influenza A virus (A/chicken/Italy/1067/1999(H7N1))				17		17
	447133	Influenza A virus (A/chicken/Japan/1925(H7N7))	1		1			
	404163	Influenza A virus (A/chicken/Jilin/hg/2002(H5N1))		1		1		
	300750	Influenza A virus (A/chicken/Korea/S1/2003(H9N2))		1		1		
	342221	Influenza A virus (A/chicken/Korea/S4/2003(H9N2))		1		1		
	298713	Influenza A virus (A/chicken/Korea/SNU0091/00(H9N2))		1		1		
	298716	Influenza A virus (A/chicken/Korea/SNU1035C/00(H9N2))		1		1		
	680739	Influenza A virus (A/chicken/Mexico/37821-771/1996(H5N2))		1		1		
	270490	Influenza A virus (A/chicken/Nakorn-Patom/Thailand/CU-K3/2004(H5N1))		1		1		
	215862	Influenza A virus (A/Chicken/Nanchang/2-220/2001(H3N6))		1		1		
X	404573	Influenza A virus (A/chicken/Netherlands/03010132/03(H7N7))			1		1	
		Influenza A virus (A/Chicken/Pennsylvania/13552-1/98(H7N2NSB))			1		1	
	385617	Influenza A virus (A/chicken/Pennsylvania/1370/1983(H5N2))	1		1			
	392810	Influenza A virus (A/chicken/Rostock/8/1934(H7N1))	2	4	2	4		
	402527	Influenza A virus (A/chicken/Scotland/1959(H5N1))		1		1		
	197585	Influenza A virus (A/chicken/Shandong/6/96(H9N2))	1		1			
X	183741	Influenza A virus (A/Chicken/Shanghai/F/98(H9N2))			1		1	
	264510	Influenza A virus (A/chicken/Thailand/LV1NF/2004(H5N1))		1		1		
	393548	Influenza A virus (A/chicken/Tula/Russia/Oct-5/2005(H5N1))		1		1		
	768647	Influenza A virus (A/chicken/Uchal/8286/2006(H9N2))		1		1		
	768646	Influenza A virus (A/chicken/Uchal/8293/2006(H9N2))		1		1		
	299730	Influenza A virus (A/chicken/Viet Nam/AG-010/2004(H5N1))		1		1		
	380836	Influenza A virus (A/chicken/Vietnam/5/2003(H5N1))		1		1		
	365129	Influenza A virus (A/chicken/Vietnam/DT171/2004(H5N1))		1		1		
	380985	Influenza A virus (A/Chile/1/1983(H1N1))		1		1		
	62541	Influenza A virus (A/Christchurch/2/1988(H3N2))		1		1		
	514193	Influenza A virus (A/CHU/2-524/2005(H3N2))		2		2		
	284168	Influenza A virus (A/Ck/HK/2133.1/2003(H5N1))		1		1		
	354235	Influenza A virus (A/Ck/HK/CSW161/2003(H9N2))		1		1		
	284195	Influenza A virus (A/Ck/YN/115/2004(H5N1))		1		1		
	107493	Influenza A virus (A/Cordoba/3278/96(H3N2))		1		1		
	320306	Influenza A virus (A/crested eagle/Belgium/01/2004(H5N1))	2		2			
	291592	Influenza A virus (A/crow/Kyoto/53/2004(H5N1))	1		1			
X	504697	Influenza A virus (A/Cygnus olor/Czech Republic/10732/07(H5N1))					1	1
	385583	Influenza A virus (A/Denver/1957(H1N1))		2		2		
X	284202	Influenza A virus (A/Dk/ST/5048/2001(H3N8))				1		1
	88297	Influenza A virus (A/duck/Bavaria/1/1977 (H1N1))		2		2		
	658578	Influenza A virus (A/duck/Beijing/MG0617/2005(H9N2))		1		1		
	383550	Influenza A virus (A/duck/England/1/1956(H1N6))		1		1		
	274829	Influenza A virus (A/duck/Fujian/17/2001(H5N1))		1		1		
	365078	Influenza A virus (A/duck/Guangxi/1586/2004(H5N1))		1		1		
	365080	Influenza A virus (A/duck/Guangxi/1793/2004(H5N1))		1		1		
	395841	Influenza A virus (A/duck/Hokkaido/1130/01(H1N1))		1		1		
	249372	Influenza A virus (A/duck/Hokkaido/13/00(H9N2))	2		2			
	387207	Influenza A virus (A/duck/Hokkaido/8/1980(H3N8))		6		6		
	183783	Influenza A virus (A/duck/Hong Kong/3096/99(H6N2))		1		1		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	176672	Influenza A virus (A/Duck/Hong Kong/ww461/2000(H5N1))		1		1		
	384946	Influenza A virus (A/duck/Hungary/1/1970(H6N2))		1		1		
	370813	Influenza A virus (A/duck/IT/701/2005(H10N7))		1		1		
	311169	Influenza A virus (A/duck/Korea/S10/03(H3N2))		1		1		
	441962	Influenza A virus (A/duck/Mongolia/47/2001(H7N1))		3		3		
	353253	Influenza A virus (A/duck/Novosibirsk/56/2005(H5N1))	6	2	6	2		
	210656	Influenza A virus (A/Duck/Shantou/1881/00(H9N2))		1		1		
	210659	Influenza A virus (A/Duck/Shantou/2088/01(H9N2))		1		1		
	210663	Influenza A virus (A/Duck/Shantou/2134/00(H9N2))		1		1		
	210655	Influenza A virus (A/Duck/Shantou/2144/00(H9N2))		1		1		
	385580	Influenza A virus (A/duck/Ukraine/1/1963(H3N8))	3		3			
	380842	Influenza A virus (A/duck/Vietnam/15/2003(H5N1))		1		1		
X	496036	Influenza A virus (A/duck/Vietnam/37/2007(H5N1))				1	1	
	279797	Influenza A virus (A/egret/Hong Kong/757.3/2002(H5N1))		3		3		
X	421901	Influenza A virus (A/Egypt/0636-NAMRU3/2007(H5N1))			2	1	2	1
X	418868	Influenza A virus (A/Egypt/14724-NAMRU3/2006(H5N1))			1		1	
X	562988	Influenza A virus (A/Egypt/2289-NAMRU3/2008(H5N1))			1		1	
X	562992	Influenza A virus (A/Egypt/3300-NAMRU3/2008(H5N1))			1		1	
	192549	Influenza A virus (A/Egypt/96/2002(H1N2))		1		1		
X	380284	Influenza A virus (A/England/268/1996(H7N7))			1		1	
	380210	Influenza A virus (A/England/333/1980(H1N1))	1	1	1	1		
	198059	Influenza A virus (A/England/627/01(H1N2))		2		2		
	573797	Influenza A virus (A/England/654/2007(H1N1))		1		1		
	387147	Influenza A virus (A/England/878/1969(H3N2))		1	2	1	2	
	137578	Influenza A virus (A/England/939/69 x A/PR/8/34)		2		2		
	135661	Influenza A virus (A/environment/Hong Kong/437-10/99 (H5N1))		1		1		
	680789	Influenza A virus (A/environment/Viet Nam/1203/2004(H5N1))	1		1			
X	387213	Influenza A virus (A/equine/Alaska/1/1991(H3N8))				1	1	
	475493	Influenza A virus (A/equine/California/8560/2002(H3N8))		2		2		
X	385585	Influenza A virus (A/equine/Jilin/1/1989(H3N8))			1		1	
X	380340	Influenza A virus (A/equine/London/1416/1973(H7N7))			1		1	
	336794	Influenza A virus (A/equine/Massachusetts/213/2003(H3N8))		1		1		
	387223	Influenza A virus (A/equine/Miami/1963(H3N8))	5		5			
	336800	Influenza A virus (A/equine/New York/1/1999(H3N8))		3		3		
	225089	Influenza A virus (A/equine/NewMarket/D64/79(H3N8))		1		1		
X	380339	Influenza A virus (A/equine/Tennessee/5/1986(H3N8))				1	1	
X	578079	Influenza A virus (A/ferret/Maryland/P10-UMD/2008(H9N2))				1	1	
	207401	Influenza A virus (A/finch/Canada/NS1301/2001(H3N8))		2		2		
	367120	Influenza A virus (A/Fort Monmouth/1/1947(H1N1))	1		1			
	380282	Influenza A virus (A/Fort Monmouth/1/1947-mouse adapted(H1N1))		24		24		
	260806	Influenza A virus (A/FPV/Dutch/1927(H7N7))	1		1			
	107558	Influenza A virus (A/France/75/97(H3N2))		1		1		
	62549	Influenza A virus (A/Fukuoka/C29/1985(H3N2))	5		5			
	354228	Influenza A virus (A/Gf/HK/SSP607/2003(H9N2))		1		1		
	93838	Influenza A virus (A/Goose/Guangdong/1/96(H5N1))		3		5		2
	165512	Influenza A virus (A/goose/Guangdong/3/1997(H5N1))	3	1	3	1		
	182781	Influenza A virus (A/Goose/Hong Kong/385.3/2000(H5N1))		1		1		
	680799	Influenza A virus (A/goose/Hong Kong/437-6/1999(H5N1))		1		1		
	680803	Influenza A virus (A/goose/Hong Kong/739.2/2002(H5N1))		1		1		
	380330	Influenza A virus (A/goose/Hong Kong/8/1976(H1N1))		2		2		
	402464	Influenza A virus (A/gray teal/Australia/2/1979(H4N4))		1		1		
X	1041990	Influenza A virus (A/Guangdong/15/2007(H3N2))				3	3	

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	387239	Influenza A virus (A/gull/Delaware/475/1986(H2N2))		1		1		
	384499	Influenza A virus (A/gull/Maryland/704/1977(H13N6))		1		1		
	387156	Influenza A virus (A/Harbin/1/1988(H1N2))		11		11		
	303316	Influenza A virus (A/Hatay/2004/(H5N1))	3		3			
	380951	Influenza A virus (A/Hebei/19/1995(H3N2))	1		1			
X	387243	Influenza A virus (A/herring gull/DE/677/1988(H2N8))					1	1
	462695	Influenza A virus (A/Hiroshima/52/2005(H3))	2		2			
	223947	Influenza A virus (A/Hokkaido/20/89(H3N2))		2		2		
	506350	Influenza A virus (A/Hong Kong/1/1968(H3N2))	1	2	2	2	1	
	130760	Influenza A virus (A/Hong Kong/1073/99(H9N2))	1	25	1	25		
	130761	Influenza A virus (A/Hong Kong/1074/99(H9N2))		1	2	1	2	
	164326	Influenza A virus (A/Hong Kong/1131/1998(H1N1))		1	1	1	1	
X	162326	Influenza A virus (A/Hong Kong/1143/99(H3N2))				1		1
	130763	Influenza A virus (A/Hong Kong/156/97(H5N1))	1	26	2	26	1	
	231851	Influenza A virus (A/Hong Kong/1774/99(H3N2))		1		1		
	317652	Influenza A virus (A/Hong Kong/2/68(H3N2))		4		4		
X	657165	Influenza A virus (A/Hong Kong/213/03)				2	2	2
	432070	Influenza A virus (A/Hong Kong/213/2003(H5N1))		4	1	4	1	
	155218	Influenza A virus (A/Hong Kong/482/97(H5N1))	6	1	7	1	1	
	88104	Influenza A virus (A/Hong Kong/483/1997(H5N1))	1	10	2	10	1	
	680692	Influenza A virus (A/Hong Kong/485/1997(H5N1))		1	1	1	1	
	155222	Influenza A virus (A/Hong Kong/488/97(H5N1))		1		1		
	155225	Influenza A virus (A/Hong Kong/507/97(H5N1))		5		5		
	155226	Influenza A virus (A/Hong Kong/514/97(H5N1))		2		2		
	155227	Influenza A virus (A/Hong Kong/516/97(H5N1))		2		2		
	88103	Influenza A virus (A/Hong Kong/532/1997(H5N1))		1		1		
X	155220	Influenza A virus (A/Hong Kong/542/97(H5N1))				1		1
X	446023	Influenza A virus (A/Hong Kong/68(H3N2))				1		1
	499286	Influenza A virus (A/Hong Kong/CUHK13527/2003(H3N2))		1		1		
	400788	Influenza A virus (A/Indonesia/5/2005(H5N1))	1	2	1	2		
X	468968	Influenza A virus (A/Indonesia/560H/2006(H5N1))				1		1
X	421472	Influenza A virus (A/Indonesia/CDC1032N/2007(H5N1))				1		1
	400810	Influenza A virus (A/Indonesia/CDC594/2006(H5N1))	1		1			
	400828	Influenza A virus (A/Indonesia/CDC669/2006(H5N1))	2		2			
	400830	Influenza A virus (A/Indonesia/CDC699/2006(H5N1))	2		2			
X	472511	Influenza A virus (A/Indonesia/TLL007/2006(H5N1))				1		1
	402194	Influenza A virus (A/Istanbul/CTF/10/2004(H3N2))		1		1		
	387161	Influenza A virus (A/Japan/305/1957(H2N2))	2	28	2	28		
	307819	Influenza A virus (A/Jiangsu/38/2004(H3N2))		1		1		
	203126	Influenza A virus (A/Kamata/14/91(H3N2))	1		1			
	154540	Influenza A virus (A/Kayano/57(H2N2))		1		1		
	384495	Influenza A virus (A/Kiev/59/1979(H1N1))		1		1		
	327310	Influenza A virus (A/Kinmen/645/04(H3N2))		1		1		
	225088	Influenza A virus (A/Kitakyushu/159/93(H3N2))		1		1		
X	62478	Influenza A virus (A/Kitakyushu/93(H3N2))					1	1
	488241	Influenza A virus (A/Korea/426/1968(H2N2))		1		1		
	436004	Influenza A virus (A/kunke/1/71(H3N2))		1		1		
	393557	Influenza A virus (A/Leningrad/1954/1(H1N1))		4		4		
	393697	Influenza A virus (A/Liaoning/25/2000(H1N1))		1		1		
	62559	Influenza A virus (A/Los Angeles/1987(H3N2))	5		5			
	95888	Influenza A virus (A/mallard duck/PA/10218/84(H5N2))	8		8			
	282124	Influenza A virus (A/mallard/Alberta/127/00(H3N8))			1		1	
X	352764	Influenza A virus (A/mallard/Alberta/202/1996(H2N5))				1		1

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	352520	Influenza A virus (A/mallard/Alberta/35/1976(H1N1))		2		2		
X	352564	Influenza A virus (A/mallard/Astrakhan/263/1982(H14N5))			1		1	
	185794	Influenza A virus (A/mallard/NZ/1/97(H5N2))		1		1		
X	293055	Influenza A virus (A/mallard/Ohio/556/1987(H5N9))				1		1
X	655288	Influenza A virus (A/mallard/Quebec/10969/2006(H2N3))				1		1
	383586	Influenza A virus (A/Memphis/1/1971(H3N2))	19	11	19	11		
	378139	Influenza A virus (A/Memphis/1/1978(H1N1))		5		5		
	383577	Influenza A virus (A/Memphis/1/1990(H3N2))		1		1		
	79695	Influenza A virus (A/Memphis/1/71H-A/Bellamy/42N)		1		1		
X	416730	Influenza A virus (A/Memphis/10/1996(H1N1))				1		1
	385640	Influenza A virus (A/Memphis/102/1972(H3N2))		8		8		
	383574	Influenza A virus (A/Memphis/2/1985(H3N2))	1		1			
	228928	Influenza A virus (A/Memphis/31/98(H3N2))	6		6			
	383571	Influenza A virus (A/Memphis/6/1986(H3N2))	4		4			
X	402938	Influenza A virus (A/Michigan/2/2003(H1N2))			1		1	
	480019	Influenza A virus (A/Moscow/10/1999(H3N2))		2		2		
	334590	Influenza A virus (A/Moscow/343/2003(H3N2))		1		1		
	389259	Influenza A virus (A/Nagasaki/N03/2005(H3N2))		1		1		
	62488	Influenza A virus (A/Nanchang/58/1993(H3N2))		1		1		
X	936115	Influenza A virus (A/Netherlands/18/1994(H3N2))				1		1
	132884	Influenza A virus (A/Netherlands/458/98 (H3N2))		1		1		
	132783	Influenza A virus (A/Netherlands/626/89 (H3N2))		1		1		
	132841	Influenza A virus (A/Netherlands/785e/90 (H3N2))		1		1		
	381512	Influenza A virus (A/New Caledonia/20/1999(H1N1))	3	183	3	187		4
	311695	Influenza A virus (A/New York/124/2001(H3N2))		1		1		
X	311775	Influenza A virus (A/New York/205/2001(H1N1))				10		10
	335358	Influenza A virus (A/New York/232/2004(H3N2))		102		110		8
	327205	Influenza A virus (A/New York/348/2003(H1N1))		115		121		6
	335313	Influenza A virus (A/New York/364/2004(H3N2))		1		1		
	335333	Influenza A virus (A/New York/384/2005(H3N2))		61		61		
	335337	Influenza A virus (A/New York/388/2005(H3N2))		14		14		
	342508	Influenza A virus (A/New York/444/2001(H1N1))		24		24		
	364132	Influenza A virus (A/New York/504/1998(H3N2))		1		1		
X	383028	Influenza A virus (A/New York/687/1995(H3N2))			1		1	
	62564	Influenza A virus (A/New_York/15/94(H3N2))		1		1		
	62496	Influenza A virus (A/New_York/17/94(H3N2))		1		1		
	370128	Influenza A virus (A/Northern Territory/60/1968(H3N2))		1		1		
	384505	Influenza A virus (A/nt/60/1968(H3N2))		67		67		
	155917	Influenza A virus (A/NWS/33HA-A/tern/Australia/G70C/75NA(H1N9))	1		1			
	382820	Influenza A virus (A/NWS/G70C(H1N9))		1		1		
	62503	Influenza A virus (A/Ohio/3/95(H3N2))			1		1	
	1163697	Influenza A virus (A/Oklahoma/309/2006(H3N2))			3		3	
	223935	Influenza A virus (A/Okuda/57(H2N2))		1	9	1	9	
X	754366	Influenza A virus (A/Ontario/309862/2009(H1N1))				1		1
	381513	Influenza A virus (A/Panama/2007/1999(H3N2))	10	14	10	14		
	137885	Influenza A virus (A/parakeet/Chiba/1/97(H9N2))		3		3		
	137886	Influenza A virus (A/parakeet/Narita/92A/98(H9N2))		2		2		
	11448	Influenza A virus (A/parrot/Ulster/73(H7N1))		1		1		
	385624	Influenza A virus (A/Port Chalmers/1/1973(H3N2))	7	1	7	1		
	385600	Influenza A virus (A/Puerto Rico/8/1934(Cambridge)(H1N1))	1		1			
	211044	Influenza A virus (A/Puerto Rico/8/1934(H1N1))	23	412	24	417	1	5
	183764	Influenza A virus (A/Puerto Rico/8/34/Mount Sinai(H1N1))	7	89	7	89		

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
X	89172	Influenza A virus (A/quail/Arkansas/16309-7/94 (H7N3NSA))			1		1	
	216877	Influenza A virus (A/quail/Hong Kong/FY298/00(H9N2))		4		4		
	183778	Influenza A virus (A/quail/Hong Kong/SF550/00(H6N1))		2		2		
	197589	Influenza A virus (A/Quail/Shanghai/8/96(H9N2))		1		1		
	417758	Influenza A virus (A/quail/Shantou/1475/2004(H9N2))	1		1			
	411167	Influenza A virus (A/Queensland/11/2001(H3N2))		1		1		
	286239	Influenza A virus (A/red knot/Delaware/2561/87(H10N5))		1		1		
	382828	Influenza A virus (A/RI/5-/1957(H2N2))		1		1		
	221012	Influenza A virus (A/Rio/6/69(H3N2))		1		1		
	142948	Influenza A virus (A/ruddy turnstone/Delaware/67/1998(H12N4))		1		1		
X	380343	Influenza A virus (A/ruddy turnstone/New Jersey/47/1985(H4N6))			2		2	
	385616	Influenza A virus (A/ruddy turnstone/NJ/60/1985(N9))		1		1		
	192720	Influenza A virus (A/Saudi Arabia/2581/2001(H1N2))		1		1		
	192535	Influenza A virus (A/Saudi Arabia/7971/2000(H1N1))		1		1		
	384493	Influenza A virus (A/seal/Mass/1/1980(H7N7))	1	1	1	1		
	62512	Influenza A virus (A/Shangdong/5/94(H3N2))		1		1		
	380948	Influenza A virus (A/Shangdong/9/1993(H3N2))	13		13			
	383568	Influenza A virus (A/Shanghai/11/1987(H3N2))		1		1		
	342207	Influenza A virus (A/shorebird/Delaware/141/2002(H9N9))		1		1		
	342210	Influenza A virus (A/shorebird/Delaware/275/2001(H9N7))		1		1		
	342211	Influenza A virus (A/shorebird/Delaware/277/2000(H9N7))		1		1		
	62575	Influenza A virus (A/Sichuan/2/1987(H3N2))		4		4		
	382781	Influenza A virus (A/Singapore/1/1957(H2N2))	1	17	1	30		13
	742305	Influenza A virus (A/slaty-backed gull/Japan/GKS0185/2006(H4N8))		1		1		
X	464623	Influenza A virus (A/Solomon Islands/3/2006(H1N1))			1		1	
	59375	Influenza A virus (A/South Carolina/1/1918(H1N1))	3		4	1	1	1
	177131	Influenza A virus (A/SW/KS/13481-T/00(H1N2))		1		1		
	177128	Influenza A virus (A/SW/MN/12883/00(H1N2))		2		2		
	177188	Influenza A virus (A/SW/MN/3227/00(H1N2))		1		1		
	382842	Influenza A virus (A/swine/29/1937(H1N1))		2		2		
	336207	Influenza A virus (A/swine/Bakum/1832/00(H1N2))		3		3		
	336205	Influenza A virus (A/swine/Bakum/5/95(H1N1))		2		2		
	256045	Influenza A virus (A/swine/Chiai/77-10/2001(H3N1))		1		1		
	136474	Influenza A virus (A/Swine/Colorado/23619/99(H3N2))		1		1		
	169169	Influenza A virus (A/swine/Cotes d'Armor/1482/1999(H1N1))		1		1		
	158306	Influenza A virus (A/swine/Cotes d'Armor/800/00(H1N2))		1		1		
X	1068705	Influenza A virus (A/swine/Guangdong/221/2009(H1N1))				1		1
	522740	Influenza A virus (A/swine/Hannover/1/1981(H1N1))		6		6		
	145306	Influenza A virus (A/swine/Hong Kong/10/98(H9N2))	5		5			
	382848	Influenza A virus (A/swine/Hong Kong/126/1982(H3N2))		1		1		
	384483	Influenza A virus (A/swine/Hong Kong/127/1982(H3N2))		1		1		
	173473	Influenza A virus (A/swine/Hong Kong/2106/98(H9N2))		2		2		
	380332	Influenza A virus (A/swine/Hong Kong/273/1994(H1N1))		1		1		
	173477	Influenza A virus (A/swine/Hong Kong/3297/98(H9N2))		3		3		
	380217	Influenza A virus (A/swine/Hong Kong/4/1976(H3N2))		1		1		
	253682	Influenza A virus (A/swine/Hong Kong/5190/99(H3N2))		3		3		
	991335	Influenza A virus (A/swine/Hong Kong/71/2009(H1N1))		1		1		
	384484	Influenza A virus (A/swine/Hong Kong/81/1978(H3N2))		11		11		
	145307	Influenza A virus (A/swine/Hong Kong/9/98(H9N2))	2		2			
	253691	Influenza A virus (A/swine/Hong Kong/9840/01(H3N2))		1		1		
	306061	Influenza A virus (A/swine/IDT/Bakum1832/2000(H1N2))		1		1		
	384487	Influenza A virus (A/Swine/Indiana/1726/1988(H1N1))		2		2		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	128982	Influenza A virus (A/Swine/Indiana/9K035/99 (H1N2))		2		2		
	161502	Influenza A virus (A/swine/Italy/1509-6/97(H1N1))		12		12		
	164042	Influenza A virus (A/Swine/Italy/1513-1/98(H1N1))		1		1		
	169166	Influenza A virus (A/swine/Italy/1521/98(H1N2))		2		2		
	170342	Influenza A virus (A/swine/Italy/1654-1/99(H1N2))		1		1		
	383561	Influenza A virus (A/swine/Italy/1850/1977(H3N2))		1		1		
	383531	Influenza A virus (A/swine/Italy/2/1979(H1N1))		3		3		
	147095	Influenza A virus (A/Swine/Italy/25823/94(H3N2))		2		2		
	383566	Influenza A virus (A/swine/Italy/425/1976(H1N1))		1		1		
	383564	Influenza A virus (A/swine/Italy/547/1985(H1N1))		3		3		
	383558	Influenza A virus (A/swine/Italy/809/1989(H3N2))		1		1		
	538555	Influenza A virus (A/swine/Korea/Hongsong2/2004(H1N2))		2		2		
	300748	Influenza A virus (A/swine/Korea/S190/2004(H9N2))		3		3		
	187164	Influenza A virus (A/Swine/Minnesota/55551/2000(H1N2))		1		1		
	426738	Influenza A virus (A/swine/Miyagi/5/2003(H1N2))		2		2		
	186460	Influenza A virus (A/swine/New Jersey/11/1976(H1N1))	1		1			
	515581	Influenza A virus (A/swine/Ohio/24366/2007(H1N1))		1		1		
X	172149	Influenza A virus (A/swine/Quebec/192/81(H1N1))			1		1	
	83206	Influenza A virus (A/swine/Scotland/410440/94(H1N2))		3		3		
X	332747	Influenza A virus (A/swine/Tennessee/25/1977(H1N1))			1		1	
	385644	Influenza A virus (A/swine/Ukkel/1/1984(H3N2))		1		1		
	82372	Influenza A virus (A/Sydney/05/97-like(H3N2))		1		1		
	587884	Influenza A virus (A/Sydney/5/1997(H3N2))	7		7			
	380213	Influenza A virus (A/Taiwan/1/1986(H1N1))		1		1		
	371082	Influenza A virus (A/Taiwan/2/2006(H1N1))		8		8		
	560463	Influenza A virus (A/Taiwan/VGHYM0325-06/2002(H3N2))		1		1		
	395842	Influenza A virus (A/tern/Australia/1/04(H2N5))		1		1		
	405050	Influenza A virus (A/tern/Australia/1402/2004(H2N5))		1		1		
	384509	Influenza A virus (A/tern/Australia/G70C/1975(H1N9))	10		10			
X	384510	Influenza A virus (A/tern/South Africa/1961(H5N3))			1		1	
X	641812	Influenza A virus (A/Texas/05/2009(H1N1))			1		1	
	444318	Influenza A virus (A/Texas/1/1977(H3N2))	1	13	1	13		
X	414044	Influenza A virus (A/Thailand/1(KAN-1A)/2004(H5N1))			1		1	
X	411157	Influenza A virus (A/Thailand/271/2005(H1N1))			1		1	
	270945	Influenza A virus (A/Thailand/4(SP-528)/2004(H5N1))		20		20		
	427773	Influenza A virus (A/Thailand/SP83/2004(H5N1))	1		1			
	270484	Influenza A virus (A/tiger/Thailand/CU-LV/2004(H5N1))		2		2		
	322564	Influenza A virus (A/tiger/Thailand/CU-T4/04(H5N1))		6		6		
	322566	Influenza A virus (A/tiger/Thailand/CU-T6/04(H5N1))		1		1		
	225071	Influenza A virus (A/Tokyo/1566/98(H3N2))		1		1		
	342396	Influenza A virus (A/turkey/Canada-Ontario/NS-01839-1/05(H3))		1		1		
	380285	Influenza A virus (A/turkey/Ireland/1378/1983(H5N8))		1		1		
	402489	Influenza A virus (A/turkey/Minnesota/1200/1980(H7N3))		1		1		
	383603	Influenza A virus (A/turkey/Minnesota/833/1980(H4N2))		1		1		
	342197	Influenza A virus (A/turkey/MN/511/78(H9N2))		2		2		
	342145	Influenza A virus (A/turkey/MN/735/79(H6N2))		2		2		
	165420	Influenza A virus (A/Turkey/MO/24093/99(H1N2))		5		5		
	533026	Influenza A virus (A/turkey/Ohio/313053/2004(H3N2))		3		3		
	293054	Influenza A virus (A/turkey/Ontario/6213/66(H5N?))	1		1			
	380301	Influenza A virus (A/turkey/Ontario/7732/1966(H5N9))	5	6	5	6		
	380299	Influenza A virus (A/turkey/Wisconsin/1968(H5N9))		1		1		
	385599	Influenza A virus (A/udorn/1972(H3N2))			1		1	
	381517	Influenza A virus (A/udorn/307/1972(H3N2))			4		4	

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	392811	Influenza A virus (A/Udorn/8/1972(H3N2))	1		1			
X	506282	Influenza A virus (A/unknown/New York/11646-5/2005(H7N2))			1		1	
	62596	Influenza A virus (A/USSR/26/1985(H3N2))		1		1		
	381516	Influenza A virus (A/USSR/90/1977(H1N1))	11		11			
	370127	Influenza A virus (A/Victoria/1968(H3N2))		1		1		
	392809	Influenza A virus (A/Victoria/3/1975(H3N2))	43	8	44	8	1	
	284218	Influenza A virus (A/Viet Nam/1203/2004(H5N1))	55	115	60	115	5	
	299390	Influenza A virus (A/Viet Nam/HN/2004(H5N1))		6		6		
X	427890	Influenza A virus (A/Viet Nam/JP4207/2005(H5N1))			1		1	
	644788	Influenza A virus (A/Vietnam/1194/2004(H5N1))	2	4	5	4	3	
X	357210	Influenza A virus (A/Vietnam/CL100/2004(H5N1))			1		1	
	357208	Influenza A virus (A/Vietnam/CL26/2004(H5N1))		72		78		6
	382832	Influenza A virus (A/VM113-V1(H1N1))	1		1			
	383121	Influenza A virus (A/Waikato/7/2000(H3N2))		2		2		
	191090	Influenza A virus (A/Weiss/1943(H1N1))		1		1		
	383152	Influenza A virus (A/Wellington/22/2001(H3N2))		1		1		
	383231	Influenza A virus (A/Wellington/8/2004(H3N2))		2		2		
	11484	Influenza A virus (A/whale/Maine/1/84(H13N9))	3		3			
	344598	Influenza A virus (A/whooper swan/Mongolia/6/05(H5N1))		1		1		
	381518	Influenza A virus (A/Wilson-Smith/1933(H1N1))		109		109		
	380346	Influenza A virus (A/Wisconsin/3523/1988(H1N1))	1		2		1	
	461772	Influenza A virus (A/Wisconsin/43/2006(H3N2))	1		1			
	380978	Influenza A virus (A/Wisconsin/4755/1994(H1N1))		6		6		
	393902	Influenza A virus (A/Wisconsin/67/2005(H3N2))		4		4		
	382835	Influenza A virus (A/WSN/1933(H1N1))	5	3	6	3	1	
	63106	Influenza A virus (A/Wuhan/359/1995(H3N2))	5		5			
	480024	Influenza A virus (A/Wyoming/03/2003(H3N2))		7		7		
	432094	Influenza A virus (A/Wyoming/3/2003-X-147(H3N2))		1		1		
	430417	Influenza A virus (A/Wyoming/3e5/2003(H3))	1		1			
	132504	Influenza A virus (A/X-31(H3N2))	77	173	78	173	1	
	380905	Influenza A virus (A/X-47(H3N2))	3	2	3	2		
	577543	Influenza A virus (A/Xinjiang/1/2006(H5N1))	4		4			
	327311	Influenza A virus (A/Yilan/515/03(H3N2))		1		1		
	255681	Influenza A virus (A/Yokohama/22/2002(H1N2))		1		2		1
	11408	Influenza A virus (STRAIN A/EQUINE/NEW MARKET/76)		1		1		
	55532	Influenza A virus (strain A/SW/Quebec/1192/1986)		1		1		
	168278	Influenza A virus (swine/Finistere/127/99(H3N2))		4		4		
	41857	Influenza A virus H3N2	1	38	1	38		
	10000865	Influenza A virus H3N2 (A/Kiev/301/94)	3		3			
	10000550	Influenza A virus H3N2 (A/Netherlands/9/03 (H3N2))		1		1		
	10000474	Influenza A virus H3N2 (A/Resvir-9 (H3N2))		10		10		
	415166	Influenza A virus(A/swine/Henan/2/2004(H9N2))		1		1		
	415167	Influenza A virus(A/swine/Henan/3/2004(H9N2))		2		2		
	415169	Influenza A virus(A/swine/Henan/5/2004(H9N2))		1		1		
	415172	Influenza A virus(A/swine/Henan/8/2004(H9N2))		2		2		
	415176	Influenza A virus(A/swine/Shandong/fNY/2003(H9N2))		3		3		
	415177	Influenza A virus(A/swine/Shandong/fZC/2003(H9N2))		7		7		
	11520	Influenza B virus	3	6	3	6		
	11521	Influenza B virus (B/Ann Arbor/1/1986)		3		3		
	107404	Influenza B virus (B/Beijing/184/93)		1		1		
	107406	Influenza B virus (B/Chiba/447/98)		1		1		
	206203	Influenza B virus (B/Hong Kong/330/2001)		23		23		
	224964	Influenza B virus (B/Johannesburg/5/99)	1		1			

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	184816	Influenza B virus (B/Kadoma/122/99)	2		2			
	256080	Influenza B virus (B/Kobe/1/2003)	1		1			
	504664	Influenza B virus (B/Kobe/113/2005)	1		1			
	504666	Influenza B virus (B/Kobe/115/2005-T1)	1		1			
	503386	Influenza B virus (B/Kobe/3/2004)	1		1			
	504662	Influenza B virus (B/Kobe/39/2005)	1		1			
	504660	Influenza B virus (B/Kobe/67/2005)	1		1			
	171425	Influenza B virus (B/Kobe/87/2001)	1		1			
	107412	Influenza B virus (B/Lee/40)	5	3	5	3		
	11541	Influenza B virus (B/Oregon/5/80)	16		16			
	150127	Influenza B virus (B/Osaka/983/97-V3)	1		1			
	335812	Influenza B virus (B/Shanghai/361/2002)	1		1			
	1077587	Influenza B virus (B/Victoria/2/1987)	2	1	2	1		
	11531	Influenza B virus (STRAIN B/HONG KONG/8/73)		1		1		
	11532	Influenza B virus (STRAIN B/HT/84)		1		1		
	11552	Influenza C virus		1		1		
	11553	Influenza C virus (C/Ann Arbor/1/50)	9		9			
	197911	Influenzavirus A		6		6		
	9725	Inia geoffrensis		1		1		
	55635	Inula helenium		1		1		
	42097	Isla Vista virus	1	2	1	2		
	261204	Itapua hantavirus		10		10		
	6945	Ixodes scapularis	10		10			
	11072	Japanese encephalitis virus	20	20	36	53	16	33
	10000444	Japanese encephalitis virus CH2195LA	1		1			
	10000445	Japanese encephalitis virus JaOH0566	1		1			
	11075	Japanese encephalitis virus strain JAOARS982	4	4	4	4		
	11076	Japanese encephalitis virus strain Nakayama	2	2	2	2		
	11073	Japanese encephalitis virus strain SA-14	1	1	1	1		
	10001648	Japanese encephalitis virus strain SA-14 -14-2	2		2			
	10001335	Japanese encephalitis virus Vellore P20778	1	1	1	1		
	10632	JC polyomavirus	1	5	1	5		
	10001762	JC polyomavirus strain MAD1		1		1		
	16719	Juglans nigra	1		1			
	51240	Juglans regia	32		34		2	
	11619	Junin virus	3	871	3	871		
	10001614	Junin virus strain MC2		1		1		
	13101	Juniperus ashei	13		13			
	453927	Juniperus formosana	1		1			
X	69008	Juniperus oxycedrus				3		3
	430511	Juquitiba virus		2		2		
	122291	Kappapapillomavirus 1	2		2			
	10623	Kappapapillomavirus 2	3	7	3	7		
X	156230	Karenia brevis				1		1
	42894	Khabarovsk virus		1		1		
	10638	Kilham polyomavirus		1		1		
	573	Klebsiella pneumoniae	23	6	23	6		
	484021	Klebsiella pneumoniae subsp. pneumoniae NTUH-K2044		1		1		
	11077	Kunjin virus	3	1	11	1	8	
	11078	Kunjin virus (STRAIN MRM61C)		2		2		
	11577	La Crosse virus	2	1	2	1		
	11578	La Crosse virus L74		2		2		
	8753	Lachesis muta muta	21		21			

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	300015	Lactate dehydrogenase elevating virus C	1		1			
	300016	Lactate dehydrogenase elevating virus Plagemann	1		1			
	11048	Lactate dehydrogenase-elevating virus	14		14			
X	219334	<i>Lactobacillus casei</i> subsp. <i>casei</i> ATCC 393			2		2	
	1585	<i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i>	1		1			
X	10001913	<i>Lactobacillus johnsonii</i> JCM 1022			3		3	
X	557433	<i>Lactobacillus reuteri</i> JCM 1112			3		3	
	1358	<i>Lactococcus lactis</i>		2		2		
	100641	<i>Lactococcus lactis</i> phage p2	2		2			
	9518	<i>Lagothrix</i>	1		1			
	9519	<i>Lagothrix lagotricha</i>	1		1			
	61172	<i>Laguna Negra</i> virus		11		11		
	378830	Lake Victoria marburgvirus - Angola2005	4		4			
	33728	Lake Victoria marburgvirus - Popp	1	14	1	14		
	35258	<i>Lambdapapillomavirus</i> 2		25		25		
X	80365	<i>Laminaria digitata</i>			2		2	
	11085	<i>Langat</i> virus		1		1		
	3325	<i>Larix</i>	2		2			
X	136371	<i>Lasallia papulosa</i>			1		1	
	11620	<i>Lassa</i> virus	4	633	4	633		
	11621	<i>Lassa</i> virus GA391		45		45		
	11622	<i>Lassa</i> virus Josiah		379		379		
	6925	<i>Latrodectus tredecimguttatus</i>		1		1		
	85223	<i>Laurus nobilis</i>		1		1		
	69245	<i>Lechiguanas</i> virus		5		5		
	446	<i>Legionella pneumophila</i>		1		1		
	272624	<i>Legionella pneumophila</i> subsp. <i>pneumophila</i> str. <i>Philadelphia</i> 1	1		1			
	218308	<i>Lehmannia valentiana</i>	1		1			
	5658	<i>Leishmania</i>	1		1			
	5667	<i>Leishmania aethiopica</i>	16		16			
	5659	<i>Leishmania amazonensis</i>		10		10		
	5660	<i>Leishmania braziliensis</i>	6		6			
	420245	<i>Leishmania braziliensis</i> MHOM/BR/75/M2904	3		3			
	44271	<i>Leishmania chagasi</i>	3		3			
	5661	<i>Leishmania donovani</i>	14	38	14	38		
	99875	<i>Leishmania donovani</i> donovani	1		1			
	10000341	<i>Leishmania donovani</i> donovani 1S2D	1		1			
	5671	<i>Leishmania infantum</i>	94	1	94	1		
	435258	<i>Leishmania infantum</i> JPCM5	15		15			
	10000345	<i>Leishmania infantum</i> LEM 75	14		14			
	5664	<i>Leishmania major</i>	16	119	16	120		1
	347515	<i>Leishmania major</i> strain Friedlin	23	14	23	14		
	5665	<i>Leishmania mexicana</i>	2	1	2	1		
	5679	<i>Leishmania panamensis</i>	3	6	3	6		
	5682	<i>Leishmania pifanoi</i>		20		20		
	11049	<i>Lelystad</i> virus	66	12	66	12		
	9447	<i>Lemur catta</i>	1		1			
	3864	<i>Lens culinaris</i>	19		19			
	36936	<i>Lepidoglyphus destructor</i>	5	10	5	10		
	173	<i>Leptospira interrogans</i>	4	4	4	4		
	44275	<i>Leptospira interrogans</i> serovar Copenhageni	2		2			
	267671	<i>Leptospira interrogans</i> serovar Copenhageni str. Fiocruz L1-130	11		11			
	57678	<i>Leptospira interrogans</i> serovar Lai	10	10	10	10		

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	189518	Leptospira interrogans serovar Lai str. 56601	1		1			
	10000814	Leptospira interrogans serovar Lai str. HY-1	1		1			
	44276	Leptospira interrogans serovar Pomona		3		3		
	10000847	Leptospira sp. Akiyami A AUT10	1		1			
X	1245	Leuconostoc mesenteroides			1		1	
	6850	Limulus polyphemus		1		1		
	1642	Listeria innocua	2	3	2	3		
	1638	Listeria ivanovii	1	1	1	1		
	1639	Listeria monocytogenes	18	87	18	88		1
	393133	Listeria monocytogenes 10403S		4		4		
	10000308	Listeria monocytogenes ATCC 35967		1		1		
	10000309	Listeria monocytogenes ATCC 43251		3		3		
	169963	Listeria monocytogenes EGD-e	5	57	5	57		
	393128	Listeria monocytogenes F6900		1		1		
	393117	Listeria monocytogenes FSL J1-194		1		1		
	393124	Listeria monocytogenes FSL N3-165		2		2		
	393126	Listeria monocytogenes FSL R2-561		1		1		
	552536	Listeria monocytogenes HCC23		2		2		
	401650	Listeria monocytogenes HPB2262		3		3		
	393130	Listeria monocytogenes J0161		4		4		
	267409	Listeria monocytogenes serotype 1/2a str. F6854		3		3		
	568819	Listeria monocytogenes serotype 4b str. CLIP 80459		4		4		
	265669	Listeria monocytogenes serotype 4b str. F2365		6		6		
	267410	Listeria monocytogenes serotype 4b str. H7858		23		23		
	386043	Listeria welshimeri serovar 6b str. SLCC5334		3		3		
	6299	Litomosoides carinii	3		3			
	217686	Little cherry virus 1		1		1		
	4522	Lolium perenne	36	81	36	118		37
	36386	Louping ill virus (strain 31)	1		1			
	58218	Loxosceles intermedia	1		1			
	11623	Lymphocytic choriomeningitis virus	2	368	3	369	1	1
	11624	Lymphocytic choriomeningitis virus (strain Armstrong)		1143		1143		
	10000496	Lymphocytic choriomeningitis virus (strain Armstrong) (clone 3)		1		1		
	10000487	Lymphocytic choriomeningitis virus (strain Armstrong) (clone 4)	1		1			
	10000497	Lymphocytic choriomeningitis virus (strain Armstrong) (clone 5)	1		1			
	10000488	Lymphocytic choriomeningitis virus (strain Armstrong) (clone 53b)		45		45		
	11625	Lymphocytic choriomeningitis virus (strain Pasteur)		5		5		
	11626	Lymphocytic choriomeningitis virus (strain Traub)		3		3		
	11627	Lymphocytic choriomeningitis virus (strain WE)		69		69		
	10000494	Lymphocytic choriomeningitis virus (strain WE) variant 8.7		1		1		
	10000495	Lymphocytic choriomeningitis virus (strain WE) WE CL1.2		1		1		
	10000490	Lymphocytic choriomeningitis virus A22.2b		1		1		
	10000491	Lymphocytic choriomeningitis virus Docile		2		2		
	9541	Macaca fascicularis	1	3	1	3		
	9544	Macaca mulatta	1	2	1	2		
	10373	Macaca mulatta cytomegalovirus		47		47		
	9548	Macaca radiata	14	1	14	1		
	10325	Macacine herpesvirus 1	1		1			
	47929	Macacine herpesvirus 3		68		68		
	45455	Macacine herpesvirus 4		18		18		
	11628	Machupo virus		784		784		
	10001615	Machupo virus strain Carvallo		1		1		
	9322	Macropus sp.	1		1			

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
X	431944	Magnetospirillum gryphiswaldense MSR-1					1	1
	272627	Magnetospirillum magnetotacticum MS-1		3		3		
	76777	Malassezia sympodialis	1		1			
	3750	Malus x domestica	27	1	27	1		
X	1239567	Mamastrovirus 3				2		2
	40674	Mammalia	2		2			
	351073	Mammalian orthoreovirus		1		1		
	7130	Manduca sexta		3		3		
	29780	Mangifera indica	1		1			
	45201	Mannheimia haemolytica serotype 1	82		82			
	221988	Mannheimia succiniciproducens MBEL55E		2		2		
	11269	Marburg marburgvirus	1	70	1	70		
	33727	Marburg virus - Musoke, Kenya, 1980	3	81	3	81		
	186537	Marburgvirus		2		2		
	270374	Marinobacter sp. ELB17		1		1		
	38020	marmosets	3		3			
	11234	Measles virus	63	37	63	38		1
	10000462	Measles virus CAM/RB		1		1		
	11235	Measles virus strain Edmonston	167	210	167	210		
	70146	Measles virus strain Edmonston-B		13		13		
	70149	Measles virus strain Edmonston-Zagreb	1		1			
	11236	Measles virus strain Halle		34		34		
	132487	Measles virus strain Schwarz	1	1	1	1		
	55429	Megathura crenulata	1		1			
	9103	Meleagris gallopavo	3		3			
	152219	Menangle virus	2		2			
	12107	Mengo virus	5	13	5	13		
X	493803	Merkel cell polyomavirus					2	2
	10036	Mesocricetus auratus	31		31			
	243232	Methanocaldococcus jannaschii DSM 2661		1		1		
	187420	Methanothermobacter thermautrophicus str. Delta H		1		1		
	420662	Methylibium petroleiphilum PM1		1		1		
	10793	Mink enteritis virus strain Abashiri	1		1			
	467144	Modified Vaccinia Ankara virus		52		52		
	11801	Moloney murine leukemia virus		5		5		
	10244	Monkeypox virus	5		5			
	13616	Monodelphis domestica		4		4		
X	1000585	Montano virus				3		3
	264732	Moarella thermoacetica ATCC 39073		1		1		
	300180	Mopeia Lassa virus reassortant 29		3		3		
	11629	Mopeia virus		12		12		
	480	Moraxella catarrhalis	10		10			
	10001556	Moraxella catarrhalis 26404	1		1			
	10001849	Moraxella catarrhalis serotype A	3		3			
	10001831	Moraxella catarrhalis serotype B	1		1			
	10001851	Moraxella catarrhalis serotype C	1		1			
	582	Morganella morganii	1		1			
	11757	Mouse mammary tumor virus		12		12		
	11161	Mumps virus	3		3			
	11169	Mumps virus (STRAIN KILHAM)	1		1			
	11173	Mumps virus (STRAIN SBL-1)	3		3			
	334203	Mupapillomavirus 1	1	42	1	42		
	10366	Murid herpesvirus 1	2	45	2	49		4

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	10000411	Murid herpesvirus 1 deltaMS94.5		2		2		
	10000412	Murid herpesvirus 1 Isolate G4		1		1		
	10000413	Murid herpesvirus 1 Isolate K6		1		1		
	33708	Murid herpesvirus 4	1	52	1	52		
	10000536	Murid herpesvirus 4 G2.4		3		3		
	10000537	Murid herpesvirus 4 WUMS		2		3		1
	10530	Murine adenovirus 1	1	2	1	2		
	69156	Murine cytomegalovirus (strain K181)	2	11	2	11		
	10367	Murine cytomegalovirus (strain Smith)		31		31		
	10001396	Murine cytomegalovirus (strain Smith) MW97.01		5		5		
	35275	Murine endogenous retrovirus		11		11		
	11138	Murine hepatitis virus	3	31	3	31		
	12760	Murine hepatitis virus strain 4		5		5		
	11142	Murine hepatitis virus strain A59	26	4	26	4		
	11144	Murine hepatitis virus strain JHM	25	15	25	15		
	11786	Murine leukemia virus	1	12	1	12		
	10001207	Murine leukemia virus LP-BM5		1		1		
	223997	Murine norovirus 1	2		2			
X	11263	Murine pneumonia virus					1	1
	10634	Murine polyomavirus	3	25	3	26		1
	10636	Murine polyomavirus strain A2		3		3		
	28327	Murine rotavirus		3		3		
	70865	Murine rotavirus EDIM		27		27		
	11812	Murine sarcoma virus 3611	4		4			
	44561	Murine type C retrovirus		1		1		
	11079	Murray Valley encephalitis virus	12	7	21	7	9	
	301478	Murray valley encephalitis virus (strain MVE-1-51)	11	10	11	10		
	10090	Mus musculus	511	2513	532	2574	21	61
	10001019	Mus musculus B10.D2		1		1		
	10000000	Mus musculus BALB/c		2		2		
	10000055	Mus musculus DBA/2	1		1			
	10092	Mus musculus domesticus		2		2		
	57486	Mus musculus molossinus		1		1		
	10095	Mus sp.		1		1		
	4641	Musa acuminata	50	1	50	1		
	214697	Musa acuminata AAA Group	1		1			
X	10001918	Muscovy duck reovirus S12					2	2
	9666	Mustela lutreola	1		1			
	1763	Mycobacterium	3	15	3	15		
	1764	Mycobacterium avium	6	12	6	12		
	243243	Mycobacterium avium 104		10		10		
	10000313	Mycobacterium avium serovar 1	1		1			
	10000314	Mycobacterium avium serovar 2	1		1			
	10000316	Mycobacterium avium serovar 25	1		1			
	10000317	Mycobacterium avium serovar 26	1		1			
	10000318	Mycobacterium avium serovar 4	2		2			
	10000319	Mycobacterium avium serovar 8	1	1	1	1		
	10000320	Mycobacterium avium serovar 9	1		1			
	1770	Mycobacterium avium subsp. paratuberculosis	25	13	25	13		
	262316	Mycobacterium avium subsp. paratuberculosis K-10	3	25	3	25		
	10000328	Mycobacterium avium subsp. paratuberculosis Strain Ben		1		1		
	1765	Mycobacterium bovis	47	125	47	125		
	233413	Mycobacterium bovis AF2122/97		49		49		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	10000322	Mycobacterium bovis AN5	9	28	9	28		
	33892	Mycobacterium bovis BCG	11	147	11	147		
	410289	Mycobacterium bovis BCG str. Pasteur 1173P2	1	88	1	88		
	10000323	Mycobacterium bovis T/91/1378		6		6		
	670516	Mycobacterium chelonae group	1		1			
	1766	Mycobacterium fortuitum		1		1		
	144549	Mycobacterium fortuitum subsp. fortuitum		1		1		
	10000331	Mycobacterium gastri W471	1		1			
	350054	Mycobacterium gilvum PYR-GCK		4		4		
	1778	Mycobacterium gordoneae	1		1			
	1767	Mycobacterium intracellulare		1		1		
	487521	Mycobacterium intracellulare ATCC 13950	1		1			
	912594	Mycobacterium iranicum		1		1		
	1768	Mycobacterium kansasii	9	8	9	8		
	557599	Mycobacterium kansasii ATCC 12478	1		1			
	10000325	Mycobacterium kansasii Subspecies IV		3		3		
	10000326	Mycobacterium kansasii Subspecies V		2		2		
	1769	Mycobacterium leprae	119	365	119	403		38
	272631	Mycobacterium leprae TN		3		3		
	525368	Mycobacterium parascrofulaceum ATCC BAA-614		1		1		
	43304	Mycobacterium peregrinum	2		2			
	1771	Mycobacterium phlei		1		1		
	1783	Mycobacterium scrofulaceum	4		4			
	1772	Mycobacterium smegmatis		1		1		
	1785	Mycobacterium sp.		2		2		
	164757	Mycobacterium sp. JLS		1		1		
	189918	Mycobacterium sp. KMS		1		1		
	164756	Mycobacterium sp. MCS		1		1		
	1773	Mycobacterium tuberculosis	478	1171	489	1343	11	172
	10000329	Mycobacterium tuberculosis 103	1		1			
	348776	Mycobacterium tuberculosis C		67		67		
	83331	Mycobacterium tuberculosis CDC1551		22		22		
	10000330	Mycobacterium tuberculosis Erdman	15	19	15	19		
	336982	Mycobacterium tuberculosis F11		13		13		
	419947	Mycobacterium tuberculosis H37Ra		56		57		1
	83332	Mycobacterium tuberculosis H37Rv	53	670	53	781		111
	395095	Mycobacterium tuberculosis str. Haarlem		88		88		
	182785	Mycobacterium tuberculosis subsp. tuberculosis		1		1		
	1809	Mycobacterium ulcerans		7		7		
	362242	Mycobacterium ulcerans Agy99		1		1		
	350058	Mycobacterium vanbaalenii PYR-1		1		1		
	347257	Mycoplasma agalactiae PG2	3		3			
	28903	Mycoplasma bovis	21		21			
	10001075	Mycoplasma gallisepticum strain S6	1		1			
	2097	Mycoplasma genitalium		1		1		
	243273	Mycoplasma genitalium G37	8		8			
	2099	Mycoplasma hyopneumoniae	2		2			
	295358	Mycoplasma hyopneumoniae 232	21		21			
	754503	Mycoplasma hyopneumoniae 7422	1		1			
	262722	Mycoplasma hyopneumoniae 7448	1		1			
	28227	Mycoplasma penetrans	34		34			
	2104	Mycoplasma pneumoniae	12	2	12	2		
	722438	Mycoplasma pneumoniae FH	2		2			

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	10000332	Mycoplasma pneumoniae FH	1		1			
	272634	Mycoplasma pneumoniae M129	9		9			
	13618	Myrmecia pilosula	2		2			
	246197	Myxococcus xanthus DK 1622		1		1		
	10273	Myxoma virus		3		3		
	8656	Naja atra	7		7			
	35670	Naja naja	3		3			
	8654	Naja nigricollis	3	2	3	2		
	8657	Naja oxiana	4		4			
	8658	Naja pallida	1	1	1	1		
	51031	Necator americanus	2		17		15	
	367400	Neembucu hantavirus		4		4		
	485	Neisseria gonorrhoeae	23	11	23	11		
	10001558	Neisseria gonorrhoeae 15253	1		1			
	10000863	Neisseria gonorrhoeae 4505	1		1			
	528354	Neisseria gonorrhoeae MS11	8		8			
	10001077	Neisseria gonorrhoeae SU89	1		1			
	10001078	Neisseria gonorrhoeae SU96	3		3			
	487	Neisseria meningitidis	58	22	59	22	1	
	272831	Neisseria meningitidis FAM18	1		1			
X	909420	Neisseria meningitidis H44/76			1		1	
	10001560	Neisseria meningitidis M982B	2		2			
	122586	Neisseria meningitidis MC58		13		13		
	65699	Neisseria meningitidis serogroup A		5		5		
	10001051	Neisseria meningitidis serogroup A Strain 8659	1		1			
	491	Neisseria meningitidis serogroup B	39	1	39	1		
	10000843	Neisseria meningitidis serogroup B H44/76	74	22	74	22		
	10001003	Neisseria meningitidis serogroup B CU385	2		2			
	10001050	Neisseria meningitidis serogroup B Strain 7967	1		1			
	10000979	Neisseria meningitidis serogroup B Strain 8047	4		4			
	10000972	Neisseria meningitidis serogroup B Strain B16.B6	1		1			
	10001162	Neisseria meningitidis serogroup B Strain M1239	2		2			
	10001049	Neisseria meningitidis serogroup B Strain S3446	1		1			
	135720	Neisseria meningitidis serogroup C	3		3			
	10001044	Neisseria meningitidis serogroup C MC51	1		1			
	10001783	Neisseria meningitidis serogroup C strain C11	1	1	1	1		
	10001797	Neisseria meningitidis serogroup C strain MC19	1		1			
	10001713	Neisseria meningitidis serogroup W-135	1		1			
	648194	Neisseria meningitidis serogroup Y	3		3			
	10001524	Neisseria meningitidis strain 3006	1		1			
	29176	Neospora caninum	2	17	2	17		
	572307	Neospora caninum Liverpool		1		1		
	452646	Neovison vison		1		1		
	5141	Neurospora crassa	6	3	6	3		
	11176	Newcastle disease virus	14	3	14	3		
	11177	Newcastle disease virus (STRAIN AUSTRALIA-VICTORIA/32)	4		4			
	10001138	Newcastle disease virus (strain Eaves)	1		1			
	10001032	Newcastle disease virus (strain La Sota)	1		1			
	10001140	Newcastle disease virus (strain WA2116)	1		1			
	351071	Newcastle disease virus AF2240	1		1			
	11178	Newcastle disease virus strain Beaudette C/45	12		12			
	11180	Newcastle disease virus strain D26/76	4		4			
	11186	Newcastle disease virus strain Queensland/66	4		4			

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
X	4100	Nicotiana benthamiana			5		5	
	4097	Nicotiana tabacum	1		1			
	121791	Nipah virus	5		5			
	314278	Nitrococcus mobilis Nb-231		1		1		
	37329	Nocardia farcinica		1		1		
	142786	Norovirus	2	1	2	1		
	10001484	Norovirus genogroup 1 GI.12	1		1			
	10001116	Norovirus genogroup 1 isolates 96-908	4		4			
X	10000832	Norovirus genogroup 2 Camberwell 1890			1		1	
	10001606	Norovirus genogroup 2 Hu/NoV/Farmington Hills/2002/USA		2	1	2	1	
	10000829	Norovirus genogroup 2 Mexico type strain 36	3		3			
	10000560	Norovirus genogroup 3 Bo/Jena/1980/DE	1		1			
	10001485	Norovirus genogroup 3 GIII.1	1		1			
	647514	Norovirus genogroup GI.1	1		1			
	647515	Norovirus genogroup GI.2	1		1			
	647519	Norovirus genogroup GI.5	1		1			
	647521	Norovirus genogroup GI.7	1		1			
	499191	Norovirus genogroup GII.1	1		1			
X	747305	Norovirus genogroup GII.10			1		1	
	520963	Norovirus genogroup GII.11	1		1			
	520964	Norovirus genogroup GII.18	1		1			
	490039	Norovirus genogroup GII.2	1		1			
	489821	Norovirus genogroup GII.4	1		1			
	508775	Norovirus genogroup GII.9	1		1			
	122928	Norovirus genogroup I	1		1			
	122929	Norovirus genogroup II	2		2			
	524364	Norovirus Hu/1968/US		1		1		
X	1182144	Norovirus Hu/GII.4/Minerva/2006/USA			2		2	
X	1156983	Norovirus Hu/GII.4/Minerva/CS1258/2006/USA			1		1	
	588533	Norovirus Hu/GII/GZ-1/2008/CHN	1		1			
	150080	Norovirus isolates	1		1			
	63737	Nostoc punctiforme PCC 73102		1		1		
	8663	Notechis scutatus	2		2			
	8996	Numida meleagris	1		1			
	4146	Olea europaea	70	19	70	19		
	42764	Oliveros virus		1		1		
	6282	Onchocerca volvulus	3	39	3	39		
	8018	Oncorhynchus keta		6		6		
	8022	Oncorhynchus mykiss	1		1			
	69247	Oran virus		2		2		
	9733	Orcinus orca		1		1		
	784	Orientia tsutsugamushi	86		86			
	10000761	Orientia tsutsugamushi Karp	1		1			
	357244	Orientia tsutsugamushi str. Boryong	2	2	2	2		
	334380	Orientia tsutsugamushi str. Ikeda		1		1		
	9258	Ornithorhynchus anatinus		1		1		
	9986	Oryctolagus cuniculus	38	7	38	7		
	39947	Oryza sativa Japonica Group	5	1	5	1		
	28869	Ovine respiratory syncytial virus	1		1			
	9940	Ovis aries	81	3	81	17		14
	8667	Oxyuranus scutellatus scutellatus	3		3			
	9598	Pan troglodytes	7	21	7	21		
	188763	Panine herpesvirus 2		2		2		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	3469	Papaver somniferum	1		1			
	9555	Papio anubis	1		1			
	61183	Papio sp.	1		1			
	121759	Paracoccidioides brasiliensis	4	14	4	16		2
	10000566	Paracoccidioides brasiliensis B339		8		8		
	502780	Paracoccidioides brasiliensis Pb18	1		1	1		1
	266	Paracoccus denitrificans	3		3			
	318586	Paracoccus denitrificans PD1222		2		2		
	11207	Parainfluenza virus 5	1	1	1	1		
	8255	Paralichthys olivaceus	1		1			
	45222	Parana virus		1		1		
	33127	Parietaria judaica	61	2	61	2		
	13187	Parietaria officinalis	2		2			
	747	Pasteurella multocida		10		10		
	272843	Pasteurella multocida subsp. multocida str. Pm70		4		4		
	10000759	Pasteurella multocida X-73	2		2			
	1254	Pediococcus acidilactici	1		1			
	133894	Penaeus	2		2			
	6687	Penaeus monodon	10		10	4		4
	5076	Penicillium chrysogenum	45		45	19		19
X	5077	Penicillium citrinum			13		13	
	69248	Pergamino virus		1		1		
	6978	Periplaneta americana		9		9	3	3
	31604	Peste-des-petits-ruminants virus		9	1	9	1	
	10001020	Peste-des-petits-ruminants virus (strain Nigeria 75/1)		1		1		
X	28479	Phalaris aquatica				9		9
	3885	Phaseolus vulgaris	3	1	5	1	2	
	9057	Phasianus colchicus colchicus	1		1			
	15957	Phleum pratense	49	717	49	769		52
	10000463	Phocine distemper virus 2558/Han 88	5		5			
	9742	Phocoena phocoena		1		1		
X	42345	Phoenix dactylifera				3		3
	314292	Photobacterium angustum S14		1		1		
	659	Photobacterium phosphoreum		1		1		
	72539	Physalis mottle virus	2		2			
	9755	Physeter catodon	1	29	1	29		
	4787	Phytophthora infestans	2		2			
	11630	Pichinde virus		8		8		
	10001618	Pichinde virus strain Munchique		1		1		
	3352	Pinus taeda	4		4			
	60876	Pixuna virus		1		1		
X	39414	Plantago lanceolata				2		2
	2439	Plasmid ColB2	1		1			
	2465	Plasmid F	1		1			
	141833	Plasmid pIPO2T		2		2		
	28399	Plasmid R100		1		1		
	5820	Plasmodium	4	5	4	5		
	5821	Plasmodium berghei	14	45	14	45		
	5823	Plasmodium berghei ANKA	6	5	6	5		
	10000356	Plasmodium berghei NK65	2	2	2	2		
	5824	Plasmodium brasilianum	2		2			
	5825	Plasmodium chabaudi	4	4	4	4		
	10000357	Plasmodium chabaudi adami DS	2	37	2	37		

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	31271	Plasmodium chabaudi chabaudi		2		2		
	5827	Plasmodium cynomolgi		2				
	5833	Plasmodium falciparum	610	754	611	756	1	2
	10000358	Plasmodium falciparum 366		1		1		
	36329	Plasmodium falciparum 3D7	144	199	153	199	9	
	57266	Plasmodium falciparum 7G8	40	50	40	50		
	10000363	Plasmodium falciparum Brazil-608	1	1	1	1		
	5835	Plasmodium falciparum CAMP/Malaysia	36	3	36	3		
	5836	Plasmodium falciparum CDC/Honduras	1		1			
	10000364	Plasmodium falciparum Clone PNG3		1		1		
	5837	Plasmodium falciparum FC27/Papua New Guinea	42	63	44	63	2	
	10000366	Plasmodium falciparum FCB-2	1		1			
	5838	Plasmodium falciparum FCR-3/Gambia	8		41		33	
	10000371	Plasmodium falciparum Indochina I/CDC	32		32			
	5848	Plasmodium falciparum isolate WELLCOME	25	52	25	52		
	10000373	Plasmodium falciparum ItG2G1		1		1		
	5839	Plasmodium falciparum K1	18	19	18	19		
	5840	Plasmodium falciparum LE5		2		2		
	5841	Plasmodium falciparum Mad20/Papua New Guinea	8	47	8	47		
	5843	Plasmodium falciparum NF54	13	33	13	33		
	5842	Plasmodium falciparum NF7/Ghana	5		5			
	57270	Plasmodium falciparum Palo Alto/Uganda	14		14			
	5834	Plasmodium falciparum RO-33	8	1	8	1		
	10000375	Plasmodium falciparum RO71	1	1	1	1		
	5846	Plasmodium falciparum T4/Thailand	25		25			
	10000816	Plasmodium falciparum T9/96	1	1	1	1		
	10000376	Plasmodium falciparum UF-5	2		2			
	5857	Plasmodium fragile		4		4		
	5850	Plasmodium knowlesi	2	6	2	6		
	5851	Plasmodium knowlesi strain H	7	7	7	7		
	5852	Plasmodium knowlesi strain Nuri		3		3		
	5858	Plasmodium malariae	1		1			
	5854	Plasmodium reichenowi		3		3		
	35085	Plasmodium simiovale	1		1			
	5859	Plasmodium simium	2		2			
	31272	Plasmodium sp.	1		1			
	5855	Plasmodium vivax	83	150	83	150		
	10000378	Plasmodium vivax NK		2		2		
	126793	Plasmodium vivax Sal-1	10	1	10	1		
	31273	Plasmodium vivax strain Belem	6	34	6	34		
	10000862	Plasmodium vivax VK247	1		1			
	27990	Plasmodium vivax-like sp.	2		2			
	5861	Plasmodium yoelii	17	38	17	38		
	73239	Plasmodium yoelii yoelii	22	30	22	30		
	352914	Plasmodium yoelii yoelii 17XNL	6	1	6	1		
	10000555	Plasmodium yoelii yoelii 265BY		1		1		
	10000381	Plasmodium yoelii yoelii YM	1	5	1	5		
	9723	Platanistidae	1		1			
	103448	Pleistophora sp. LS		1		1		
	703	Plesiomonas shigelloides		1		1		
	12211	Plum pox virus	1		1			
	12213	Plum pox virus (isolate NAT)		1		1		
	10001100	Plum pox virus (strain W)	6		6			

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	4754	Pneumocystis carinii	2	1	2	1		
	263815	Pneumocystis murina	3		3			
	270473	Pneumonia virus of mice J3666		6		6		
	4545	Poa pratensis	34	18	34	31		13
	4479	Poaceae		1		1		
	365044	Polaromonas naphthalenivorans CJ2		1		1		
	12088	Poliovirus type 3 (strains P3/LEON/37 AND P3/LEON 12A[1]B)	4	15	4	15		
	80956	Pomacentrus moluccensis		1		1		
	9601	Pongo abelii		1		1		
	9600	Pongo pygmaeus		2		2		
	46221	Porcine circovirus		49		49		
	133704	Porcine circovirus 1	5		5			
X	10001964	Porcine circovirus 1 strain 1/G			7		7	
	85708	Porcine circovirus 2	26		26			
	10001239	Porcine circovirus strain ISU31		7		7		
	61673	Porcine endogenous retrovirus	2	11	2	11		
	194958	Porcine endogenous retrovirus A	2		2			
	194959	Porcine endogenous retrovirus B	1		1			
	28295	Porcine epidemic diarrhea virus	1		1			
	229032	Porcine epidemic diarrhea virus (strain CV777)	4		4			
	10796	Porcine parvovirus	37		37			
	28344	Porcine reproductive and respiratory syndrome virus	72	6	75	12	3	6
	10001586	Porcine reproductive and respiratory syndrome virus 07V063	3		3			
	10001587	Porcine reproductive and respiratory syndrome virus 08V204	2		2			
	10001800	Porcine reproductive and respiratory syndrome virus HuN4		4	1	4	1	
	10001771	Porcine reproductive and respiratory syndrome virus HuN4-F112		1		1		
	10000969	Porcine respiratory and reproductive syndrome virus 111/92	9		9			
	10000529	Porcine respiratory and reproductive syndrome virus CH-1a	6	1	7	1	1	
	10000859	Porcine respiratory and reproductive syndrome virus JA142	1		1			
	10000864	Porcine respiratory and reproductive syndrome virus MD-001	2		2			
	10000888	Porcine respiratory and reproductive syndrome virus Olot/91	3		3			
	10919	Porcine rotavirus (STRAIN YM)	2	1	2	1		
	101350	Porcine rotavirus strain A253		2		2		
	10917	Porcine rotavirus strain Gottfried		2		2		
	53179	Porcine rubulavirus		3		3		
	11150	Porcine transmissible gastroenteritis coronavirus strain FS772/70	2		2			
	10001798	Porcine transmissible gastroenteritis coronavirus strain Pur46-MAD		4		4		
	11151	Porcine transmissible gastroenteritis coronavirus strain Purdue	14		14			
X	10000844	Porcine transmissible gastroenteritis coronavirus strain Purdue Isolate PUR46-MAD				8		8
X	6040	Porifera					1	1
	837	Porphyromonas gingivalis	74	20	74	20		
	10001079	Porphyromonas gingivalis 381	71	55	71	55		
	10001081	Porphyromonas gingivalis HG66	2		2			
	10001223	Porphyromonas gingivalis OMZ 409	23		23			
X	1125722	Porphyromonas gingivalis W50					36	36
	242619	Porphyromonas gingivalis W83	2		2			
	37128	Potato mop-top virus	8		8			
	12216	Potato virus Y	1		1			
	10001152	Potato virus Y strain D	6		6			
	11083	Powassan virus		2		2		
	93058	Prochlorococcus marinus str. MIT 9202	1		1			

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	765103	Propionibacterium acnes HL030PA1		1		1		
	1752	Propionibacterium freudenreichii subsp. shermanii		1		1		
	11603	Prospect Hill virus	1	2	1	2		
	1224	Proteobacteria	3		3			
	583	Proteus	2		2			
	584	Proteus mirabilis	6		6			
	10001006	Proteus mirabilis CFT322	1		1			
	529507	Proteus mirabilis HI4320	1		1			
	10001498	Proteus mirabilis O23	1		1			
	10001490	Proteus mirabilis O24	1		1			
	10001491	Proteus mirabilis O29	1		1			
	10001500	Proteus mirabilis O43	1		1			
	10001499	Proteus mirabilis O6	1		1			
	102862	Proteus penneri	1		1			
	10001836	Proteus penneri 14 (O59)	2		2			
	10001837	Proteus penneri 15 (O52)	2		2			
	10001835	Proteus penneri 7 (O61)	2		2			
	10001581	Proteus penneri 8 (O67)	1		1			
	10001501	Proteus penneri ATCC 33519	1		1			
	10001489	Proteus vulgaris Strain 5/43	1		1			
	88086	Protobothrops elegans	7		7			
	10001514	Providencia stuartii O33	1		1			
	10001588	Providencia stuartii O4	1		1			
	300559	PRRSV VR2332	22		22			
	36596	Prunus armeniaca	4		4			
	42229	Prunus avium	3	1	3	1		
	3758	Prunus domestica	4		4			
	3755	Prunus dulcis	18		18			
	3760	Prunus persica	17	51	17	51		
	8671	Pseudechis porphyriacus	3		3			
	342610	Pseudoalteromonas atlantica T6c			1		1	
	135621	Pseudomonadaceae	1		1			
	287	Pseudomonas aeruginosa	72	50	74	50	2	
	350704	Pseudomonas aeruginosa C3719		2		2		
	10001057	Pseudomonas aeruginosa CD4	1		1			
	10000822	Pseudomonas aeruginosa Immunotype 3	1		1			
	10000723	Pseudomonas aeruginosa Immunotype 4	4		4			
	10001058	Pseudomonas aeruginosa K122-4	1		1			
	10000817	Pseudomonas aeruginosa KB7	2		2			
	10000818	Pseudomonas aeruginosa P1	1		1			
	388272	Pseudomonas aeruginosa PACS2		4		4		
	10000725	Pseudomonas aeruginosa PAK	7	3	7	3		
	10000815	Pseudomonas aeruginosa PAO	2	2	2	2		
	208964	Pseudomonas aeruginosa PAO1	1	1	1	1		
	10001519	Pseudomonas aeruginosa serotype O11	1		1			
	208963	Pseudomonas aeruginosa UCBPP-PA14		20		20		
	237609	Pseudomonas alkylphenolia		1		1		
	294	Pseudomonas fluorescens		4		4		
	10879	Pseudomonas phage phi6	7		7			
	303	Pseudomonas putida	1	8	1	8		
	351746	Pseudomonas putida F1		4		4		
	76869	Pseudomonas putida GB-1		1		1		
	306	Pseudomonas sp.		1		1		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	74138	Pseudomonas sp. DJ-12		1		1		
	71238	Pseudomonas sp. G-179		1		1		
	159091	Pseudomonas sp. KIE171		1		1		
	91465	Pseudomonas sp. MIS38		1		1		
	150396	Pseudomonas sp. MT-1		1		1		
X	312	Pseudomonas sp. RS-16			1		1	
	192087	Pseudomonas syringae pv. atrofaciens	4		4			
	10001690	Pseudomonas syringae pv. atrofaciens str. IMV 4394	1		1			
	10001688	Pseudomonas syringae pv. atrofaciens str. IMV 7836	1		1			
	10001689	Pseudomonas syringae pv. atrofaciens str. IMV K-1025	1		1			
	129138	Pseudomonas syringae pv. morsprunorum	2		2			
	10001700	Pseudomonas syringae pv. morsprunorum str. CFBP 1650	1		1			
	10001698	Pseudomonas syringae pv. morsprunorum str. GSPB 883	1		1			
	319	Pseudomonas syringae pv. phaseolicola	1		1			
	264730	Pseudomonas syringae pv. phaseolicola 1448A		1		1		
	10001697	Pseudomonas syringae pv. phaseolicola str. IMV 120a	1		1			
	10001693	Pseudomonas syringae pv. tagetis str. ICMP 6370	1		1			
	29442	Pseudomonas tolaasii		1		1		
	11604	Puumala virus	32	19	32	19		
	11605	Puumala virus (STRAIN HALLNAS B1)		1		1		
	10000485	Puumala virus (STRAIN HALLNAS B1) Vranica/Hallnas	4		4			
	39002	Puumala virus (strain sotkamo/v-2969/81)	196		196			
	10001238	Puumala virus (strain Umea/hu)	1		1			
	10000483	Puumala virus CG18-20	4		4			
	10000484	Puumala virus Kazan	25	7	25	7		
	272844	Pyrococcus abyssi GE5		1		1		
X	3513	Quercus alba				5		5
	10000507	Rabbit hemorrhagic disease virus Olot/89	1		1			
	32606	Rabbitpox virus		2		2		
	11292	Rabies virus	10	13	11	13	1	
	11293	Rabies virus AVO1		4		4		
	10000467	Rabies virus CVS	14		14			
	11294	Rabies virus CVS-11	1		2		1	
	11295	Rabies virus ERA	5	27	5	27		
	10000470	Rabies virus Flury LEP		1		1		
	11296	Rabies virus HEP-FLURY	7	1	7	1		
	11298	Rabies virus Nishigahara RCEH	1		1			
	37132	Rabies virus Ontario fox	3		3			
	10000471	Rabies virus RC-HL	4		4			
	103929	Rabies virus strain Pasteur vaccin	2	1	2	1		
	3726	Raphanus sativus	1		1			
	10114	Rattus	12	1	12	1		
	10116	Rattus norvegicus	204	453	208	461	4	8
	10001133	Rattus norvegicus DA		3		3		
	10000662	Rattus norvegicus Lewis		1		1		
	10001412	Rattus norvegicus Wistar-Furth		11		11		
X	10118	Rattus sp.				1		1
	378809	Ravn virus - Ravn, Kenya, 1987		32		32		
	48483	Reclinomonas americana		1		1		
	1646	Renibacterium salmoninarum	12		12			
	10891	Reovirus sp.		2		2		
	12814	Respiratory syncytial virus	3	6	3	13		7
	186539	Reston ebolavirus		6		6		

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	129003	Reston ebolavirus - Reston	2	27	2	27		
	386032	Reston ebolavirus - Reston (1989)		1		1		
	103930	Rhesus cytomegalovirus strain 68-1		5		5		
	10969	Rhesus rotavirus	8	1	8	1		
X	34631	<i>Rhipicephalus appendiculatus</i>			1		1	
	60189	<i>Rhipicephalus decoloratus</i>	5		5			
X	34632	<i>Rhipicephalus sanguineus</i>			1		1	
	1063	<i>Rhodobacter sphaeroides</i>		1		1		
X	272943	<i>Rhodobacter sphaeroides</i> 2.4.1				1		1
	43767	<i>Rhodococcus equi</i>	18		18			
	1833	<i>Rhodococcus erythropolis</i>		1		1		
	1828	<i>Rhodococcus fascians</i>		1		1		
X	1830	<i>Rhodococcus ruber</i>				1		1
	316056	<i>Rhodopseudomonas palustris</i> BisB18		1		1		
	160061	<i>Ricinus</i>		1		1		
	3988	<i>Ricinus communis</i>	31	3	32	3	1	
	35788	<i>Rickettsia africae</i>		1		1		
	293614	<i>Rickettsia akari</i> str. Hartford		1		1		
	787	<i>Rickettsia australis</i>		1		1		
	391896	<i>Rickettsia bellii</i> OSU 85-389		3		3		
	336407	<i>Rickettsia bellii</i> RML369-C		7		7		
	788	<i>Rickettsia canadensis</i>		1		1		
	781	<i>Rickettsia conorii</i>		13		13		
	272944	<i>Rickettsia conorii</i> str. Malish 7		5		5		
	42862	<i>Rickettsia felis</i>		1		1		
	315456	<i>Rickettsia felis</i> URRWXCal2		6		6		
	35791	<i>Rickettsia massiliae</i>		1		1		
	416276	<i>Rickettsia massiliae</i> MTU5		1		1		
	782	<i>Rickettsia prowazekii</i>		21		21		
	272947	<i>Rickettsia prowazekii</i> str. Madrid E		5		5		
	783	<i>Rickettsia rickettsii</i>		1		1		
	452659	<i>Rickettsia rickettsii</i> str. Iowa		1		1		
	392021	<i>Rickettsia rickettsii</i> str. 'Sheila Smith'		1		1		
	35793	<i>Rickettsia sibirica</i>		4		4		
	272951	<i>Rickettsia sibirica</i> 246		15		15		
	785	<i>Rickettsia typhi</i>		3		3		
	257363	<i>Rickettsia typhi</i> str. Wilmington		5		5		
	11588	Rift Valley fever virus	4	2	5	2	1	
	11589	Rift valley fever virus (STRAIN ZH-548 M12)		2		2		
	10000482	Rift Valley fever virus ZH501	2		2			
	11241	Rinderpest virus		2	2	2	3	1
	11243	Rinderpest virus (strain L)		6		6		
	36409	Rinderpest virus (strain RBOK)		33	5	33	5	
	10000465	Rinderpest virus LATC	2		2			
	46920	Rio Mamore virus	1	1	1	1		
	37207	Rio Segundo virus	1		1			
	313596	Robiginitalea biformata HTCC2501		1		1		
	1	root	1	1	1	1		
	314262	Roseobacter sp. MED193			1		1	
	11029	Ross River virus			1		1	
	11032	Ross river virus (STRAIN T48)	3		3			
	10912	Rotavirus			1		1	
	10930	Rotavirus A bovine/B223/G10	2		2			

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	72132	Rotavirus G1	1	1	1	1		
	73036	Rotavirus G3		1		1		
	10001216	Rotavirus G3 strain RV-3	1		1			
	11886	Rous sarcoma virus	4	4	4	4		
	11041	Rubella virus	77	96	77	96		
	11043	Rubella virus strain M33	3	11	3	11		
	11045	Rubella virus strain Therien	20	35	20	35		
	11044	Rubella virus vaccine strain RA27/3	2	6	2	6		
	159479	Saaremaa virus		9		9		
	45709	Sabia virus		874		874		
	64284	Saboya virus		1		1		
	4932	Saccharomyces cerevisiae	22	10	26	10	4	
	545124	Saccharomyces cerevisiae AWRI1631		2		2		
	285006	Saccharomyces cerevisiae RM11-1a		2		3		1
	9491	Saguinus imperator	1		1			
	9488	Saguinus mystax	1		1			
	9520	Saimiri	1		1			
	9521	Saimiri sciureus	1		1			
	10381	Saimiriine herpesvirus 2		3		3		
	8030	Salmo salar	1		30		29	
	590	Salmonella	3		3			
	28901	Salmonella enterica		52		52		
	59203	Salmonella enterica subsp. arizonae		1		1		
	41514	Salmonella enterica subsp. arizonae serovar 62:z4,z23:-		4		4		
	119912	Salmonella enterica subsp. enterica serovar Choleraesuis		2		2		
	321314	Salmonella enterica subsp. enterica serovar Choleraesuis str. SC-B67		5		5		
	98360	Salmonella enterica subsp. enterica serovar Dublin		2		2		
	149539	Salmonella enterica subsp. enterica serovar Enteritidis		2		2		
	10001492	Salmonella enterica subsp. enterica serovar Enteritidis SH1262	3		3			
	29477	Salmonella enterica subsp. enterica serovar Essen	1		1			
	10001569	Salmonella enterica subsp. enterica serovar Gallinarum/pullorum str. 11	1		1			
	10001570	Salmonella enterica subsp. enterica serovar Gallinarum/pullorum str. 77	1		1			
	286783	Salmonella enterica subsp. enterica serovar Indiana		1		1		
	10000554	Salmonella enterica subsp. enterica serovar Minnesota R595	2		2			
	596	Salmonella enterica subsp. enterica serovar Muenchen	1		1			
	423368	Salmonella enterica subsp. enterica serovar Newport str. SL254		1		1		
	54388	Salmonella enterica subsp. enterica serovar Paratyphi A		1		1		
	554290	Salmonella enterica subsp. enterica serovar Paratyphi A str. AKU_12601		2		2		
	295319	Salmonella enterica subsp. enterica serovar Paratyphi A str. ATCC 9150		3		3		
	10001709	Salmonella enterica subsp. enterica serovar Paratyphi B strain SPB7		8		8		
	605	Salmonella enterica subsp. enterica serovar Pullorum		1		1		
	439847	Salmonella enterica subsp. enterica serovar Saintpaul str. SARA29		1		1		
	90370	Salmonella enterica subsp. enterica serovar Typhi	10	111	13	111	3	
	497977	Salmonella enterica subsp. enterica serovar Typhi str. 404ty		1		1		
	220341	Salmonella enterica subsp. enterica serovar Typhi str. CT18		6		6		
	209261	Salmonella enterica subsp. enterica serovar Typhi str. Ty2		1		1		
	90371	Salmonella enterica subsp. enterica serovar Typhimurium	15	66	15	66		
	99287	Salmonella enterica subsp. enterica serovar Typhimurium str. LT2		30		34		4

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	48409	Salmonella enterica subsp. enterica serovar Virchow		1		1		
	59205	Salmonella enterica subsp. houtenae		1		1		
	59202	Salmonella enterica subsp. salamae		1		1		
	10001511	Salmonella 'group A'	1		2		1	
	10001722	Salmonella 'group D'	1		3		2	
	599	Salmonella sp.	1		1			
	72590	Salmonella sp. 'group B'	5		6		1	
	10001526	Salmonella thompson C1 strain IS40	1		1			
	10000739	Salmonella typhi 620Ty	1		1			
	10000740	Salmonella typhi Ty21a		6		6		
	85569	Salmonella typhimurium DT104	1		1			
	10000738	Salmonella typhimurium PL5 (O9,12)	1		1			
	10000742	Salmonella typhimurium SH 4809	4		4			
	10000743	Salmonella typhimurium SL3261		4		4		
	8015	Salmonidae	1		1			
X	151250	Salsola kali					22	22
	358400	Sangassou virus		6		6		
	234603	Sapovirus Mc114		1		1		
	11607	Sapporo rat virus	1	4	1	4		
	82659	Sapporo virus-Manchester		1		1		
	7386	Sarcophaga peregrina		1		1		
	227859	SARS coronavirus	155	240	155	241		1
	228407	SARS coronavirus BJ01	66	28	66	28		
	229992	SARS coronavirus Frankfurt 1	6	26	6	26		
	627442	SARS coronavirus P2	1		1			
	284672	SARS coronavirus TJF		14		14		
	227984	SARS coronavirus Tor2	171	1965	171	1965		
	228330	SARS coronavirus Urbani	22	52	22	52		
	6181	Schistosoma	3		3			
	6184	Schistosoma bovis	2		2			
	6182	Schistosoma japonicum	43	20	43	20		
	6183	Schistosoma mansoni	70	44	74	44	4	
	10000385	Schistosoma mansoni Puerto Rico	18	7	18	7		
	5334	Schizophyllum commune		1		1		
	4550	Secale cereale	51		51			
	58866	Secale strictum		1		1		
	11033	Semliki forest virus	36	5	36	5		
	11191	Sendai virus	1	9	1	9		
	11194	Sendai virus (strain Enders)	7	11	7	11		
X	11195	Sendai virus (strain Fushimi)					1	1
	11196	Sendai virus (strain Harris)	2		2			
	302272	Sendai virus (strain Ohita)	1		1			
	11198	Sendai virus (Z)		1		1		
	11608	Seoul virus		2		2		
	12557	Seoul virus 80-39		1		1		
	11610	Seoul virus SR11	1		1			
	44026	Sepik virus		1		1		
	8570	Serpentes	4		4			
	615	Serratia marcescens	1	3	1	3		
	399741	Serratia proteamaculans 568		1		1		
	4182	Sesamum indicum	11		11			
	325240	Shewanella baltica OS155		2		2		
	319224	Shewanella putrefaciens CN-32		1		1		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	351745	Shewanella sp. W3-18-1		1		1		
	621	Shigella boydii		2		2		
	344609	Shigella boydii CDC 3083-94		17		17		
	300268	Shigella boydii Sb227		4		4		
	622	Shigella dysenteriae	5	2	5	2		
	358708	Shigella dysenteriae 1012		1		1		
	300267	Shigella dysenteriae Sd197		4		4		
	10000748	Shigella dysenteriae serotype 1	3		3			
	10000749	Shigella dysenteriae serotype 1 114Sd	1		1			
	623	Shigella flexneri	76	10	76	10		
	591020	Shigella flexneri 2002017		1		1		
	42897	Shigella flexneri 2a	31		31			
	198215	Shigella flexneri 2a str. 2457T		2		2		
	198214	Shigella flexneri 2a str. 301		3		3		
	10000750	Shigella flexneri 2b	1		1			
	424717	Shigella flexneri 3a	2		2			
	373384	Shigella flexneri 5 str. 8401		21		21		
	424718	Shigella flexneri 5a	2		2			
	10000752	Shigella flexneri 5b	1		1			
	10000754	Shigella flexneri X	1		1			
	424720	Shigella flexneri Y	8		8			
	624	Shigella sonnei		1		1		
	300269	Shigella sonnei Ss046		9		9		
	92652	Shrimp white spot syndrome virus	3		3			
	11723	Simian immunodeficiency virus		154		154		
	11711	Simian immunodeficiency virus - mac		1		1		
	10000501	Simian immunodeficiency virus - mac - mac 239		279		279		
	10000502	Simian immunodeficiency virus - mac - mac 32H		7		7		
	10000503	Simian immunodeficiency virus - mac - mac BK28		3		3		
	10000504	Simian immunodeficiency virus - mac - mac F965		1		1		
	11735	Simian immunodeficiency virus - mac K6W		72		72		
	31682	Simian immunodeficiency virus - mac1A11		8		8		
	224206	Simian immunodeficiency virus - mon		1		1		
	10000506	Simian immunodeficiency virus - sm - sm PT573		1		1		
	31683	Simian immunodeficiency virus - stm		3		3		
	11737	Simian immunodeficiency virus (F236/SMH4 ISOLATE) (SOOTY MANGABEY)		7		7		
	11736	Simian immunodeficiency virus (K78 ISOLATE)		13		13		
	11733	Simian immunodeficiency virus (MM142-83 ISOLATE)		50		50		
	11734	Simian immunodeficiency virus (MM251 ISOLATE)		1		1		
	160753	Simian immunodeficiency virus 17E-Fr		2		2		
	11942	Simian retrovirus 1	1		1			
	444186	Simian rotavirus A strain TUCH		5		5		
	10923	Simian rotavirus A/SA11	8	5	8	5		
	37137	Simian rotavirus A/SA11-both		20	2	20	2	
	10633	Simian virus 40		14	42	14	42	
	10001763	Simian virus 40 strain 776		1		1		
	31608	Simian virus 5 (isolate canine/CPI+)		1		1		
	57667	Simian-Human immunodeficiency virus		1		1		
	37705	Sin Nombre virus	1	29	1	29		
	10000544	Sin Nombre virus NM H10	4		4			
	3728	Sinapis alba	2		2			
	11034	Sindbis virus	9		9			

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	366394	<i>Sinorhizobium medicae</i> WSM419		1		1		
	382	<i>Sinorhizobium meliloti</i>		1		1		
	266834	<i>Sinorhizobium meliloti</i> 1021		2		2		
	254355	Small ruminant lentivirus	1		1			
	10001307	Small ruminant lentivirus strain It-561	1		1			
	10001308	Small ruminant lentivirus strain It-Pi1	1		1			
	11780	Snyder-Theilen feline sarcoma virus	1		1			
	28375	Soil-borne wheat mosaic virus	1		1			
	4081	<i>Solanum lycopersicum</i>	3		3			
	11307	<i>Sonchus yellow net</i> virus		1		1		
	286542	Soochong virus-2		1		1		
	11984	Southampton virus	1		1			
	58024	<i>Spermatophyta</i>	1		1			
	13687	<i>Sphingomonas</i>		1		1		
	185949	<i>Sphingomonas aurantiaca</i>		1		1		
	2133	<i>Spiroplasma citri</i>		1		1		
X	7108	<i>Spodoptera frugiperda</i>				3		3
	240426	Squirrel poxvirus		1		1		
	11080	St. Louis encephalitis virus	2	1	9	1	7	
	11081	St. Louis encephalitis virus (strain MS1-7)	7		7			
X	74722	<i>Stachybotrys chartarum</i>				11		11
	1279	<i>Staphylococcus</i>	1		1			
	1280	<i>Staphylococcus aureus</i>		84	35	84	35	
	553583	<i>Staphylococcus aureus</i> A9635	1		1			
	10001662	<i>Staphylococcus aureus</i> Cowan 1	2		2			
	93062	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> COL	17	1	17	1		
	548470	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> MN8	11		11			
	282458	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> MRSA252	40		40			
	158879	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> N315		4		4		
	93061	<i>Staphylococcus aureus</i> subsp. <i>aureus</i> NCTC 8325	4	1	4	1		
X	10001974	<i>Staphylococcus epidermidis</i> JCM 2414				1		1
	1301	<i>Streptococcus</i>	2		2			
	1311	<i>Streptococcus agalactiae</i>		5		5		
	342613	<i>Streptococcus agalactiae</i> 18RS21	2		2			
	208435	<i>Streptococcus agalactiae</i> 2603V/R		1	1	2	1	1
	342617	<i>Streptococcus agalactiae</i> CJB111	2		2			
	342615	<i>Streptococcus agalactiae</i> H36B	1		1			
	211110	<i>Streptococcus agalactiae</i> NEM316		1		1		
	355315	<i>Streptococcus agalactiae</i> serogroup la	1		1			
X	216495	<i>Streptococcus agalactiae</i> serogroup III				12		12
X	10001900	<i>Streptococcus agalactiae</i> serogroup III M781				1	1	1
	216466	<i>Streptococcus agalactiae</i> serogroup V	1		1			
	10001663	<i>Streptococcus anginosus</i> K214-2K	4		4			
	1317	<i>Streptococcus downei</i>	2	1	2	1		
	119602	<i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i>	21		21			
	10001676	<i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> ATCC 12388	2		2			
	10001641	<i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> D181	1		1			
	1336	<i>Streptococcus equi</i>	22	14	22	14		
	1309	<i>Streptococcus mutans</i>	141	88	141	88		
	10000974	<i>Streptococcus mutans</i> GS-5		14		14		
	10000773	<i>Streptococcus mutans</i> MT 8148	40	12	40	12		
	857099	<i>Streptococcus mutans</i> OMZ175	2	1	2	1		
	10000813	<i>Streptococcus mutans</i> SJ	1	1	1	1		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	1303	Streptococcus oralis	12		12			
	1313	Streptococcus pneumoniae	20	6	20	6		
	216600	Streptococcus pneumoniae 23F	5		5			
	10001644	Streptococcus pneumoniae CCUG 1378	1		1			
	10001645	Streptococcus pneumoniae CSR-SCS-2	1		1			
	373153	Streptococcus pneumoniae D39			52	52		
X	171101	Streptococcus pneumoniae R6					5	5
	170187	Streptococcus pneumoniae TIGR4		2		2		
	10001651	Streptococcus pneumoniae type 14	17		17			
	10001731	Streptococcus pneumoniae type 2	1		1			
	10001638	Streptococcus pneumoniae type 27	2		2			
	10001792	Streptococcus pneumoniae type 3	1		1			
	10001646	Streptococcus pneumoniae type 37	2		2			
	10001686	Streptococcus pneumoniae type 6A	2		2			
	10001687	Streptococcus pneumoniae type 6B	5		5			
	10001730	Streptococcus pneumoniae type 6C	1		1			
	1314	Streptococcus pyogenes	122	115	122	115		
	10000775	Streptococcus pyogenes 156	1		1			
	10000776	Streptococcus pyogenes 88/25	1		1			
	10000777	Streptococcus pyogenes 88/30	1		1			
	10000778	Streptococcus pyogenes 88/544	1		1			
	10000779	Streptococcus pyogenes 90/85	1		1			
	10000781	Streptococcus pyogenes BSA10	3		3			
	160490	Streptococcus pyogenes M1 GAS	13	1	13	1		
	286636	Streptococcus pyogenes MGAS10394		1		1		
	10000782	Streptococcus pyogenes NS1	1		1			
	10000783	Streptococcus pyogenes NS14	1		1			
	10000784	Streptococcus pyogenes NS27	1		1			
	10000785	Streptococcus pyogenes NS5	1		1			
	10000786	Streptococcus pyogenes serotype M11	2		2			
	342023	Streptococcus pyogenes serotype M12	3	1	3	1		
	10000780	Streptococcus pyogenes serotype M12 A374	1		1			
	10000787	Streptococcus pyogenes serotype M13	1		1			
	301451	Streptococcus pyogenes serotype M18	1		1			
	404330	Streptococcus pyogenes serotype M2	2		2			
	10000788	Streptococcus pyogenes serotype M22	1		1			
	10000789	Streptococcus pyogenes serotype M24	6	2	6	2		
	301448	Streptococcus pyogenes serotype M3	1		1			
	10000542	Streptococcus pyogenes serotype M3 D58	4		4			
	10000790	Streptococcus pyogenes serotype M30	1		1			
	404331	Streptococcus pyogenes serotype M4	2		2			
	10000791	Streptococcus pyogenes serotype M41	1		1			
	301452	Streptococcus pyogenes serotype M49	1		1			
	301449	Streptococcus pyogenes serotype M5	56	57	56	57		
	10000792	Streptococcus pyogenes serotype M52	1		1			
	10000793	Streptococcus pyogenes serotype M54	1		1			
	10000794	Streptococcus pyogenes serotype M55	1		1			
	10000795	Streptococcus pyogenes serotype M57	1		1			
	301450	Streptococcus pyogenes serotype M6	9	7	9	7		
	10000824	Streptococcus pyogenes serotype M6 strain D471	4		4			
	10000796	Streptococcus pyogenes serotype M60	1		1			
	10000797	Streptococcus pyogenes serotype M75	1		1			
	10000798	Streptococcus pyogenes serotype M8	1		1			

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	410069	Streptococcus pyogenes serotype M80	1		1			
	160491	Streptococcus pyogenes str. Manfredo	3	34	3	34		
X	10001975	Streptococcus salivarius JCM 5707			1		1	
	1305	Streptococcus sanguinis		1		1		
	10001439	Streptococcus sanguinis strain BD113-20			6		6	
	246202	Streptococcus sobrinus 6715	4	4	4	4		
	1324	Streptococcus sp. G148	14	5	14	5		
	36470	Streptococcus sp. 'group A'	12		12			
	1319	Streptococcus sp. 'group B'	1		1			
	1307	Streptococcus suis	1		1			
	1349	Streptococcus uberis	8		8			
	1902	Streptomyces coelicolor		2		2		
	100226	Streptomyces coelicolor A3(2)		1		1		
	1946	Streptomyces kasugaensis			1		1	
	1916	Streptomyces lividans	7		7			
	80859	Streptomyces ribosidificus			1		1	
	465541	Streptomyces sp. Mg1			1		1	
	35297	Striped Jack nervous necrosis virus	1		1			
	8801	Struthio camelus	2		2			
	7726	Styela plicata	6		6			
	186540	Sudan ebolavirus	2	262	2	262		
	128948	Sudan ebolavirus - Boniface (1976)			1	1	1	1
	128949	Sudan ebolavirus - Maleo (1979)			30		30	
	386033	Sudan ebolavirus - Uganda (2000)			6	1	6	1
	10345	Suid herpesvirus 1	2	2	2	2		
	10349	Suid herpesvirus 1 (strain NIA-3)	4		4			
	33703	Suid herpesvirus 1 strain Kaplan	4		4			
	9823	Sus scrofa	105	27	105	43		16
	9825	Sus scrofa domesticus		4		4		
	10000187	Sus scrofa Landrace X Large White	1		1			
	10001097	Sus scrofa Yorkshire	1		1			
	12075	Swine vesicular disease virus	1		1			
	12076	Swine vesicular disease virus (STRAIN H/3 '76)	5		5			
	12077	Swine vesicular disease virus (STRAIN UKG/27/72)	3		3			
	10000809	Swine vesicular disease virus ITL/1/66	1		1			
	10000842	Swine vesicular disease virus NET/1/92	1		1			
	10001002	Swine vesicular disease virus SPA/1/93	16		16			
	10276	Swinepox virus			1		1	
	32049	Synechococcus sp. PCC 7002			1		1	
	1148	Synechocystis sp. PCC 6803			2		2	
	32630	synthetic construct			14		14	
	215169	Synthetic plasmid pMOL98			1		1	
	11631	Tacaribe virus			106		106	
	31616	Tacaribe virus strain V7			1		1	
	6207	Taenia crassiceps	11	1	11	1		
	10000802	Taenia crassiceps Strain ORF	3	3	3	3		
	6203	Taenia ovis	8		8			
	6206	Taenia saginata	6		6			
	6204	Taenia solium	8	4	18	4	10	
	59729	Taeniopygia guttata			1		1	
	186541	Tai Forest ebolavirus			1		1	
	128999	Tai Forest virus - Cote d'Ivoire, Cote d'Ivoire, 1994			3		3	
	127999	Tanacetum parthenium			1		1	

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	425088	Tanganya virus		1		1		
	630277	Tarsius lariang		1		1		
	28871	Taterapox virus		4		4		
	10001712	Taylorella asinigenitalis ATCC 700933	1		1			
	743973	Taylorella equigenitalis ATCC 35865	1		1			
	99883	Tetraodon nigroviridis		1		1		
X	398812	TGEV virulent Purdue			4		4	
	5874	Theileria annulata	1		1			
	353154	Theileria annulata strain Ankara		4		4		
	5875	Theileria parva	28	1	28	17		16
X	10001243	Theileria parva strain Marikebuni				1		1
	333668	Theileria parva strain Muguga	14	15	14	16		1
	10000848	Theileria sergenti Type B1		1		1		
	10000849	Theileria sergenti Type B2		2		2		
	10000850	Theileria sergenti Type C		5		5		
	10000851	Theileria sergenti Type I		1		1		
	12124	Theiler's encephalomyelitis virus		18		18		
	12125	Theiler's encephalomyelitis virus (STRAIN BEAN 8386)	16	52	16	52		
	12126	Theiler's encephalomyelitis virus (STRAIN DA)	3	2	3	2		
	10000855	Theiler's murine encephalomyelitis virus (strain BeAn 8386) (variant M2)		1		1		
	204711	Theilovirus		10		10		
	360549	Themiste hennahi	1		1			
	10479	Thermoproteus tenax virus 1	1		1			
	271	Thermus aquaticus	1		1			
	274	Thermus thermophilus		1	1	1	1	
	13286	Theromyzon tessulatum		1		1		
	4601	Thinopyrum bessarabicum		1		1		
	11084	Tick-borne encephalitis virus	14	2	14	2		
	11087	Tick-borne encephalitis virus (STRAIN SOFJIN)	6		6			
	10000449	Tick-borne encephalitis virus (WESTERN SUBTYPE) - Neudoerfl	10		10			
	6887	Tityus serrulatus	92		92			
	223337	Tobacco leaf curl Zimbabwe virus		1		1		
	12242	Tobacco mosaic virus	36	13	36	13		
	10001210	Tobacco mosaic virus (strain Ni568)	1		1			
	10001209	Tobacco mosaic virus (strain PM5)	1		1			
	12243	Tobacco mosaic virus (<i>vulgare</i>)	1		1			
	12246	Tobacco mosaic virus strain Dahlemense	2		2			
	12146	Tomato bushy stunt virus (STRAIN BS-3)	3		3			
	83192	Topografov virus	1		1			
	7787	Torpedo californica	148	75	148	75		
	7788	Torpedo marmorata	3	3	3	3		
	68887	Torque teno virus	5		5			
	6265	Toxocara canis	3		3			
	5811	Toxoplasma gondii	13	59	52	60	39	1
	10000353	Toxoplasma gondii 76K	5	5	5	5		
	10000354	Toxoplasma gondii BK	1	1	1	1		
	507601	Toxoplasma gondii GT1		1		1		
	508771	Toxoplasma gondii ME49		7	21	7	21	
X	10000355	Toxoplasma gondii Prugniaud				1		1
	383379	Toxoplasma gondii RH	5	19	24	19	19	
X	432359	Toxoplasma gondii VEG			14		14	
	11149	Transmissible gastroenteritis virus	11		11			

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	10001154	Transmissible gastroenteritis virus MAD88		1		1		
	158	Treponema denticola		1		1		
	160	Treponema pallidum	6	2	6	2		
	10001021	Treponema pallidum subsp. pallidum (strain Chicago)	19		19			
	243276	Treponema pallidum subsp. pallidum str. Nichols	277	9	277	9		
	6334	Trichinella spiralis	7	2	7	2		
	203124	Trichodesmium erythraeum IMS101		2		2		
	5722	Trichomonas vaginalis	2		2			
	81847	Trichophyton quinckeanum	1		1			
	5551	Trichophyton rubrum	2	27	2	27		
	3677	Trichosanthes kirilowii	1		1			
	5554	Trichosporon cutaneum	1		1			
	9337	Trichosurus vulpecula	45		45			
	88087	Trimeresurus flavoviridis	3		3			
	4565	Triticum aestivum	435	291	519	305	84	14
	4567	Triticum durum		1		1		
X	4568	Triticum monococcum				1		1
	279889	Triticum spelta var. arduini		4		4		
	5691	Trypanosoma brucei	7	6	12	6	5	
	5702	Trypanosoma brucei brucei	5		5			
X	31285	Trypanosoma brucei gambiense			2		2	
	31286	Trypanosoma brucei rhodesiense		9		9		
	5693	Trypanosoma cruzi	114	356	129	410	15	54
	10000347	Trypanosoma cruzi Dm28c	2		2			
	10000348	Trypanosoma cruzi G	1		1			
	353153	Trypanosoma cruzi strain CL Brener	2		2			
	10000351	Trypanosoma cruzi Y	1		1			
	37133	Tula virus	1	9	1	9		
	37347	Tupaia belangeri		1		1		
	63673	Turbo cornutus	2		2			
	11152	Turkey coronavirus	1		1			
	10001158	unclassified Poxviridae Mule deer poxvirus		1		1		
	32644	unidentified		2		2		
	11309	unidentified influenza virus		12		12		
	237631	Ustilago maydis 521		1		1		
	10245	Vaccinia virus		432	1	439	1	7
X	10001973	Vaccinia virus Acambis 2000			1		1	
	332193	Vaccinia Virus Acambis 3000 MVA		2		2		
	126794	Vaccinia virus Ankara		22		22		
	10001027	Vaccinia virus Connaught	1		1			
	10249	Vaccinia virus Copenhagen		31	549	31	549	
	502057	Vaccinia virus GLV-1h68			2		2	
	10251	Vaccinia virus IHD-J	1		1			
	10248	Vaccinia virus LC16M8			4		4	
	31531	Vaccinia virus L-IPV			8		8	
	10000388	Vaccinia virus NYCBH - Dryvax			29		29	
	10253	Vaccinia virus Tian Tan			15		15	
	696871	Vaccinia virus Western Reserve			4		4	
	10254	Vaccinia virus WR	26	5508	26	5527		19
	10247	Vaccinia virus WR 65-16			4		4	
	12870	Variola major virus			16		16	
	10000390	Variola major virus India-1967			1		1	
	53258	Variola minor virus			93		93	

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	10255	Variola virus		228		228		
	587200	Variola virus human/India/Ind3/1967		1		1		
	11036	Venezuelan equine encephalitis virus		1		1		
	36382	Venezuelan equine encephalitis virus (strain 3880)		1		1		
	11037	Venezuelan equine encephalitis virus (strain TC-83)	22		22			
	11038	Venezuelan equine encephalitis virus (strain Trinidad donkey)	15		15			
	7742	Vertebrata	4		4			
	11277	Vesicular stomatitis Indiana virus	6	7	6	7		
	11278	Vesicular stomatitis Indiana virus strain Glasgow		1		1		
	11279	Vesicular stomatitis Indiana virus strain Mudd-Summers	1		1			
	11285	Vesicular stomatitis Indiana virus strain San Juan		1		1		
	11280	Vesicular stomatitis New Jersey virus		1		1		
	11276	Vesicular stomatitis virus		8		8		
	7444	Vespa basalis	1		1			
	7453	Vespuila maculifrons	1		1			
	7454	Vespuila vulgaris	2	38	2	95		57
	314288	Vibrio alginolyticus 12G01		3		3		
	55601	Vibrio anguillarum	1		1			
	666	Vibrio cholerae	38	90	38	90		
	412966	Vibrio cholerae 1587		1		1		
	412614	Vibrio cholerae 2740-80		28		28		
	44104	Vibrio cholerae 569B	37		37			
	404974	Vibrio cholerae AM-19226		1		1		
	417400	Vibrio cholerae B33		1		1		
	412967	Vibrio cholerae MAK 757		5		5		
	345072	Vibrio cholerae MO10		1		1		
	417399	Vibrio cholerae NCTC 8457		1		1		
	127906	Vibrio cholerae O1	9		9			
	686	Vibrio cholerae O1 biovar El Tor	3	1	3	1		
	243277	Vibrio cholerae O1 biovar El Tor str. N16961		1	1	2	1	1
	10000567	Vibrio cholerae O1 serotype Inaba	1		1			
	10000568	Vibrio cholerae O1 serotype Ogawa	5		5			
	345073	Vibrio cholerae O395		4		4		
	345074	Vibrio cholerae RC385		1		1		
	345075	Vibrio cholerae V51		1		1		
	345076	Vibrio cholerae V52		31		31		
	670	Vibrio parahaemolyticus		57		57		
	563773	Vibrio parahaemolyticus AN-5034		3		3		
	419109	Vibrio parahaemolyticus AQ3810		32		32		
	627611	Vibrio parahaemolyticus K5030		12		12		
	223926	Vibrio parahaemolyticus RIMD 2210633	2	16	2	16		
	70203	Vibrio phage fs1		1		1		
	150340	Vibrio sp. Ex25		9		9		
	314291	Vibrio splendidus 12B01		2		2		
	575788	Vibrio splendidus LGP32		1		1		
	672	Vibrio vulnificus	1	66	1	66		
	216895	Vibrio vulnificus CMCP6		50		50		
	196600	Vibrio vulnificus YJ016		56		56		
	8704	Vipera ammodytes	1		1			
	11288	Viral hemorrhagic septicemia virus 07-71	12	1	12	1		
	3972	Viscum album	17		17			
	11743	Visna lentivirus (strain 1514 / clone LV1-1KS1)	4		4			
	11742	Visna lentivirus (strain 1514)	1		1			

NEW 2012	ORGANISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	11741	Visna/maedi virus	5	7	5	7		
	12750	Visna/maedi virus EV1	1		1			
	36374	Visna/maedi virus EV1 KV1772	2		2			
	29760	Vitis vinifera	1		1			
	74537	Vladivostok virus	1		1			
	9627	Vulpes vulpes	1		1			
	148360	Watermelon mosaic virus 2 (isolate USA)	2		2			
	43141	Watermelon silver mottle virus	3		3			
	11082	West Nile virus	24	347	31	398	7	51
	10000447	West Nile virus 3000.0259	2		2			
	10000971	West Nile virus NY-99	11	19	14	21	3	2
	449278	West Nile virus SPU116/89		1		1		
	10001047	West Nile virus strain 2741	32		32			
	307044	West Nile virus strain 385-99	4	12	22	12	18	
	10001879	West Nile virus strain 68856	2		2			
	10001649	West Nile virus strain 956	1		1			
	406269	West Nile virus strain PTRoxo		12		12		
	11039	Western equine encephalomyelitis virus		1		1		
	46919	Whitewater Arroyo virus		344		344		
	10001617	Whitewater Arroyo virus strain AV9310135		1		1		
	163164	Wolbachia endosymbiont of Drosophila melanogaster		1		1		
	35269	Woodchuck hepatitis virus	5	2	5	2		
	10430	Woodchuck hepatitis virus 1	3		3			
	341946	Woodchuck hepatitis virus 2	4		4			
	10433	Woodchuck hepatitis virus 8		34		34		
	6293	Wuchereria bancrofti	10	7	12	7	2	
	280	Xanthobacter autotrophicus		1		1		
	78245	Xanthobacter autotrophicus Py2		1		1		
	8364	Xenopus (Silurana) tropicalis		2		2		
	8355	Xenopus laevis		2		2		
	132475	Yaba-like disease virus		3		3		
	11089	Yellow fever virus		235		280		45
	11090	Yellow fever virus 17D		220		220		
	617102	Yellow fever virus 17D/Tiantan	4	2	4	2		
	31641	Yellow fever virus 1899/81		21		21		
	407141	Yellow fever virus isolate Ethiopia/Couma/1961		2		2		
	407134	Yellow fever virus strain Ghana/Asibi/1927		5		5		
	349968	Yersinia bercovieri ATCC 43970		5		5		
	630	Yersinia enterocolitica	6	26	6	26		
	34054	Yersinia enterocolitica (type O:8)		1		1		
	393305	Yersinia enterocolitica subsp. enterocolitica 8081		16		16		
	349966	Yersinia frederiksenii ATCC 33641		1		1		
	28152	Yersinia kristensenii		1		1		
	349967	Yersinia mollaretii ATCC 43969		3		3		
	632	Yersinia pestis	15	140	15	140		
	10000757	Yersinia pestis 195/P	5		5			
	349746	Yersinia pestis Angola		3		3		
	360102	Yersinia pestis Antiqua		34		34		
	412420	Yersinia pestis CA88-4125		21		21		
	214092	Yersinia pestis CO92	4	19	4	19		
	375450	Yersinia pestis FV-1		2		2		
	10000756	Yersinia pestis KIM 5	21		21			
	187410	Yersinia pestis KIM10+		10		10		

NEW 2012	ORGAN- ISM ID	SPECIES/STRAIN	B-11	T-11	B-12	T-12	Δ B	Δ T
	377628	<i>Yersinia pestis</i> Nepal516		110		110		
	386656	<i>Yersinia pestis</i> Pestoides F		1		1		
	633	<i>Yersinia pseudotuberculosis</i>		1		1		
	349747	<i>Yersinia pseudotuberculosis</i> IP 31758		7		7		
X	10001895	<i>Yersinia pseudotuberculosis</i> str. 32777					1	1
	10001504	<i>Yokenella regensburgei</i> PCM 2476	1		1			
	10001505	<i>Yokenella regensburgei</i> PCM 2477	1		1			
	186538	Zaire ebolavirus	4	811	5	812	1	1
	129000	Zaire ebolavirus - Eckron (Zaire, 1976)		12		12		
	128947	Zaire ebolavirus - Gabon (1994-1997)		18		18		
	128951	Zaire ebolavirus - Zaire (1995)		1		1		
	4577	<i>Zea mays</i>	2		2	1		1
	34245	<i>Zinnia violacea</i>		1		1		
	157914	<i>Ziziphus mauritiana</i>	4		4			

2 Website Features

There were two releases of the IEDB external website during 2012. IEDB 2.9 was released June 5 and IEDB 2.10 was released on December 12. In addition, there were three releases of the Analysis Resource. Release 2.6 (January) saw the addition of netCTLpan version 1.1 into the proteasomal cleavage prediction tool, allowing for the prediction of over 3,500 alleles. Release 2.7 (July) included over 30 bug fixes that had been on hold for some time. There were no major additions to the tools in this release. Instead, the fixes consisted mostly of enhancements to stability and improvements in the user interfaces. Release 2.8 (October) was deployed ahead of schedule and brought with it drastic speed improvements. In particular, the MHC class I/II and processing prediction tools received a 5- to 10-fold speed increase, depending upon the method and allele selected. The features introduced since the last Annual Compendium include:

Main IEDB website:

- Added new assay finder with tree display and selection features to B cell Advanced search page.
- Type field on Epitope section of Advanced Search pages revised to use radio boxes. All Type list boxes on Advanced Search pages mapped to smaller sets of values.
- HTML titles and page headings revised on all details pages to be data specific.
- Added publication dates to Reference List pages.
- Added new Host Geo-location finder to Advanced Search pages under Immunization Host Details.
- Integrated new Immunome Browser on Search Result Summary page.
- Added help links to homepage and Advanced Search pages.
- Added Molecule Tree finder to Advanced Search pages.

Analysis Resource website:

- NetCTLpan version 1.1 incorporated into proteasomal cleavage prediction tool, allowing for prediction of over 3,500 alleles
- Tab called 'Tools-API' describing the RESTful interface to the class I and II binding prediction tools deployed to the tools landing page
- 'Download' tab created to indicate various available tools downloads
- MHC I/II binding & processing (web) - Speed Enhancement - Depending upon the method/allele/length combination selected, the HTML output has been sped up 5-10 fold over the previous version.

The IEDB website functionality can be divided into five categories—Browse, Advanced Search, Tools, Support, and More IEDB, which largely correspond to the pull-down menus at the top of the home page. The subsections that follow describe the website features within these categories.

The reader will find it helpful to keep in mind how data are stored in the IEDB. Each item contained in the IEDB consists of a reference (article or submission) containing information about one or more epitopes and associated binding or response information. The same epitope can exist in multiple references.

2.1 Home Page

The IEDB Home Page (www.iedb.org) is the default screen displayed when users enter the IEDB system. Besides providing a general description of the IEDB project, the home page displays system level status and notification of scheduled updates or maintenance. As one can see in Figure 2-1, the page is divided into three columns that contain a basic search capability, introductory information, Summary Metrics of

the data, available Resources, and project-related News. As users browse the IEDB system, they can return to the home page anytime by clicking *Home* on the far left of the main menu bar.

Summary Metrics are displayed in the center column of the screen. These numbers are intended to be a gauge of the volume of data available in the system. The Summary Metrics provide the number of epitopes (peptidic and non-peptidic), assays (T cell, B cell, MHC ligand elution, and MHC binding), epitope source organisms, restricting MHC alleles, and references. Clicking on the “See all Metrics” brings up a Summary Metrics page that shows the positive, negative, and total (all) count for epitopes and assays, and the counts for epitope source organism, host organism, restricting MHC allele, and references. Further detail is revealed when the user clicks on the counts.

The rightmost column has links to a variety of resources, including epitope prediction and analysis tools, database export, the IEDB ontology, and documentation describing data fields. These resources can also be accessed via the pull-down menus on the page. The News panel shows six categories – Newsletters, Publications, Upcoming Events, Meta-analyses, Compendia, and Release Notes. Each category can be expanded to show its linkable content, as shown in the figure for Newsletters. The date of the latest data update is listed in the lower righthand corner of the home page.

2.2 Browse

The IEDB allows users to browse for records in three different ways – by MHC allele, by source species,

The screenshot displays the IEDB 2.10 Home page with the following sections:

- Search:** Includes fields for "Epitope Structure" (radio buttons for Any, Linear Peptide, Discontinuous Peptide, Non-Peptidic), "Epitope Source" (Source Organism and Source Antigen search), "Immune Mediated Disease Association" (Disease Name search), "Immune Recognition Context" (checkboxes for B Cell Response, T Cell Response, MHC Binding, MHC Ligand Elution, and a yellow starburst icon labeled "Experimental New Feature"), "Host Organism" (Host Organism search), "MHC Restriction" (MHC Restriction search), and "MHC Class" (dropdown).
- Welcome!**: A large blue circle icon with an "i". Text: "The IEDB contains data related to antibody and T cell epitopes for humans, non-human primates, rodents, and other animal species. Curation of peptidic and non-peptidic epitope data relating to all infectious diseases (including NIAID Category A, B, and C priority pathogens and NIAID Emerging and Re-emerging Infectious Diseases), allergens, autoimmune diseases, and transplant/alloantigens is current and constantly being updated." A "More..." link is present.
- Summary Metric**: A table showing the count of various data types:

Summary Metric	Count
Peptidic Epitopes	96561
Non-Peptidic Epitopes	1874
T Cell Assays	200098
B Cell Assays	154675
MHC Ligand Elution Assays	8044
MHC Binding Assays	222061
Epitope Source Organisms	3024
Restricting MHC Alleles	641
References	14596

[See all Metrics](#)
- Resources**: A list of resources including T Cell Epitope Prediction, B Cell Epitope Prediction, Epitope Analysis Tools, Database Export, IEDB Ontology, Data Field Descriptions, and Video Tutorials.
- News**: A list of news categories: Newsletters, Publications, Upcoming Events, Meta-Analyses, Compendia, and Release Notes.

At the bottom, there are links for "Provide Feedback | Help Request | Solutions Center", a note about support from the National Institute of Allergy and Infectious Diseases, and a timestamp: "Data Last Updated: January 31, 2013".

Figure 2-1 IEDB 2.10 Home page

and by the new 3D structure.

The screenshot shows a web-based interface titled "Browse By MHC Allele". The main content area displays a hierarchical tree structure of MHC alleles. At the top level, there are entries for bonobo, cattle, chicken, chimpanzee, cotton-top tamarin, dog, gorilla, horse, human, mouse, organism (all species), pig, rat, rhesus macaque, Class I (4805 structures), Class II (108 structures), and sheep. The "Class I" entry is expanded, showing sub-entries for Mamu-A*01 through Mamu-B*17, each with a count of distinct molecular structures. A legend at the bottom left explains the asterisk symbol: "* Indicates the number of distinct molecular structures tested in the context of the selected group of MHC molecules."

Figure 2-2 Browse by MHC Allele interface

2.2.1 Browse Records by MHC Allele

All users can find records associated with a specific MHC allele by browsing records by allele. To browse records by allele, the user selects *Browse by MHC Allele* under the *Browse* heading on the main menu. The interface for the *Browse by MHC Allele* is a tree structure that makes it easy for users to find and investigate information on specific MHC alleles. As Figure 2-2 shows, the tree structure expands (and collapses) so users can drill down on species, MHC type, and allele to find the number of distinct molecular structures tested in the context of the selected group of MHC molecules. This number serves as a link that will display the records associated with the selected allele. As an example, clicking on Mamu-B*04 leads to the MHC Class I Allele B restricted epitopes page for that allele (Figure 2-3). A help link, shown as a "?" to the right of the page title was added in 2012 and directs the user to information in the IEDB Solutions Center.

2.2.2 Browse Records by Source Organism

Users can find records associated with a specific epitope source species by browsing records by source organism. To do this, the user accesses the *Browse by Source Organism* page via the *Browse* pull-down

menu. The interface for the Browse by Source Organism is a tree structure that expands (and collapses) so users can drill down on species as Figure 2-4 shows. Each entry in the tree indicates the number of distinct molecular structures tested from the selected group of source organisms. This number serves as a link that will display the records associated with the selected source organism. The user can also search for names. For example, a search for “human”, as shown in Figure 2-5, generates a table of responses for the term and corresponding synonyms. If the user clicks on [Details], Source Organism Information is displayed. The page for the first result, *Homo sapiens*, is displayed in Figure 2-6, and includes the NCBI taxonomy identifier numbers and information on epitope structure, relevant literature and submission references, source antigens, and assays. If the user clicks on [Highlight] the tree expands and highlights the location. In the case of “*Homo sapiens*”, the tree expands to over 20 levels. Clicking on the number structures displays the same *Homo Sapiens* Epitope information as seen in Figure 2-6.

MHC Class I Allele B restricted epitopes			
MHC Allele			
Allele Name:	Mamu-B*04		
Restriction Level:	COMPLETE MOLECULE		
Organism:	rhesus macaque (<i>Macaca mulatta</i>)		
Class:	I		
Locus:	B		
Molecule:	B*04		
Chain 1 Type:	alpha		
Chain 1 Name:	B*04		
Chain 1 Accession:	Q30712		
Structure (9) MHC Binding (9)			
9 item(s) found, displaying 1 to 9 (Click the column headers to adjust the sorting)			
Export all results: [full]			
Epitope ID ↑	Structure	Source Antigen	Source Organism
21980	GQYMNTPW	nef protein	Simian immunodeficiency virus
34544	KYNQGQQYMNTPW	nef protein	Simian immunodeficiency virus
45562	NQQGYQMNTPW	Protein Nef (1 more)	Simian immunodeficiency virus (1 more)
50947	QGQYMNNT	nef protein	Simian immunodeficiency virus
50948	QGQYMNTP	nef protein	Simian immunodeficiency virus
50949	QGQYMNTPW	Protein Nef (1 more)	Simian immunodeficiency virus (1 more)
50950	QGQYMNTPWR	nef protein	Simian immunodeficiency virus
53006	QYMNTPW	nef protein	Simian immunodeficiency virus
75207	YNQGQQYMNTPW	nef protein	Simian immunodeficiency virus
9 item(s) found, displaying 1 to 9			
Export all results: [full]			
Figure 2-3 Peptide structures associated with MHC Class I Mamu-B*04 allele			

Browse By Source Organism [?](#)

Species

- Viruses (77943 structure(s)*)
 - unclassified phages (4 structure(s)*)
 - ssDNA viruses (1751 structure(s)*)
 - dsDNA viruses, no RNA stage (28746 structure(s)*)
 - Retro-transcribing viruses (6159 structure(s)*)
 - dsRNA viruses (337 structure(s)*)
 - Deltavirus (247 structure(s)*)
 - ssRNA viruses (40702 structure(s)*)
- other sequences (31 structure(s)*)
 - plasmids (6 structure(s)*)
 - artificial sequences (26 structure(s)*)
- cellular organisms (83397 structure(s)*)
 - Bacteria (25095 structure(s)*)
 - Archaea (11 structure(s)*)
 - Eukaryota (58354 structure(s)*)

* Indicates the number of distinct molecular structures tested from the selected group of source organisms.

Figure 2-4 Browse by Source Organism interface

Browse By Source Organism [?](#)

Search Results

489 item(s) found, displaying 1 to 5 (Click the column headers to adjust the sorting)

« previous	1	2	3	4	5	6	7	8	9	... 97	98	next »	Go To »	<input type="text" value="1"/>
----------------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	------------------------	--------------------	------------------------	-------------------------	--------------------------------

Organism Name	Matched Value
Homo sapiens (ID:9606) [Details] [Highlight]	Genbank common name: human
Human respiratory syncytial virus (ID:11250) [Details] [Highlight]	Synonym: human RSV
Human rotavirus A (ID:10941) [Details] [Highlight]	Scientific name: Human rotavirus A
Rotavirus G4 (ID:35336) [Details] [Highlight]	Synonym: Human rotavirus 4
Rotavirus G9 (ID:42567) [Details] [Highlight]	Synonym: Human rotavirus 9

489 item(s) found, displaying 1 to 5

« previous	1	2	3	4	5	6	7	8	9	... 97	98	next »	Go To »	<input type="text" value="1"/>
----------------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	------------------------	--------------------	------------------------	-------------------------	--------------------------------

Species

Viruses (77943 structure(s)*)

Figure 2-5 Using the search feature on the Browse by Source Organism page

Homo sapiens epitopes					
Source Organism					
Source Organism: Homo sapiens					
Source NCBI Taxonomy ID: 9606					
Parent NCBI Taxonomy ID: 9605					
Structure (27354) Reference (3019) Source Antigen (5632) MHC Binding (14987) B Cell Assay (32534) T Cell Assay (21743) MHC Ligand Elution (5772)					
27354 item(s) found, displaying 1 to 25 (Click the column headers to adjust the sorting)					
« previous 1 2 3 4 5 6 7 8 9 ... 1094 1095 next » Go To » <input type="text" value="1"/>					
Export all results: [X] (full)					
Epitope ID ↑	Structure	Source Antigen	Source Organism		
10	AAAAAIIFVI	MHC class I related protein A	Homo sapiens		
11	AAAALDKKQRNFDKILA	MYH7 protein (1 more)	Homo sapiens		
129	AAEYWNSQKEVLER	HLA class II histocompatibility antigen, DQ	Homo sapiens		
155	AAGIGILTV	Melanoma antigen recognized by T-cells 1	Homo sapiens		
156	AAGIGILTVI	Melanoma antigen recognized by T-cells 1	Homo sapiens		
157	AAGIGILTVILGVL	Melanoma antigen recognized by T-cells 1	Homo sapiens		
309	AAAMMAEELKKEQDTSAHL	MYH7 protein (1 more)	Homo sapiens		
316	AANDPIFVV	L-dopachrome tautomerase precursor	Homo sapiens		
363	AAPLILSRI	Prostate-specific antigen precursor	Homo sapiens		
368	AAPPVAPA	Cellular tumor antigen p53	Homo sapiens		

Figure 2-6 Source Organism information (epitopes) for Home sapiens

2.2.3 Browse by 3D Structure

All users can find records associated with a curated 3D structure by using *Browse by 3D Structure* found under the *Browse* heading on the main menu. The interface for the Browse by 3D Structure is a tree structure that makes it easy for users to find and investigate information on B cell, T cell, and MHC binding structures. As seen in Figure 2-7, the tree structure expands (and collapses) so users can drill down on species, MHC type, and/or allele to find the number of records in the IEDB for their structure of interest. This entry serves as a link that will display the records associated with the selected structure.

[Browse By 3D Structure](#) [?](#)

The B Cell, T Cell, and MHC Binding trees below are organized by the organism that is the source of the antibody, T Cell, and MHC molecule, respectively.

- B Cell (589 structure(s)*)**
 - Camelus dromedarius (20 structure(s)*)
 - Cricetulus migratorius (3 structure(s)*)
 - Gingylymostoma cirratum (1 structure(s)*)
 - Homo sapiens (139 structure(s)*)
 - Lama glama (12 structure(s)*)
 - Mus musculus (407 structure(s)*)
 - Orectolobus maculatus (2 structure(s)*)
 - Oryctolagus cuniculus (1 structure(s)*)
 - Pan troglodytes (1 structure(s)*)
 - Rattus norvegicus (4 structure(s)*)
 - Rattus rattus (1 structure(s)*)
 - Vicugna pacos (2 structure(s)*)
- T Cell (56 structure(s)*)**
 - Homo sapiens (31 structure(s)*)
 - Class I (20 structure(s)*)
 - Class II (8 structure(s)*)
 - DQ (2 structure(s)*)
 - HLA-DQ1 (1 structure(s)*)
 - HLA-DQA1*03:01/DQB1*03:02 (1 structure(s)*)
 - DR (7 structure(s)*)
 - Non Classical (3 structure(s)*)
 - Mus musculus (26 structure(s)*)
- MHC Binding (308 structure(s)*)**
 - Bos taurus (4 structure(s)*)
 - Gallus gallus (9 structure(s)*)
 - Homo sapiens (181 structure(s)*)
 - Mus musculus (113 structure(s)*)
 - Rattus norvegicus (3 structure(s)*)
 - Sus scrofa (2 structure(s)*)

* Indicates the number of distinct molecular structures.

Figure 2-7 Browse by 3D Structure interface

2.3 Query

In addition to the Browse functions, there are several other ways users can find information in the IEDB. A keyword search is available on the menu bar on each page. A family of advanced query-by-example searches can be accessed on the Search pull-down menu and consist of “B Cell Search”, “T Cell Search”, “MHC Binding Search”, “Ligand Elution Search”, “Epitope Search”, and “Identifier Search”. This group of queries will be referred to as Advanced Searches in this document. A simplified search that is especially designed for the needs of most immunologists appears on the home page. This document will refer to this particular query as the Simple Search or Home Page Search. All of these methods return results in a common format, as described in Section 2.3.4. These methods are elaborated in the subsections below.

2.3.1 Perform a Keyword Search

The keyword search allows users to locate records in the database using a keyword, identifier, or sequence. Wild card characters '*' and '?' can be used in the search field. The '*' character will match zero or more characters and the '?' character will match exactly one character. Additionally, the operators

'AND', 'OR', and 'NOT' can be utilized. A logical 'OR' is the default option. These three logical operators can be upper or lowercase. The keyword search is case insensitive, so "ABC" is the same as "abc". Parentheses can be used to refine searches. For example, "(dengue AND malaria) NOT nucleo*" is a legal search.

To perform a search, users enter criteria such as a keyword, identifier, or sequence into the text box in the upper right corner of each page next to the "Search" button (Figure 2-1). They then click the Search button and view the Search Result Summary, which is described in Section 2.3.4.

In addition to using the search function from the menu bar, users can submit searches via a properly constructed URL. The example below will perform a search using the URL for records that contain 'dengue'. This would return the equivalent of typing 'dengue' in the search option on the menu bar and clicking the Search button.

http://www.iedb.org/counts_keyword.php?keyword_search_query_term=dengue

2.3.2 Perform a Home Page Search

The search feature available on the left-hand portion of the home page (Figure 2-8) is designed to simplify the search process for many commonly asked queries by immunologists. It allows greater control in the search than available in the keyword search and is less involved than the Advanced queries. The user specifies the epitope structure with radio button selections for *Any*, *Linear Peptide*, *Discontinuous Peptide*, and *Non-Peptidic*. The user can prescribe a linear peptide sequence and the type of search to be performed on it. When specifying a linear sequence, a window appears in which the user must enter the sequence and press "Apply". The user can prescribe the type of search desired - an exact match to the entered sequence, a substring search (described below), or a homologous peptides at sequence at identity levels of 70%, 80%, or 90% as determined by BLAST. The user can specify a non-peptidic structure with the Molecule Finder.

Figure 2-8 Home page Simple Search

In addition to finding peptides in the database that contain the specified amino acid sequence, the substring search also finds epitopes within the input sequence itself. For example, when the sequence AELLVALENQHTIDL is submitted for a substring search, the query results, shown in Figure 2-9, yields five peptide sequences. Three of them (the second, third, and fifth) contain the input sequence.

The two others (the first and fourth) are substrings of the input sequence that are also epitopes contained in the IEDB.

The screenshot shows the IEDB search interface for the query "AELLVALENQHTIDL". The results table has three columns: "Epitope ID", "Structure", "Source Antigen", and "Source Organism". The results are as follows:

Epitope ID	Structure	Source Antigen	Source Organism
1055	AELLVALEN	Hemagglutinin	Influenza A virus (A/Memphis/102/1972(H3N2))
1056	AELLVALENQHTIDL	Hemagglutinin precursor	Influenza A virus (A/X-31(H3N2))
50489	QDLEKYVEDTKIDLWSYNAELLVALENQHTIDLTD	Hemagglutinin precursor	H3N2 subtype Influenza A virus (A/Hong Kong(H3N2))
124806	VALENQHTI	Hemagglutinin	Influenza A virus (A/swine/Hong Kong/81/1978(H3N2))
130384	YNAELLVALENQHTIDL	hemagglutinin	Influenza A virus (A/New York/384/2005(H3N2))

5 item(s) found, displaying 1 to 5 (Click the column headers to adjust the sorting)

Figure 2-9 Query results for a substring search performed on the input sequence AELLVALENQHTIDL

An autocomplete feature is available for the Molecule, Organism, Disease, and Allele Finders. For example, as one types “hem” in the Source Antigen field in the Epitope Source section, several choices start to appear in a list below the text field, including “hemolysin”, “hemK protein”, and “hemagglutinin”. The user can click on a selection from the list or can continue typing to further narrow down choices. Likewise, a user may type “human” or “homo” to select “homo sapiens” in the Host Organism field. The list of matches includes scientific names and synonyms. These actions enable users to quickly specify their search parameters without using the finders. The autocomplete applies wherever the input field has “Enter Search” in grey. Use of the autocomplete circumvents the need to use the finders.

If the user decides not to use the autocomplete feature for a search field, they will need to use the finders. The epitope source can be prescribed for the source organism and source antigen by using the organism finder (Section 2.3.5.5) and molecule finder (Section 2.3.5.4), respectively. The user can decide whether to include B cell responses, T cell responses, MHC binding, and/or MHC ligand elution results in the search (at least one must be checked). The host organism, the MHC restriction, and the MHC class can also be specified with the help of the organism finder and the allele finder (Section 2.3.5.1). The fields using finders will allow multiple selections as search criteria. In these cases the selections are treated as a set. Records will be considered a match if they include at least one of the selected values in the set. The search is executed by selecting the Search button and query results can be viewed on the Search Result Summary page, which is described in Section 2.3.4.

The Immune Mediated Disease Association search is an experimental feature on the IEDB home page search and in the Advanced Search pages. It is available on the home page search interface between the *Epitope Source* and the *Immune Recognition Context* field partitions. The Disease Finder is described in Section 2.3.5.3.

Finally, a link to “Help with Common Queries” is located at the bottom of the Search panel. This links to a series of 16 questions that have been useful in preparing the epitope meta-analyses conducted and published by LIAI. More information about the Common Queries is available in Section 2.5.6.

2.3.3 Advanced query

The Advanced queries are based on a standard Query by Example (QBE) approach, which is a method of forming queries where a user can enter conditions for each data field they want included in the query. The Advanced queries allow users to define example criteria for each field in the system. As there are over 300 fields, the Advanced queries are both powerful and comprehensive.

The fully expanded input screen for the Epitope Search is shown in Figure 2-10. The user can search on several reference criteria, such as author name, article title, the IEDB Reference ID, keywords in the reference abstract, year, author affiliation, and reference type. References are either published literature articles that have been curated by the IEDB curation staff or data submitted directly by researchers. Users can also specify search criteria for the epitope, such as epitope type (e.g. peptide from protein, carbohydrate), source molecule and organism, and various reference details. Further explanation of the search terms can be found in the Curation Manual. This query type returns T cell, B cell, MHC binding, and MHC ligand elution data.

Auto-complete functionality is available for all the finder fields, as denoted by the greyed “Enter Search”. The “?” are links to help pages in the IEDB Solutions Center. Finders are described in further detail in Section 2.3.5.2.

In 2012, the Epitope section interface on all the Advanced Search pages (except Identifier Search) was changed to have radio buttons so users can select the type of epitope they are seeking. This change was implemented in order to provide a similar selection capability as exists on the Home Page search. The fields change with each selection. Figure 2-10 shows the fields when “Any” is selected. The fields for the other epitope type selections are shown in Figure 2-11, Figure 2-12, Figure 2-13, and Figure 2-14.

Epitope Search

Reference

Author
 Title

Reference Details

Reference Type Journal Article Submission Any

Epitope

Epitope ID
 Type Any Linear peptide Discontinuous peptide Discontinuous peptide on multi chain Non-peptidic
 Source Molecule Enter Search ?
 Source Organism Enter Search ?

Epitope Reference Details

Epitope Structure Defines
 Evidence Code for Epitope Source Antigen
 Epitope Name
 Reference Start Position Equal To
 Reference End Position Equal To
 Reference Region
 Comments
 Location of Data in Reference

Epitope Related Object

Related Object
 Type
 Source Molecule Enter Search ?
 Source Organism Enter Search ?

Figure 2-10 Epitope Search input screen. Epitope Type is defined as Any

Epitope

Epitope ID

Type Any Linear peptide Discontinuous peptide Discontinuous peptide on multi chain Non-peptidic

Linear Sequence Exact Matches

Modified Residue(s)

Modification(s)

Starting Position Equal To

Ending Position Equal To

Source Molecule Name Molecule Finder

Source Organism Organism Finder

Figure 2-11 Epitope query fields in the Advanced Search for Linear peptide epitopes

Epitope

Epitope ID

Type Any Linear peptide Discontinuous peptide Discontinuous peptide on multi chain Non-peptidic

Discontinuous Residues

Modified Residue(s)

Modification(s)

Source Name Molecule Finder

Source Organism Organism Finder

Figure 2-12 Epitope query fields in the Advanced Search for Discontinuous peptide epitopes

Epitope

Epitope ID	<input type="text"/>
Type	<input checked="" type="radio"/> Any <input type="radio"/> Linear peptide <input type="radio"/> Discontinuous peptide <input checked="" type="radio"/> Discontinuous peptide on multi chain <input type="radio"/> Non-peptidic
Molecule Name	<input type="text"/>
Discontinuous Residues	<input type="text"/>
Modified Residue(s)	<input type="text"/>
Modification(s)	<input type="button" value="Enter Search"/> 1,2-dimethylpropylamine 2-aminoisobutyric acid 4-azidobenzoic acid (ABA)
Chain 1 Name	<input type="text"/> <input type="button" value="Molecule Finder"/>
Source Organism	<input type="text"/> <input type="button" value="Organism Finder"/>
Modified Residue(s)	<input type="text"/>
Modification(s)	<input type="button" value="Enter Search"/> 1,2-dimethylpropylamine 2-aminoisobutyric acid 4-azidobenzoic acid (ABA)
Chain 2 Name	<input type="text"/> <input type="button" value="Molecule Finder"/>
Source Organism	<input type="text"/> <input type="button" value="Organism Finder"/>

Figure 2-13 Epitope query fields in the Advanced Search for Discontinuous peptide on multi-chain epitopes

Epitope

Epitope ID	<input type="text"/>
Type	<input checked="" type="radio"/> Any <input type="radio"/> Linear peptide <input type="radio"/> Discontinuous peptide <input type="radio"/> Discontinuous peptide on multi chain <input checked="" type="radio"/> Non-peptidic
Name	<input type="text"/> <input type="button" value="Molecule Finder"/>
Source Name	<input type="text"/> <input type="button" value="Molecule Finder"/>
Source Organism	<input type="text"/> <input type="button" value="Organism Finder"/>

Figure 2-14 Epitope query fields in the Advanced Search for Non-peptidic epitopes

There are five other Advanced queries that can be used to select search criteria for references, epitopes, and assays. These five are B Cell Search, T Cell Search, MHC Binding Search, MHC Ligand Elution Search, and Identifier Search. As an example, the B Cell Search input screen is shown in Figure 2-15. As is the case for all four assay search input screens, the Reference and Epitope criteria fields are listed first, followed by the fields specific for each assay type.

B Cell Search

Reference

Epitope

Epitope ID

Type Any Linear peptide Discontinuous peptide Discontinuous peptide on multi chain Non-peptidic

Source Molecule Enter Search ?

Source Organism Enter Search ?

Epitope Reference Details

Epitope Related Object

Immunization

Host Organism Enter Search ?

Host Details

Host Geolocation Enter Search ?

Sex

Age

MHC Types Present Enter Search ?

1st In Vivo Process may or may not MUST MUST NOT be present in search results.

1st Immunogen may or may not MUST MUST NOT be present in search results.

2nd In Vivo Process may or may not MUST MUST NOT be present in search results.

2nd Immunogen may or may not MUST MUST NOT be present in search results.

Immunization Comments

Adoptive Transfer may or may not MUST MUST NOT be present in search results.

B Cell Assay

Qualitative Measurement Positive
Positive-Low
Positive-High
Assay Enter Search ?

Measurement Details

Assayed Antibody

Antigen

3D Structure of Complex

Assay Reference Details

Figure 2-15 B Cell Search input screen

The B cell response assay category captures B cell-mediated immunity information and describes antibody responses related to the epitope/antigen. In a B cell response, B lymphocytes (a type of white blood cell) produce proteins called antibodies that bind to antigens. Antibodies are present on the surface on B lymphocytes and are also secreted. Once an antibody binds an antigen, the bound antigen molecule can be engulfed by phagocytes and broken into fragments. Figure 2-15 also shows the new Geolocation Finder under the Host Details subsection under Immunization section. It can also be found in the T Cell Search and MHC Ligand Elution Search. A description of the Geolocation Finder can be found in Section 2.3.5.6.

IEDB Identifiers

Epitope ID
Reference ID
Submission ID
Assay ID

External Identifiers

PubMed ID
PDB ID
ChEBI ID: CHEBI:

Search **Clear**

Figure 2-16 Identifier Search input screen

of the antigen presenting cells.

The Identifier Search input screen is shown in Figure 2-16. If users know the epitope, reference, submission, or assay identifier they are seeking, they can enter that information into one of the four IEDB Identifiers fields. Users can also look for information based on the PubMed ID of a reference or the PDB ID of a structure by using the External Identifiers fields.

2.3.4 Search Results Summary

The Search Results Summary page displays the results of all the different queries. An example is displayed in Figure 2-17, which was generated with the Home page Simple Search for the linear sequence substring "AAA" for human and mouse host organisms. The Search Results Summary allows the user to quickly assess the results of their search and drill down the level of detail that is of interest. Search Parameters are displayed on the Search Result Summary page, along with the ability to revise the search criteria. Clicking on the "Revise Search" button will take the user back to the original search form, either the home page for the Simple Search or to the appropriate Advanced Search form.

The number of peptidic and non-peptidic epitopes are displayed in the topmost table on the Result Summary. Because the IEDB captures both positive and negative assay responses, some "epitopes" lack a positive binding value and therefore are not actually epitopes; the number of these molecular structures is indicated in the Negative column of the table. The user can click on the number in the Positive and All columns to view all the results for that category, as seen in Figure 2-17 for the positive peptidic epitopes. The columns displayed include the number of corresponding epitope, source antigen, and source species.

Figure 2-17 also shows one of the major new features introduced in 2012, the Immunome Browser, which described in detail in Section 2.3.4.4. The Immunome Browser visualizes large sets of epitope data by aligning epitope sequences with reference proteomes to ensure consistency. A user can map query results

The T Cell Response assay category captures T cell-mediated immunity information where the MHC molecule/antigen complex is recognized by T cells in the context of presentation by an antigen presenting cell.

The MHC Binding assay category captures details relating to the in vitro interaction of the epitope with specific MHC molecules along with available Epitope-MHC complex structure details. In other words, assays in this category assess the epitope's binding capacity to the MHC molecule.

The MHC Ligand Elution assay category captures data related to epitopes that are naturally processed and presented on the surface of an antigen presenting cell. The MHC Ligand Elution category differs from the MHC Binding category in that for the former, antigen bound to the MHC molecule on the cell surface has been taken up and processed internally for presentation by the antigen presenting cell, whereas for the latter, antigen in solution is bound to MHC molecules on the surface

Search Result Summary [?](#)

Search Parameters:

- Structure Type **equals** Linear peptide
- Linear Peptide **contains** AAA
- Host Organism **is** Homo sapiens or Host Organism **is** Mus musculus

[Revise Search](#)

Epitopes	Positive*	Negative**	All
Peptidic	591	711	1302
Non-Peptidic	0	0	0

Assays	Positive	Negative	All
T Cell Response	818	1361	2179
B Cell Response	465	511	976
MHC Ligand Elution	65	0	65
MHC Binding	0	0	0

Summary	
Epitope Source Organism	153
Host Organism	92
Restricting MHC Allele	98
References	482

* At least one positive measurement.
** Only negative measurements.

Figure 2-17 Sample of Search Result Summary

the list the user is viewing. On some results pages, only the full format is available. The CSV format can be easily manipulated using a spreadsheet program, such as Microsoft Excel, or edited with a word processing program, such as Microsoft Word or Notepad.

Epitope

[Cluster](#) [80% identity](#) [?](#)

591 item(s) found, displaying 1 to 25 (Click the column headers to adjust the sorting)

[« previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) ... [23](#) [24](#) [next »](#) [Go To](#) Items per page: [25](#)

Export all results: [\(full\)](#)

Epitope ID ↑	Structure	Source Antigen	Source Organism
10	AAAAAIFVI	MHC class I related protein A	Homo sapiens
11	AAAAALDKKKQRNFKDILA	MYH7 protein (1 more)	Homo sapiens
19	AAAALKAGLVLFPQPPAPIAV	CONSERVED HYPOTHETICAL ALANINE RICH PROTEIN (1 more)	Mycobacterium tuberculosis (1 more)
33	AAAGAVVGGGLGGYMLG	Major prion protein precursor	Mus musculus
34	AAAGDK	B13 antigen	Trypanosoma cruzi
35	AAAGFASKTPANQAISMIDG	Phosphate-binding protein ptsS 1 precursor	Mycobacterium tuberculosis
36	AAAGFMVLQDINCFRPHGVSAAEKISFGKSSQCRAEVGT	Glycoprotein 4	Lelystad virus
46	AAALEQLLGQTADVA	hypothetical protein ML1057	Mycobacterium leprae (1 more)
49	AAALPGKCGV	Non-specific lipid-transfer protein 1 (2 more)	Prunus persica
52	AAANTSDSQKE		

Figure 2-18 Screen generated by drilling down on the positive epitope hyperlink in the Search Result Summary

for T Cell and B Cell assays to a set of antigens and determine the position of a given epitope within an antigen.

As Figure 2-18 and subsequent figures show, comma separated values (CSV) file exports are available on-demand from all list pages and list tabs throughout the site, except for the patent list, which is only provided in PDF format. The CSV file exports are generated in two formats, a compact format that only contains the data presented in the list the user is viewing, and a full record format that contains all of the data associated with the records in

The user can cluster query results by the sequence identity of the epitope structure. Clustering has been implemented to simplify query results, especially since the amount of data returned in many queries has grown as the amount of data in the IEDB has grown. As an example, if the user would query for all Vaccinia virus epitopes they would get a list of over 10,000 records. If they then hit the ‘Cluster’ button, the epitopes would be grouped according to their sequence identity and the user would end up with a ‘cleaned up’ view of the results.

An algorithm for grouping the sequences has been developed and tested with several IEDB data sets. It groups related sequences based on sequence identity and allows the user to specify the sequence identity threshold from 70%-100%. As an example, at 85% identity, 7,512 Vaccinia virus epitopes form 2,528 clusters. This drastically reduces the number of results displayed to the user and should result in more efficient navigation. In terms of sorting the clusters of epitopes so that the most relevant ones are displayed first, bioinformaticians at LIAI have developed a metric called the ‘evidence score’. This metric takes into account the number of references, number of positive assays, and total number of assays for each epitope. It is used initially to seed the clusters and is summed over all of the epitopes in the cluster to get the ‘cluster score’ (CScore). Clusters are then sorted by the CScore in a descending order by default.

Figure 2-18 shows the initial results page without any clustering. The user can select from four levels of sequence identity for the clustering, 70, 80, 90, or 100%, with 80% being the default (see Figure). Users can sort on each column in the table. If the column is alphanumeric in nature, and not strictly numeric as is the case for Epitope ID, a field labeled “Go To Records That Start With” appears to the right of field that specifies the number of items per page. The user can input a single character and the display will jump to the first occurrence of that character starting a string in that column. An example of a peptide sequence starting with the letter “D” is shown in Figure 2-19.

Epitope

591 item(s) found, displaying 111 to 120 (Click the column headers to adjust the sorting)

« previous	1	2	...	9	10	11	12	13	14	15	...	59	60	next »	Go To »	12	Items per page:	<input type="button" value="10"/>	Go To Records That Start With	D
----------------------------	-------------------	-------------------	---------------------	-------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	---------------------	--------------------	--------------------	------------------------	-------------------------	--------------------	-----------------	-----------------------------------	---	---

Export all results: ([full](#))

Epitope ID	Structure↑	Source Antigen	Source Organism
5717	AYAATVAAAPEVKYAVFEAA	Pollen allergen Lol p VA precursor	Lolium perenne
79770	CGIAAKLGAAAS	pertussis toxin S4 subunit precursor (gtg start codon)	Bordetella pertussis
79771	CGIAAKLGAAASSPPDAHVPFCFGKD	pertussis toxin S4 subunit precursor (gtg start codon) (1 more)	Bordetella pertussis (1 more)
174415	CIPSLEAAVKQAYATVAAA	pollen allergen PhpVb	Phleum pratense
154291	CLDELRGAAASAAFVVASGS	Probable phosphofructokinase PfkB (PHOSPHOHEXOKINASE)	Mycobacterium tuberculosis H37Rv
6657	CMKKDDQIAAAMVLRGMAKDGFALK		
103840	DAEKPAESGGSQQPRAAARK	Glutamate decarboxylase 2	Homo sapiens
7512	DAGDHRAAA		
144875	DALRLARRIAAL	hypothetical protein	Mycobacterium tuberculosis H37Rv
7584	DALRRAAAKLGIRTRFVKRVERV	50S ribosomal protein L16	Chlamydia trachomatis

Figure 2-19 Epitope results sorted by sequence in the Structure column, showing the first sequence starting with a “D” as specified in the “Go To Records That Start With” field in the upper right.

Clustering is initiated when the user clicks the *Cluster* button. Figure 2-20 shows clustering by 70% sequence identity. A description of the epitope clustering algorithm and additional screen shots of the clustered results can be found in the IEDB Solutions Center under the *Tutorials and Reference Materials*

folder (<http://iedb.zendesk.com/entries/306422-iedb-epitope-clustering-help>). Help can also be reached by clicking on the “?” icon to the right of the % Identify button.

The second table in Figure 2-17 summarizes the positive and negative assay responses for the four general assay types. The user can drill down on any of these values to see the corresponding epitopes. The detail page for the positive T Cell Responses of this search is displayed in Figure 2-21.

The third table lists the number of epitope source organisms, host organisms, restricting MHC alleles, and references resulting from the input search criteria. As before, the user can drill down on the values in the table to find more detail related to each category, as seen in Figure 2-22, Figure 2-23, Figure 2-24, and Figure 2-25. Figure 2-22 illustrates the use of the “Go To Records That Start With S” feature, which displays page 14 in this case.

Users can specify the number of items on a result page from a pull-down list of four values – 10, 25, 50, and 100. On other result pages, users can also jump to pages that feature results starting with a specified character, as seen in Figure 2-22, Figure 2-23, and Figure 2-24. Users can select columns by which to sort by clicking on the column headers. Clicking again will reverse the sort order.

Epitope Clusters						
Cluster	CScore	Count	Epitope	EScore	Source Antigen	Source Organism
347 clusters identified at 70% sequence identity, displaying 1 to 25						
« previous	1	2	3	4	5	6
7	8	9	...	13	14	next »
Go To »	1					
Export all results: <input checked="" type="checkbox"/> (full)						
Cluster	Cscore	Count	Epitope	EScore	Source Antigen	Source Organism
+ MTEQQWNFAGIEAAASAIQGNVSIHSL	7115	20	MTEQQWNFAGIEAAASAIQG (And More)	1826	6 kDa early secretory antigenic target (AND 2 more)	Mycobacterium tuberculosis (AND 3 more)
+ GDKPPPFQAAAGDKPPLF	2875	21	KPPPFQAAAGDKPP (And More)	387	B13 antigen (AND 3 more)	Trypanosoma cruzi (AND 1 more)
+ QWNKPSKPKNLKHVAGAAAAGAVVGGLGYMLG	2844	15	WNKPSKPKNLKHVAGAAAAGAVVGGLGY (And More)	674	Major prion protein precursor (AND 3 more)	Mus musculus (AND 4 more)
+ MTEQQWNFAGIEAAASAIQGNVSIHSLDEGKQS	2747	10	IEAAASAIQGNVTSI (And More)	652	6 kDa early secretory antigenic target	Mycobacterium tuberculosis (AND 1 more)
+ VTSIHSLLDEGKQSLTKLAAAWGGSEAYQGVQ	2386	8	EGKQSLTKLAAAWGG (And More)	640	6 kDa early secretory antigenic target	Mycobacterium tuberculosis (AND 1 more)
+ ...QKLIEDVNAGFKAAVAAAASVPADKYKTFEAA	2317	8	KAAVAAAASVPADK (And More)	584	Group V allergen Phl p 5.0203 precursor (AND 6 more)	Phleum pratense (AND 4 more)
+ ...ATTEEQKLIEDINVGFKAAVAAAASVPADKYKTFEAA..	2298	9	INVGFKAAVAAAASV (And More)	720	Group V allergen Phl p 5.0203 precursor (AND 6 more)	Phleum pratense (AND 4 more)
+ AFASRGNHVSPTHYPESDAAARVTAILSSL	2199	17	SPTHYPESDAAAR (And More)	290	Genome polyprotein (AND 3 more)	Hepatitis C virus subtype 1a (AND 4 more)
+ MALWMRLPLALLALWGPDPAAAFVNQHLCGS	2104	7	ALWGPDPAAA (And More)	1322	Insulin precursor (AND 2 more)	Hom sapiens
+ MTEQQWNFAGIEAAASAIQGNVSIHSL	2077	10	QQWNFAGIEAAASAIQGNVSIHSL (And More)	223	6 kDa early secretory antigenic target ESXA (ESAT-6) (AND 2 more)	Mycobacterium tuberculosis H37Rv (AND 2 more)
+ ...KATTEEQKLIEDINVGFKAAVAAAAGPADKYKTFEAA..	1906	7	DINVGFKAAVAAAAG (And More)	587	pollen allergen Poa p 5 (AND 5 more)	Poa pratensis (AND 3 more)

Figure 2-20 Query results for clustering at 70% sequence identity

T Cell Response Assays								
818 item(s) found, displaying 1 to 25 (Click the column headers to adjust the sorting)								
« previous 1 2 3 4 5 6 7 8 9 ... 32 33 next » Go To » 1 Items per page: 25 ▼								
Export all results: compact full								
ID ↑	Reference	Epitope	Host	Immunization	Assay Antigen	Antigen Epitope Relation	MHC Restriction	Assay Description
2061	Yolanda López-Vidal; Arch Med Res 2004	MTEQQWNFAGIEAAAS 6 kDa early secretory antigenic target (1-16) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism)	MTEQQWNFAGIEAAAS 6 kDa early secretory antigenic target (1-16) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	3H-thymidine cell proliferation Positive
2064	Yolanda López-Vidal; Arch Med Res 2004	MTEQQWNFAGIEAAAS 6 kDa early secretory antigenic target (1-16) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism) followed by restimulation in vitro	MTEQQWNFAGIEAAAS 6 kDa early secretory antigenic target (1-16) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	ELISA cytokine release IL-4 Positive
2139	Yolanda López-Vidal; Arch Med Res 2004	AAASAIQGNVTSIHSL 6 kDa early secretory antigenic target (13-28) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism)	AAASAIQGNVTSIHSL 6 kDa early secretory antigenic target (13-28) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	3H-thymidine cell proliferation Positive
2142	Yolanda López-Vidal; Arch Med Res 2004	AAASAIQGNVTSIHSL 6 kDa early secretory antigenic target (13-28) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism) followed by restimulation in vitro	AAASAIQGNVTSIHSL 6 kDa early secretory antigenic target (13-28) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	ELISA cytokine release IL-4 Positive

Figure 2-21 Screen generated by drilling down on the positive T cell assay hyperlink in the Search Result Summary

Source Organism								
153 item(s) found, displaying 131 to 140 (Click the column headers to adjust the sorting)								
« previous 1 2 ... 8 9 10 11 12 13 14 15 16 next » Go To » 14 Items per page: 10 ▼ Go To Records That Start With » S								
Export all results: compact full								
Source Organism ↑								
Rubella virus								
Salmo salar								
Salsola kali								
SARS coronavirus								
SARS coronavirus Tor2								
Simian virus 40								
Staphylococcus aureus subsp. aureus COL								
Streptococcus mutans								
Streptococcus pyogenes								
Streptococcus pyogenes serotype M5								

Figure 2-22 Screen generated by drilling down on the Epitope Source Organism link in the Search Result Summary

Host Organism

92 item(s) found, displaying 1 to 25 (Click the column headers to adjust the sorting)

« previous **1** 2 3 4 next » Go To » 1 Items per page: 25 ▾ Go To Records That Start With »

Export all results: ([compact](#) | [full](#))

Host Organism ↑
Homo sapiens
Homo sapiens Australian Aboriginal
Homo sapiens Caucasian
Mus musculus
Mus musculus (C57BL/6 X DBA/2) Tg(HBV 1.3 genome)chi32
Mus musculus 129
Mus musculus A/J
Mus musculus B10.A-H2a H2-T18a/SgSnJ
Mus musculus B10.BR
Mus musculus B10.BR-H2k H2-T18a/SgSnJ
Mus musculus B10.D2

Figure 2-23 Screen generated by drilling down on the Host Organism link in the Search Result Summary

Restricting MHC Allele

98 item(s) found, displaying 1 to 10 (Click the column headers to adjust the sorting)

« previous **1** 2 3 4 5 6 7 8 9 10 next » Go To » 1 Items per page: 10 ▾ Go To Records That Start With »

Export all results: ([compact](#) | [full](#))

MHC Allele ↑	Class	Organism	Synonyms	Restriction Level	Haplotype	Locus	Serotype	Molecule
Class I, allele undetermined	I	organism (all species)		CLASS				
Class II, allele undetermined	II	organism (all species)		CLASS				
H-2-a class I	I	mouse (Mus musculus)		HAPLOTYPE	H-2-a			
H-2-b class I	I	mouse (Mus musculus)		HAPLOTYPE	H-2-b			
H-2-b class II	II	mouse (Mus musculus)		HAPLOTYPE	H-2-b			
H-2-d class I	I	mouse (Mus musculus)		HAPLOTYPE	H-2-d			
H-2-d class II	II	mouse (Mus musculus)		HAPLOTYPE	H-2-d			
H-2-Db	I	mouse (Mus musculus)		COMPLETE MOLECULE	H-2-b	D		Db
H-2-Dd	I	mouse (Mus musculus)		COMPLETE MOLECULE	H-2-d	D		Dd
H-2-g7 class I	I	mouse (Mus musculus)		HAPLOTYPE	H-2-g7			

Figure 2-24 Screen generated by drilling down on the Restricting MHC Allele link in the Search Result Summary

Reference List

Sort By: Date Sort Order: Descending Submit
 482 item(s) found, displaying 1 to 25 (Click the column headers to adjust the sorting)

« previous [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) ... [19](#) [20](#) next » Go To [1](#) Items per page: 25

Export all results: [compact](#) | [full](#) [Pubmed Export](#)

Lin Lin; Brandon Tan; Paul Pantapalangkoor; Tiffany Ho; Andrea M Hujer; Magdalena A Taracila; Robert A Bonomo; Brad Spellberg
Acinetobacter baumannii rOmpA vaccine dose alters immune polarization and immunodominant epitopes.
Vaccine. 2013; 31(1873-2518):313-8
 PMID: 23153442

Robin R Knight; Deborah Kronenberg; Min Zhao; Guo Cai Huang; Martin Eichmann; Anna Bulek; Linda Wooldridge; David K Cole; Andrew K Sewell; Mark Peakman; Ania Skowronski
Human β-Cell Killing by Autoreactive Preproinsulin-Specific CD8 T Cells Is Predominantly Granule-Mediated With the Potency Dependent Upon T-Cell Receptor Avidity.
Diabetes. 2013; 62(1939-327X):205-13
 PMID: 22936177

Carla Oseroff,* John Sidney,* Randi Vita,* Victoria Tripple,* Denise M. McKinney,* Scott Southwood,* Tess M. Brodie,† Federica Sallusto,† Howard Grey,* Rafeul Alam,‡ David Broide, Jason A. Greenbaum,* Ravi Kola,* Bjoern Peters,* and Alessandro Sette*
T Cell Responses to Known Allergen Proteins Are Differently Polarized and Account for a Variable Fraction of Total Response to Allergen Extracts. 2012

Z Sun; P Zhu; L Li; Z Wan; Z Zhao; R Li
*Adaptive immunity mediated by HLA-A*0201 restricted Asp f16 peptides-specific CD8+ T cells against Aspergillus fumigatus infection.*
Eur J Clin Microbiol Infect Dis. 2012; 31(1435-4373):3089-96
 PMID: 22696051

Michael Hecker; Peter Lorenz; Felix Steinbeck; Li Hong; Gabriela Riemekasten; Yixue Li; Uwe K Zettl; Hans-Jürgen Thiesen
Computational analysis of high-density peptide microarray data with application from systemic sclerosis to multiple sclerosis.
Autoimmun Rev. 2012; 11(1873-0183):180-90
 PMID: 21621003

Figure 2-25 Screen generated by drilling down on the reference hyperlink in the Search Result Summary

When users click on the number of references on the Search Results Summary screen, the system will display the Reference List, as seen in Figure 2-25. This list will display all the references that matched the user's search criteria. Enough information is listed to identify each reference uniquely, including authors, article title, year, PubMed ID, and journal name. To view all the information related to a given reference, click the highlighted author line. The list can be sorted by date, author, PubMed ID, and title in ascending or descending order. Clicking on the PubMed identifier will open the PubMed citation in a new window. Users can also retrieve the PubMed records for all the references by clicking on "PubMed Export" adjacent to the Compact and Full export options at the top and bottom of the page.

2.3.4.1 Peptide MHC Binding Motif Displays

A display of peptide MHC binding motif diagrams and amino acid binding charts for a subset of MHC allele records appears on the MHC Allele Information page. This page can be reached from the Restricting MHC Allele page shown in Figure 2-24. Clicking on H-2-K^b in the left MHC Allele column in the 22nd row, the user is brought to its MHC Allele Information page (Figure 2-26)). As can be seen by the tabs in the binding motif display, the Peptide MHC Binding Motif diagrams on MHC Allele Information pages now support diagrams for multiple lengths.




Figure 2-26 Sample MHC Allele Information page with Peptide MHC Binding Motif diagram for H-2_Db. Note the link to the corresponding Amino Acid Binding Chart on the bottom right of the diagram

The Peptide MHC Binding Motif diagram summarizes the results of the amino acid binding for each position, which is shown in Figure 2-27. The amino acids are color-coded for each position, where green indicates the residue is preferred for binding, purple indicates it is deleterious for binding, and white indicates the residue is tolerated at that position. The motif diagram shows which residues are preferred and tolerated at the anchor positions, and which residues are preferred and deleterious at the non-anchor positions.

The residue preference is calculated from the SMM prediction matrix, which is described in Section 2.4.1.1. The following steps are taken in determining the residue preference at each position:

For anchor position:

1. determine the best value of this position from corresponding column of the SMM matrix
2. if a residue's value in this column of the SMM matrix is within 3 fold of the best value, designate this residue as preferred
3. if a residue's value in this column of the SMM matrix is within 10 fold of the best value, designate this residue as tolerated
4. The remaining residues are designated as deleterious

H-2-K_b Motif Amino Acid Binding Chart

AMINO ACID	PEPTIDE BINDING MOTIF POSITION							
	1	2	3	4	5	6	7	8
A	-0.18	-0.13	0.344	0.032	0.188	-0.43	-0.05	0.191
C	0.138	0.286	-0.03	0.105	-0.05	-0.01	0.239	0.142
D	0.531	0.371	0.442	0.227	0.348	0.385	0.293	0.168
E	0.537	0.388	0.330	0.081	0.211	0.298	0.268	0.008
F	-0.14	-0.20	-0.94	-0.05	-1.11	-0.16	-0.15	-0.02
G	0.277	-0.14	0.328	0.234	0.364	-0.03	-0.05	0.129
H	0.289	0.051	0.009	-0.00	-0.34	-0.01	-0.17	0.385
I	-0.76	-0.45	-0.26	-0.07	0.200	-0.00	0.456	-0.32
K	-0.07	0.332	0.384	0.006	0.433	0.179	0.126	0.004
L	-0.08	0.150	-0.24	-0.11	-0.05	0.027	0.047	-1.03
M	-0.39	-0.14	-0.19	-0.13	-0.12	-0.10	-0.06	-0.55
N	0.357	-0.31	0.145	-0.00	0.223	0.044	-0.43	0.018
P	0.781	0.254	0.228	0.246	0.336	0.027	-0.41	0.290
Q	0.215	0.049	0.188	-0.08	0.195	0.113	-0.12	0.151
R	-0.08	0.499	0.073	-0.20	0.250	-0.04	-0.26	0.216
S	-0.31	-0.65	0.477	-0.07	0.233	-0.15	-0.06	0.124
T	-0.26	-0.41	0.275	-0.04	0.211	-0.01	0.059	0.172
V	-0.66	-0.23	0.033	-0.08	0.001	-0.07	0.254	-0.48
W	-0.06	0.099	-0.55	-0.04	-0.43	0.133	0.242	0.081
Y	-0.07	0.229	-1.01	-0.00	-1.06	-0.14	-0.16	0.337

(ROW HEADER) Indicates anchor positions.

(MATRIX BODY) Indicates that the residue is a preferred residue at that position.

Indicates that the residue is a deleterious residue at that position.

Indicates that the residue is a tolerated residue at that position.

Figure 2-27 Amino acid binding matrix for MHC allele H-2-Db

Influenza A and Assay Type = X-Ray Crystallography.

For non-anchor position:

1. determine the median value of this position from corresponding column of the SMM matrix

2. if a residue's value in this column of the SMM matrix is within 3 fold of the median value, designate this residue as tolerated

3. if a residue's value in this column of the SMM matrix is above 3 fold of the median value, designate this residue as preferred

4. if a residue's value in this column of the SMM matrix is below 3 fold of the median value, designate this residue as deleterious

2.3.4.2 Accessing the EpitopeViewer

The EpitopeViewer is an application for three dimensional viewing of receptor-antigen interactions that can be accessed from the Assay List screens. The EpitopeViewer can be used with all assays that have receptor-antigen interaction data available. It is not available for epitopes and assays, and when it is available, a link is provided in the leftmost ID column, as illustrated by the "View 3D Structure" in Figure 2-28. The 23 B cell response assays shown are a result of using the B Cell Search for Epitope Source Organism =

B Cell Response Assays							
32 item(s) found, displaying 1 to 32 (Click the column headers to adjust the sorting)							
Items per page: <select>50</select>							
Export all results: compact full							
ID↑	Reference	Epitope	Host	Immunization	Assay Antigen	Antigen Epitope Relation	Assay Description
3298 View 3D Structure	R L Malby; Structure 1994	P330, N331, D332, P333, T334, Y342, G344, N345, I3... Neuraminidase Influenza A virus (A/whale/Maine /1/84(H13N9))	Mus musculus	Administration in vivo with Influenza A/tern/Australia /G70C/75 (H11N9) neuraminidase gene (Taxonomic Sibling)	Neuraminidase Neuraminidase Influenza A virus (A/whale/Maine /1/84(H13N9))	Source Antigen	X-Ray Crystallography with structure Characterization of Ab binding Positive
14182 View 3D Structure	M E Churchill; J Mol Biol 1994	DVPDYASL Hemagglutinin precursor (118-125) Influenza A virus (A/Victoria /3/1975(H3N2))	Mus musculus	The immunization procedure is unknown	DVPDYASL Hemagglutinin precursor (118-125) Influenza A virus (A/Victoria /3/1975(H3N2))	Epitope	X-Ray Crystallography with structure Characterization of Ab binding Positive
14243 View 3D Structure	U Schulze-Gahmen; J Mol Biol 1993	DVPDYAS Hemagglutinin precursor (118-124) Influenza A virus (A/Victoria /3/1975(H3N2))	Mus musculus 129 GIX+	Administration in vivo with HCDGFQNEKWDLFVE RSKAFSNCYPYDVPD YASLRS (Fragment of Source Antigen)	DVPDYASL + ACET(D1) Hemagglutinin precursor (118-125) Influenza A virus (A/Victoria /3/1975(H3N2))	Fragment of Source Antigen	X-Ray Crystallography with structure Characterization of Ab binding Positive
14757 View 3D Structure	D Fleury; Proteins 2000	K66, L75, D76, I78, D79, P90, H91, V94, F95, R106,... Hemagglutinin Influenza A virus (A/X-31(H3N2))	Mus musculus	Administration in vivo with Influenza A virus (A/X-31(H3N2)) (Source Organism)	QDLPGNDNSTATLCL GHHAAPNGTLVKTIT DDQIEVTATELVQS SSTGK... Hemagglutinin (17-521) Influenza A virus (A/X-31(H3N2))	Fragment of Source Antigen	X-Ray Crystallography with structure Characterization of Ab binding Positive

Figure 2-28 B Cell Response screen with Epitope Viewer links in the leftmost column

2.3.4.3 Result Tabs

As users drill down on hyperlinks to further explore the results of a query, they will find the information organized by tabs. As seen in Figure 2-29 for Epitope ID 67436, there are 21 source organisms listed from 61 references. There is also assay information for MHC binding, B cells, T cells, and MHC ligand elution. The Links tab contains links to relevant tools in the Analysis Resource. Links can also appear to the Bioinformatics Resource Centers (BRC).

TYQRTRALV epitope

Distinct Epitope			
Epitope ID:	67436		
Linear Sequence:	TYQRTRALV		
Source Organism:	Influenza A virus (9 more)		
Source Antigen:	Nucleoprotein (15 more)		

Source (21) | Reference (61) | MHC Binding (22) | B Cell Assay (2) | T Cell Assay (118) | MHC Ligand Elution (6) | Links (3)

21 item(s) found, displaying 1 to 21 (Click the column headers to adjust the sorting)
 Export all results: ([compact](#) | [full](#))

Source Accession ↑	Source Antigen	Source Organism	3D Structure Homologs
110733657	nucleocapsid protein	Influenza A virus	2 PDB hits
118864386	nucleocapsid protein	Influenza A virus	2 PDB hits
118864386	nucleocapsid protein	H5N1 subtype	2 PDB hits
13274623	nucleocapsid protein	Influenza A virus	2 PDB hits
13383285	nucleoprotein	Influenza A virus	2 PDB hits
139029	Nucleoprotein	Influenza A virus (A/Anas acuta/Primorje/695/1976(H2N3))	2 PDB hits
139029	Nucleoprotein	Influenza A virus	2 PDB hits
139085	Nucleoprotein	Influenza A virus	2 PDB hits
253735502	nucleoprotein	Influenza A virus	2 PDB hits
324710	nucleoprotein	Influenza A virus	2 PDB hits
3721978	nucleoprotein	Influenza A virus H3N2	
60751	nucleoprotein	Influenza A virus (A/Puerto Rico/8/1934(H1N1))	2 PDB hits
61250058	Nucleoprotein	Influenza A virus (A/Port Chalmers/1/1973(H3N2))	2 PDB hits
73666582	nucleocapsid protein	Influenza A virus (A/Memphis/1/71H-A/Bellamy/42N)	2 PDB hits
82010653	Nucleocapsid protein	Influenza A virus (A/England/939/69 x A/PR/8/34)	2 PDB hits
8486130	nucleocapsid protein	Influenza A virus (A/Puerto Rico/8/1934(H1N1))	2 PDB hits
P03466	Nucleoprotein	Influenza A virus (A/Puerto Rico/8/1934(H1N1))	2 PDB hits
P03466	Nucleoprotein	Influenza A virus	2 PDB hits

Figure 2-29 Many results pages have information organized into tabs

2.3.4.4 Immunome Browser

The Immunome Browser is a new feature integrated into the IEDB to more efficiently display large sets of immune epitope data. The Immunome Browser ‘maps’ query results from the IEDB onto a reference proteome. A reference proteome is used because the positions of epitopes and names of antigens reported by different investigators are inconsistent due to many versions of protein sequences and differences between strains. The Immunome Browser presents the mapped data along with calculated ‘epitope prominence scores’ that rank known epitopes based on how frequently subjects responded to each epitope, allowing identification of immunodominance.

Currently, only linear peptide epitopes with T cell or B cell responses are supported for viewing using the Immunome Browser. These limitations will be addressed in future versions.

Getting Started

To start using the Immunome Browser, just make a query as before and look for the new 'View In Immunome Browser' buttons, as shown below (Figure 2-30). Clicking on these buttons passes your query results to the Immunome Browser.

IMMUNE EPITOPE DATABASE AND ANALYSIS RESOURCE

Home | Browse | Search | Tools | S

Search Result Summary

Search Parameters:

- Source Organism is Hepatitis C virus
- MHC Binding is excluded
- MHC Ligand Elution is excluded
- Host Organism is Homo sapiens

[Revise Search](#)

Epitopes	Positive*	Negative**	All
Peptidic	3051	2635	5686
Non-Peptidic	0	0	0

Assays	Positive	Negative	All
T Cell Response	3120	6125	9245
B Cell Response	2774	3258	6032
MHC Ligand Elution	0	0	0
MHC Binding	0	0	0

Summary	
Epitope Source Organism	36
Host Organism	3
Restricting MHC Allele	83
References	321

[View In Immunome Browser](#)
[View In Immunome Browser](#)

Figure 2-30 Search result summary page returned by the IEDB website

Defining Peptide:Antigen Mapping Parameters

Once in the Immunome Browser, the default parameters are set and the best matching reference proteome is displayed (Figure 2-31).

Welcome to the Immunome Browser!

This tool provides an intuitive and biologically meaningful representation of large sets of immune epitope data. Specifically, its major features are:

- Alignment of epitope sequences with a set of reference proteomes so that antigen names and epitope positions are consistent.
- The ability to browse epitopes at the level of antigens.
- Visualization of immune responses as a function of residue position, thereby highlighting areas of high/low immunoreactivity.

Here, you can map your query results to a set of antigens. By 'mapping', we refer to a process where a position of a given epitope within an antigen is determined. The set of antigens for mapping can be provided by the user. By default, best matching organism's reference proteome will be provided if available. If no reference proteome is available, please click "Change Settings" in order to upload your own reference proteome as a FASTA file.

Name Proteome:

Figure 2-31 Default parameter setting for mapping query results to a selected reference proteome

To override a default proteome or change other default mapping parameters, click ‘**Change Settings**’ to reveal additional fields.

After clicking **Change Settings**, all parameters are shown in Figure 2-32:

Welcome to the Immunome Browser!

This tool provides an intuitive and biologically meaningful representation of large sets of immune epitope data. Specifically, its major features are:

- Alignment of epitope sequences with a set of reference proteomes so that antigen names and epitope positions are consistent.
- The ability to browse epitopes at the level of antigens.
- Visualization of immune responses as a function of residue position, thereby highlighting areas of high/low immunoreactivity.

Here, you can map your query results to a set of antigens. By 'mapping', we refer to a process where a position of a given epitope within an antigen is determined. The set of antigens for mapping can be provided by the user. By default, best matching organism's reference proteome will be provided if available.

If no reference proteome is available, please click "Change Settings" in order to upload your own reference proteome as a FASTA file.

Name Proteome:

File Proteome: No file chosen

Peptide sim. threshold:

Antigen homology:

Peptide matches:

Figure 2-32 Parameters needed to map query results onto the reference proteome

Use each of the fields to adjust mapping settings as follows:

Name Proteome

This name refers to the best matching reference proteome for the query entered by the user. In the case where no match is found, the user must provide a set of antigens against which to map peptides. To provide the proteome or override a default proteome, use the **'File Proteome'** field.

File Proteome

This button allows the user to submit a set of protein sequences, overriding the selected reference proteome. Use '**Choose File**' to provide your own antigen sequences in a FASTA format.

Peptide Similarity Threshold

This allows the user to change the similarity threshold between the epitope sequences and the protein they are being mapped to. A lower threshold may be desirable for proteins that display high sequence variability such as HCV. The sequence alignment step uses the USEARCH [\[http://www.drive5.com/usearch/\]](http://www.drive5.com/usearch/) algorithm, to achieve fast sequence searches. Specifically, the

command 'usearch search_local' is used. In our experience, usearch is faster than BLAST. Furthermore, USEARCH is a heuristic algorithm (BLAST is also heuristic). Hence, for low similarity thresholds, some valid epitopes may be missed.

Antigen Homology

This field allows the user to place the additional constraint that the proteins to which the epitopes are mapped must be homologous to the source protein of the epitopes, as described in the manuscript the epitope was described in.

Peptide Matches

Using this field the user decides between two different types of mappings; either 'All', where all possible epitope:protein matches are presented, or 'Best' where only the best matches are presented. In the case of 'Best' matches, ties are kept if multiple best matches are available.

Once all parameters are set as desired, click the '**Submit**' button. This will initiate mapping of the query results to the chosen reference proteome.

Navigating the Mapping Results

After clicking the '**Submit**' button, results of mapping query results to the reference proteome are displayed in Figure 2-33. Shown at the top is a navigation panel to display different types of mapping results. For example, by default, all proteins in the reference proteome are listed. If the user wants to see only those proteins with epitopes mapped, then 'ORFs containing epitopes' should be chosen.

In the bottom panel, either list of proteins or epitopes is shown based on the selection made in the navigation panel shown above. Of special note, in the case of 'ORFs containing epitopes', by clicking icons in column 'Visualize', one can visualize profiles of epitope prominence scores for corresponding antigens.

Visualizing a Profile of Epitope Prominence Scores for Each Antigen

After clicking any one of the icons in column 'Visualize' from the page showing mapping results, a screen such as Figure 2-34 is shown. The top panel provides a visualization of where on the antigen epitopes are mapped. The x-axis shows residue positions and the y-axis shows epitope prominence scores. The bottom panel lists epitopes mapped to the antigen, their mapped positions and their epitope prominence scores (e.g. Response Freq. Score).

Different types of 'epitope prominence scores' are possible. By default, response frequency scores is chosen, which correlate with how often subjects responded to a given epitope. In addition, a score based on number of assays is also provided. As the name indicates, for each epitope, number of assays associated with it are collected and plotted. Thus, an epitope with higher 'num assay' score would mean that it has been studied more often. Additional details of the different epitope prominence scores are provided in the section that follows.

To illustrate usefulness of epitope prominence scores, a region in the HCV polyprotein containing the immunodominant epitope (NS3, 1248-1261) [4] is shown in Figure 2-35. In the figure, a peak in the region (1248-1261), which contains the immunodominant epitope, indicating relatively high response frequency scores is visible. In Figure 2-36, a list of peptides mapped to the region and sorted based on positions of their first residue is shown. Epitopes responsible for the peak visualized can be found based on response frequency scores listed in the last column.

 IMMUNE EPITOPE DATABASE
AND ANALYSIS RESOURCE

Home | Browse | Search | Tools | Support | More IE DB

A Summary of Mapping Query Results to Reference Antigens

Proteome Name Hepatitis C virus

Total ORFs (1)

Containing epitopes (1)
Not containing epitopes (0)
Total Epitopes (3084)
Mapped to ORFs (1758)
Not mapped to ORFs (1326)

Export

Visualize	# Epitopes	Response Freq.	Responded	Tested	NCBI GI	Description
	1758	0.15	3052	19544	22129793	NP_671491 polyprotein

Figure 2-33 Mapping results




Figure 2-34 Visualization of mapped query results to an HCV polyprotein




Figure 2-35 A zoom-in of a region of the HCV polyprotein containing the immunodominant epitope at positions 1248-1261 in the NS3 protein

Epitope ID	Structure	Position	% Identity	# Responded	# Tested	Response Freq. (std)
61704	STKVPAAAYAAQGYKV	1237-1251	100.0	0	1	0.00 (0.00)
61706	STKVPAAAYAAQGYKVLVL	1237-1254	100.0	0	1	0.00 (0.00)
34149	KVPAAYAAQGYKVLV	1239-1253	100.0	2	10	0.06 (0.14)
46754	PAAYAAQGYKVLVLN	1241-1255	100.0	0	1	0.00 (0.00)
46755	PAAYAAQGYKVLVLNPSVAA	1241-1260	100.0	15	46	0.24 (0.08)
518	AAYAAQGYKVLVLNPSVAAAT	1242-1261	100.0	8	20	0.26 (0.14)
5715	AYAAQGYKVLVLNPS	1243-1257	100.0	1	10	0.00 (0.10)
5716	AYAAQGYKVLVLNPSVAA	1243-1260	100.0	12	22	0.39 (0.16)
73324	YAAQGYKVLVLNPSVAAAT	1244-1261	100.0	0	2	0.00 (0.00)
389	AAQGYKVLVLNPSVA	1245-1259	100.0	0	1	0.00 (0.00)
3976	AQGYKVLVLNPSVAA	1246-1260	100.0	1	1	0.00 (1.00)
50985	QGYKVLVLNPSVAAAT	1247-1261	100.0	1	10	0.00 (0.10)
50987	QGYKVLVLNPSVAATLGFGA	1247-1266	100.0	1	1	0.00 (1.00)
23390	GYKVLVLNPSVAAAT	1248-1261	100.0	38	54	0.59 (0.11)
23391	GYKVLVLNPSVAAATL	1248-1262	100.0	2	2	0.29 (0.71)
23393	GYKVLVLNPSVAAATLGFGAY	1248-1267	100.0	2	2	0.29 (0.71)
74530	YKVLVLNPSVAAATLG	1249-1263	100.0	0	1	0.00 (0.00)
94869	KVLVLNPSVAAATLG	1250-1264	100.0	12	12	0.71 (0.29)
69831	VLVLNPSVAAATLGFG	1251-1265	100.0	1	10	0.00 (0.10)
69832	VLVLNPSVAAATLGFGAYM	1251-1268	100.0	2	3	0.20 (0.47)
69833	VLVLNPSVAAATLGFGAYMSK	1251-1270	100.0	0	46	0.00 (0.00)
69670	VLNPSVAAATLGFGAY	1253-1267	100.0	0	1	0.00 (0.00)

Figure 2-36 A screen shot of the table of peptides for the region containing the immunodominant epitope at positions 1248-1261 of the NS3 protein

Different Types of Epitope Prominence Scores

As mentioned earlier, two different types of epitope prominence scores have been implemented, reflecting different ways an epitope's importance can be measured. Details of their calculations are provided below.

Response Frequency Scores

For a given peptide, its response frequency score is defined as: $(\text{responded} - \sqrt{\text{responded}})/\text{subjects}$. The variables ‘responded’ and ‘subjects’ refer to number of subjects that gave positive immune response and total number of subjects, respectively. The term ‘ $\sqrt{\text{responded}}$ ’ is used to take into account statistical uncertainty associated with low counts. For example, response frequencies of 10/10 and 100/100 have the same ratios, however the latter has greater significance. Response frequency scores (RFScores) takes this into account, and thus the ratios have RFScores of 0.68 and 0.9, respectively.

Number of Assays

For a given peptide, num_assay scores is a count of its assay records. Thus those peptides that are studied more often will get higher num_assay scores. In addition, scores can be broken down into those assay records with positive or negative results.

2.3.5 Finders Overview

Several finders (Allele, Assay, Disease, Molecule, Geolocation, and Organism) are available to help facilitate selections and control vocabulary usage (improves result outputs). At times the potential list of selections can be quite extensive, and the finders help users make selections from large lists. The finders can be utilized when performing all queries except the keyword query. Multiple selections can be made when utilizing finders during a query.

2.3.5.1 Allele Finder

The MHC Allele Finder facilitates the selection of one or more MHC alleles. Initially the Allele Finder lists all alleles ordered by allele name. The Allele Finder allows the user to find alleles by organism, class {I, II, non-classical}, and allele in the Find box (Figure 2-37). After the user supplies their search criteria and clicks the Search button, the system will filter the list of MHC alleles using the organism, class, and allele provided. The allele finder uses wild card characters by default on both ends of criteria entered into the allele field. The system then returns any alleles that contain the value in the name field and match the class selected.

The screenshot shows a search interface titled 'Find:' with three input fields: 'Organism:', 'Class:', and 'Allele:'. Below these fields are two buttons: 'Search' and 'Reset'. The 'Organism:' field has a dropdown arrow icon. The 'Class:' field also has a dropdown arrow icon. The 'Allele:' field is empty. The 'Search' and 'Reset' buttons are blue with white text.

Figure 2-37 Find form on the Allele Finder

2.3.5.2 Assay Finder

The Assay Finder is used to facilitate the selection of one or more assay types and lists all assay types in the selected assay category. The Assay Finder was redesigned in 2012 for B Cell assays, as found on the advanced B Cell Search page. All four versions of the Assay Finder organize and display assays in a tree structure, as seen in Figure 2-38 for the T Cell assays.

The screenshot shows the Assay Finder interface on the T Cell Advanced Search page. The top navigation bar says "Assay Finder".

Current Selection: IL-10 release by ELISA. Buttons: Clear All, Remove, Apply.

Find: Method/Technique: ELISA; Name: IL-1. Buttons: Search, Reset.

Results: 8 item(s) found, displaying 1 to 5 (Click the column headers to adjust the sorting). Buttons: << previous, 1, 2, next >>, Go To >, Items per page: 5.

Name	Obi Id	Method/Technique
IL-10 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_1110156	ELISA
IL-12 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_1110160	ELISA
IL-13 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_1110159	ELISA
IL-15 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_0001283	ELISA
IL-17 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_1110162	ELISA

Tcell Assay Tree:

- [-] T cell epitope assay
 - [-] cytokine release
 - [+] chemokine (C-C motif) ligand 1 (TCA-3) release
 - [+] chemokine (C-C motif) ligand 4 (MIP-1 β) release
 - [+] chemokine (C-X-C motif) ligand 9 (MIC) release
 - [+] GM-CSF release
 - [+] IFN β release
 - [+] IFN γ release
 - [-] IL-10 release
 - [+] IL-10 release by bioassay
 - [+] IL-10 release by cytometric bead array
 - [+] IL-10 release by ELISA**
 - [+] IL-10 release by ELISPOT
 - [+] IL-10 release by TCS

Figure 2-38 Assay Finder on the T Cell Advanced Search page. Assays are displayed in a tree structure and users can find displays by their method/technique and by the characters with which the assay name starts.

2.3.5.3 Disease Finder

This query feature partition allows users to select a disease association based on the host disease state or status as captured in curation. Its functionality is similar to that of the molecule finder in that diseases are organized into a browsable tree structure. Upon the selection of host disease state/status, the system provides the user with a hierarchical *Disease Tree* that organizes the data at the highest level according to the five disease categories (Allergy, Autoimmunity, Infectious Disease, Transplant-related Disease and Allo-reactivity, and Additional Diseases by category) and then by the anatomical location of the disease (e.g. respiratory tract, gastrointestinal tract). In this way the user can either type in the disease name or synonym (including ICD10 codes) of interest, or navigate the Disease Tree by disease manifestation and physical location to see what is available. A node for healthy subjects is also included. In the future, there are plans to implement the ability for the user to search for disease association by the epitope source antigen that has been computationally associated with a specified disease. Currently, Disease Association is functional for Allergy and Autoimmunity. Its functionality will be expanded in the future to include transplant-related diseases and an improved categorization of allergic diseases. Infectious disease searches are well accommodated by the Source Organism Finder.

Figure 2-39 shows the Disease Tree with diabetes highlighted. DOID refers to the Disease Ontology identifier. The DTREE designates an IEDB-specific identifier that will be updated later with a DOID

number when the Disease Ontology incorporates the terms. A mouse-over balloon provides additional information on each node of the tree, as shown in the figure.




Figure 2-39 The disease finder within the Immune Mediated Disease Association section of the Home Page search with diabetes highlighted

2.3.5.4 Molecule Finder

The Molecule Finder is used to facilitate the selection of source antigens, immunogens, and epitopes. There are two versions of the Molecule Finder – one specifically for non-peptidic molecules and another that includes peptidic and non-peptidic branches. Both versions can be found in the Home Page Search (Section 2.3.2) and, as of 2012, on the Advanced Search pages also. The non-peptidic version is used when the epitope type is specified as non-peptidic. The more general version is used to specify the source molecule. Records in the Source Finder come from GenPept, ChEBI, and UniProt databases. When not available in these source, the IEDB creates an internal IEDB source identifier.

The Molecule Finder for specifying the source molecule is designed to include two parallel trees, one for non-peptidics and the other for protein molecules. The former contains the structures curated by the Chemical Entities of Biological Interest (ChEBI) database. An example is shown in Figure 2-40.




Figure 2-40 Example of the non-peptidic branch of the Molecule Finder tree showing the branches before and after penicillin. Notice the pop-up balloon adding information for each entry

The development team determined that the most logical way to group the proteins was by organism. In order to accomplish this, the NCBI species was determined for each of the proteins in the database. For viruses and bacteria, this involved traversing the NCBI taxonomy from the sub-species (strain) level up to the species level. For each species, a set of reference proteins was selected from the NCBI protein database based upon the availability of a complete genome for the species. All proteins for each species were BLASTed against the reference protein set to determine their homologs. These data were used to build the protein tree in a way that mirrors a pruned version of the NCBI taxonomy. The result is a

coherent tree that is divided along major taxonomic categories and is quickly traversed with proteins grouped logically below each species. The user can perform a free text search to see where a protein is placed in the tree. It is possible, for example, to select all Influenza A haemagglutinin (HA) proteins by selecting one node of the tree rather than individually clicking on the 100+ different HA proteins in the database. This can be seen in Figure 2-41.




Figure 2-41 Example of the protein tree as found in the Source Antigen Molecule Finder on the IEDB home page

The search interface at the top of the Molecule Finder is shown in Figure 2-42. It has a comprehensive and flexible search form, and includes the Organism Finder. Users can highlight results in the molecule tree or select specific molecules directly by clicking on the corresponding “Select” link. User can also specify the molecule database. Figure 2-42 shows the results for searching for ha (Hemagglutinin) in a strain for Influenza A virus.

Find:

Molecule Accession:	ID Source: No Database
Molecule Name: ha	
Source Organism: Influenza A virus (A/Puerto Rico/8/34(H1N1));	Organism Finder
<input type="button" value="Search"/>	

Search Results

4 item(s) found, displaying 1 to 4 (Click the column headers to adjust the sorting)

Molecule Name	Synonyms	Database	Organism Name
Hemagglutinin precursor [Highlight in Tree] [Select]	Hemagglutinin precursor, HA	UniProt [P03452]	Influenza A virus (A/Puerto Rico/8/1934(H1N1))
Hemagglutinin precursor [Highlight in Tree] [Select]	Hemagglutinin precursor, HA	GenPept [122924]	Influenza A virus (A/Puerto Rico/8/1934(H1N1))
HA1 [Highlight in Tree] [Select]	HA1	GenPept [56605625]	Influenza A virus (A/Puerto Rico/8/1934(H1N1))
Hemagglutinin HA [Highlight in Tree] [Select]	Hemagglutinin HA	GenPept [82031381]	Influenza A virus (A/Puerto Rico/8/34/Mount Sinai(H1N1))

4 item(s) found, displaying 1 to 4

molecule

- + **non peptidic molecule**
- **peptidic molecule**
 - + **Virus proteins [PT10000000]**
 - + Arenavirus proteins [PT10000043]
 - + Caliciviridae except Norovirus [PT10000044]
 - + Caudovirales proteins [PT10000045]
 - + Corona virus proteins [PT10000046]
 - + Deltavirus proteins [PT10000047]
 - + Flavivirus proteins [PT10000048]
 - + Hantavirus proteins [PT10000049]
 - + Hepacivirus proteins [PT10000050]
 - + Herpes virus proteins [PT10000051]
 - + Influenza virus proteins (Orthomyxoviridae) [PT10000052]
 - + Influenza A virus proteins (reference genome GI: 10231,...) [PT10000085]
 - + Proteins homologous to reference genome [PT10008570]
 - + haemagglutinin [PT10001150]
 - + Chain A, Influenza Virus Hemagglutinin [3212739]

Figure 2-42 Results for searching for ha (Hemagglutinin) molecules for a strain of Influenza A virus

2.3.5.5 Organism Finder

The organism finder is used to facilitate the selection of a species or virus from the NCBI Taxonomy Database. Common selections are displayed initially to speed the selection of the usual suspects, as seen in Figure 2-43. To view the entire NCBI taxonomy data set click *NCBI Taxonomy Tree* in the accordion slider. The Common Selection bar will move down to reveal the taxonomy tree. An Allergen tree has also been provided. The Allergen tree consists of species from the NCBI taxonomy, but is organized to help allergists locate common allergen selections more easily. To use the Allergen tree click the Allergen Tree heading in the accordion slider. The Allergen tree displays only nodes reference by curated data. In addition, all nodes in the Allergen tree are selectable. The Allergen tree does not appear when the Organism Finder is used to select a host organism.

NCBI Taxonomy Tree
Allergen Tree
Common Selections
Bacillus anthracis
Clostridium tetani
Dermatophagoides pteronyssinus(European house dust mite)
Hepatitis B virus
Hepatitis B virus subtype ADW
Hepatitis B virus subtype ADW2
Hepatitis B virus subtype AYW
Hepatitis C virus
Hepatitis C virus (isolate 1)
Hepatitis C virus subtype 1a
Hepatitis C virus subtype 1b
Homo sapiens(human)
Human herpesvirus 1(Herpes simplex virus type 1)

Figure 2-43 Common selections in Organism finder

The Organism finder will allow the user to find species using their name or taxonomy identifier (assigned by NCBI). When the user performs a search, the system will display the first match then allow the user to move forward and backward through the matching records using Next and Previous buttons as in Figure 2-44. When the user provides a name, any species name or synonym that contains the name provided will be considered a match. Search results will always appear in the NCBI Taxonomy tree, not the Allergen Tree or Common Selections.

The selections in the organism finder are displayed in a tree (Figure 2-44). The taxonomy identifier is displayed next to each node of the tree in square brackets. For example, the taxonomy identifier for the selection of Dengue Virus 2 in the example below is 11060. To see the synonyms for a selection, users can place their computer mouse over the scientific name.




Figure 2-44 NCBI Taxonomy Tree

2.3.5.6 Geolocation Finder

This new feature combines the locations that study subjects were studied in and the external ontology known as Gazetteer (<http://bioportal.bioontology.org/ontologies/1397>). It can be found on the B Cell Search, T Cell Search, and MHC Ligand Elution advanced search pages under the Host Details subsection within the Immunization section. Gazetteer represents geographic locations in a formal ontological hierarchy. The IEDB's Geographic Location Finder was created by taking the geographic locations mentioned in the manuscripts containing data curated by the IEDB and presenting them in the formal ontological hierarchy of Gazetteer. Thus, every geographic location in the Finder links out to a GAZ ID, where additional information provided by Gazetteer such as definitions and synonyms can be found.

To use the Finder, simply navigate the tree by clicking open the continent of choice to find the country(ies) where study subjects were exposed to the immunogen tested in the immune epitope assays. Alternatively, one may use the "Find" feature and type free text to search the tree. The Find feature accepts synonyms as search criteria. Its use is shown in Figure 2-45 for the term "Mexico".

It must be noted that curators only capture geographic location information when authors explicitly state that subjects were recruited in a specific country. The location of authors' affiliations is not used to populate this field.

Geographic Location Finder

Current Selection

Mexico

[Clear All](#) [Remove](#) [Apply](#)

1 item(s) found, displaying 1 to 1 (Click the column headers to adjust the sorting)

Name	GAZ Id	Synonyms
Mexico [Highlight in Tree] [Select]	GAZ_00002852	United Mexican States, Estados Unidos Mexicanos {language: Spanish}

Geographic Location Tree

- + geographic location
 - + Africa
 - + Eurasia
 - + North America
 - + Central America (region)
 - Belize
 - Costa Rica
 - El Salvador
 - Guatemala
 - Honduras
 - Nicaragua
 - Panama
 - Canada
 - Mexico
 - United States of America
 - + Oceania
 - + South America
 - + Antarctica

Find

Name:

[Search](#) [Reset](#)

Figure 2-45 Geolocation finder. This example shows the tree structure by continent, region, and country. A search was made for Mexico within the tree using the Find box on the left, which produced one result. This was then highlighted in the tree, as shown. Clicking on “Mexico” in the tree populated the Current Selection field in the upper left corner of the finder.

2.4 Tools

The Tools pull-down menu access the IEDB Analysis Resource and has three items – T Cell Epitope Prediction, B Cell Epitope Prediction, and Analysis Tools. The purpose of the Analysis Resource of the IEDB is to provide computational tools that enhance the value of the IEDB database to the user. Providing access to tools in one centralized location helps make users aware of available solutions to their problems. All of the information contained within the Analysis Resource, including analysis tools and algorithms developed by the IEDB staff, are freely available to the scientific community.

The tools provided in the analysis resource fall into two categories – prediction tools and analysis tools. Prediction tools extrapolate beyond data held in the database. They can be used to predict epitopes in protein sequences or predict properties of known epitopes, such as their MHC binding affinity. Analysis tools help extract and interpret data contained in the database.

For prediction tools, it is important to differentiate between the **tool** making predictions, and the **method** used to generate that tool, given a set of training data. For example, the artificial neural network method or approach, when trained on a particular data set, will yield a prediction tool. As the ANN method is trained on different data sets, different corresponding prediction tools will result. In this way, the ANN method can be used to develop an MHC class I prediction tool and a separate MHC class II prediction tool. These tools can be refined as more data are available for training. One benefit of the IEDB is that it allows implementing methods to automatically generate new prediction tools as the database grows.

Prediction tools can be subdivided into categories by what they predict. The current tools fall into the subcategories listed below:

- T cell epitopes – MHC class I and II binding prediction
- T cell epitopes – Processing prediction
- B-cell epitope prediction

The next subsections will describe each prediction and analytical tool in more detail.

2.4.1 T Cell Epitope Prediction

2.4.1.1 T Cell Epitopes - MHC binding prediction

The Analysis Resource provides tools for predicting peptide binding to MHC class I and II molecules. For class I binding predictions, users can select predictions performed with tools derived from eight different methods – IEDB Recommended, artificial neural network (ANN), average relative binding (ARB), stabilized matrix method (SMM), SMM with a peptide:MHC binding energy covariance matrix (SMMPMBEC), Scoring matrices derived from combinatorial peptide libraries (Comblib_Sidney2008), Consensus, and NetMHCpan. For class II binding predictions, users can select IEDB Recommended, the Combinatorial Library method, the ARB method, the SMM_align method, a method devised by Sturniolo et al. and used in TEPIPOPE, and a consensus method derived from the ARB, SMM_align, Sturniolo methods, and NetMHCIIpan. Tutorials and example data are available for both the class I and II tools.

A RESTful interface is available for the MHC class I and class II prediction tools. This allows users to perform predictions on the IEDB server in batch mode without having to install any software on their own systems. Additionally, users will always be assured that they are using the latest version of the tools. More information is available in Section 2.4.4.

2.4.1.1.1 Peptide Binding to MHC Class I Molecules

Users can select from eight different methods for predicting class I epitopes – ANN, ARB, SMM, SMMPMBEC, Comblib_Sidney2008, Consensus, NetMHCpan, and IEDB recommended, which are described further below. A check box can be used to show only frequently occurring alleles. This allows the selection of only those alleles that occur in at least 1% of the human population or allele frequency of 1% or higher. However, un-checking the check-box will allow selection of all the alleles and corresponding peptide lengths for a particular species. Users can also upload an allele file instead of entering allele on the page one at a time.

Artificial Neural Network

Artificial neural networks (ANN) are computer algorithms modeled after the brain. They consist of many simple processing units which are wired together in a communication network. Each unit is a simplified model of a neuron which sends off a new signal if it receives a sufficiently strong input signal from the other units to which it is connected. The strength of these connections can be varied in order for the network to perform a desired pattern of node signal activity, which is learned from a set of input training data. The training data in this case are peptide sequences with quantitative affinities for a specific MHC molecule.

Many different implementations of artificial neural networks exist. The one utilized here is described for HLA-A2 binding predictions by Nielsen et al. (Protein Science, 2003) and has been applied to a number of different alleles (<http://www.cbs.dtu.dk/services/NetMHC/>).

Average Relative Binding (ARB)

Average relative binding (ARB) matrix binding prediction method is based on the assumption that each residue along the peptide molecule independently contributes to binding affinity. When a residue R occurs at position i in the peptide, it is assumed to contribute a constant amount of R_i to the free energy of binding of the peptide. The effect of each of the 20 possible amino acids at each possible position along the peptide sequence, therefore, can be estimated by a matrix of coefficients. The overall binding propensity of each peptide sequence, an algorithm “score”, is calculated by multiplying the R_i coefficients. Predicted IC₅₀ values, which provide quantitative K_D (IC₅₀) predictions, are then calculated by mathematical transformations of the algorithm scores (Bui et al., Immunogenetics 2005).

Stabilized Matrix Method (SMM)

The Stabilized Matrix Method (SMM) described by Peters and Sette (BMC Bioinformatics, 2005) can be applied to calculate matrices from quantitative affinity data of peptides binding to MHC molecules. The advantage of this method is that it suppresses the noise present in the training data, caused by the inevitable experimental error as well as the limited number of data points.

Stabilized matrix Method with a Peptide:MHC Binding Energy Covariance matrix (SMMPMBEC)
SMMPMBEC is an improved version of SMM. It is different from SMM in that it addresses sparseness of peptide sequence coverage that is often found in binding data sets by using Peptide:MHC Binding Energy Covariance (PMBEC). The PMBEC matrix was derived from experimentally determined binding affinity measurements using combinatorial peptide libraries. SMMPMBEC is described in Kim et al. BMC Bioinformatics 2009.

Scoring matrices derived from combinatorial peptide libraries (Complib_Sidney2008)

Complib_Sidney2008 refers to a set of predictors (i.e. scoring matrices) that were derived from binding affinity measurements of combinatorial peptide libraries against a panel of MHC alleles. This work is described in Sidney et al. Immunome Res. 2008. This class of predictors is unique in that average binding energy contribution of a given residue at a position is directly measured, without worrying about limited peptide sequence coverage.

Consensus

The Consensus predictor was motivated by an idea that predictions made by consulting “consensus” of individual predictions from multiple predictors may result in improved performance over that of any individual ones. For MHC-I, a work describing an early implementation can be found in Moutafchi M et al. Nat Biotech 2006. The methods used for Consensus are ANN, SMM, and ComBLib_Sidney2008. The Consensus method uses as many of these three component methods as possible, depending on their applicability for the chosen allele and length.

NetMHCpan

NetMHCpan predicts binding of peptides to a MHC class I molecule using artificial neural networks (ANN). It predicts binding for over 1,650 alleles, including HLA-A, B, C, E, G; non-human primates; mouse; pig; and user-supplied MHC sequence. Predictions can be made for peptide sequences of 8 to 11 residues in length. The method has been trained on over 110,000 peptide/MHC interactions.

IEDB Recommended

IEDB recommended is the default prediction method selection. It considers all alleles and their corresponding peptide lengths for a particular species. For each allele-length combination, consensus method is used, which includes ANN, SMM, and CombLib. If none of these methods are available for the allele, NetMHCpan is used.

2.4.1.1.1 MHC Class I Binding Prediction Resource

In addition to prediction tools, the Analysis Resource makes data sets and method evaluations available to users. The IEDB MHC Class I Binding Prediction Resource (<http://mhcbindingpredictions.immuneepitope.org>) contains training data, test data, and other resources for tool developers interested in predictions of peptide binding to MHC class I molecules. The user can follow links to a manuscript describing the resource in detail (Peters et al., PLoS Comput. Biol. 2006), a dataset of experimental affinities of peptide to MHC molecules, and a description of the framework used for the evaluation of prediction methods. A link to this site appears at the bottom of the T Cell Tools tab in the Analysis Resource.

As described in the manuscript, predictions were obtained from public web-servers for all relevant peptide-MHC affinities in the dataset. The correlation between predicted and measured affinities was evaluated using scatter plots, linear regression, and ROC analyses. The evaluation of these external tools can be accessed on the site by name of the method or the MHC allele. As carefully noted in the manuscript, this is not a fair evaluation of the value of each method, primarily because the data available to each method are highly divergent.

A similar evaluation of the prediction performance of three prediction methods available in the IEDB Analysis Resource (ANN, ARB, and SMM) was carried out using cross-validation on the dataset. In contrast to the comparison of external predictions, this is a fair evaluation of prediction performance of the three methods, since these three internal methods all used the same training data and testing data, while the external methods used a variety of training and testing data sets. Again, the evaluations of these three internal methods can be accessed by name of the method or the MHC allele.

2.4.1.1.2 Peptide Binding to MHC Class II Molecules

Users can select from eight different methods for predicting class II epitopes – IEDB recommended, ARB, SMM-align, Sturniolo, Combinatorial Library, Consensus, NN-align, and NetMHCIIpan. By default, the overall best method (IEDB recommended) is selected. However, not all methods can currently make predictions for all alleles, so only the alleles available will be displayed. The eight methods are described further below.

Average Relative Binding (ARB)

Average relative binding (ARB) matrix binding prediction method is based on the assumption that each residue along the peptide molecule independently contributes to binding affinity. When a residue R occurs at position i in the peptide, it is assumed to contribute a constant amount of R_i to the free energy of binding of the peptide. The effect of each of the 20 possible amino acids at each possible position along the peptide sequence, therefore, can be estimated by a matrix of coefficients. The overall binding propensity of each peptide sequence, an algorithm “score”, is calculated by multiplying the R_i

coefficients. Predicted IC₅₀ values, which provide quantitative K_D (IC₅₀) predictions, are then calculated by mathematical transformations of the algorithm scores (Bui et al., Immunogenetics 2005).

SMM-align

The MHC class II binding groove is open at both ends making the correct alignment of a peptide in the binding groove a crucial part of identifying the core of an MHC class II binding motif. The stabilization matrix alignment method, SMM-align, allows for direct prediction of peptide:MHC binding affinities. The method uses amino terminal peptide flanking residues (PFR) to get a consistent gain in predictive performance by favoring binding registers with a minimum PFR length of two amino acids. The method predicts quantitative peptide:MHC binding affinity values. The method has been trained and evaluated on a data set that covers the nine HLA-DR supertypes suggested and three mouse H2-IA allele. The method is described by Nielsen et al. (BMC Bioinformatics, 2007).

Sturniolo

This matrix-based approach is used in the TEPITOPE class II epitope prediction program. It is described in Sturniolo et al. (Nat. Biotechnol., 1999).

Combinatorial Library

The positional scanning combinatorial libraries approach utilized a pool of random peptide libraries to systematically measure the contribution to MHC binding from each amino acid at each of the nine positions at the binding peptide. Each pool in the library contains 9-mer peptides with one fixed residue at a single position. With each of the 20 naturally occurring residues represented at each position along the 9-mer backbone, the entire library consisted of 180 peptide mixtures. Competitive binding assays were then carried out to determine the IC₅₀ values for each pool. IC₅₀ values for each mixture were standardized as a ratio to the geometric mean IC₅₀ value of the entire set of 180 mixtures, and then normalized at each position so that the value associated with the optimal value at each position corresponds to 1. For each position, an average (geometric) relative binding affinity (ARB) was calculated, and then the ratio of the ARB for the entire library to the ARB for each position was derived. The final results are a set of 9 by 20 scoring matrices which could predict the binding of novel peptides to MHC molecules.

The methodology is the same as that used for the MHC class I combinatorial library tool as described in Sidney et al. Immunome Res. 2008. A paper specifically describing the class II tool will be published in 2010.

Consensus

The consensus method was developed by the IEDB team by exploiting features of the other three aforementioned methods. The method was updated with the introduction of NN-align, so the revised Consensus method uses NN-align, SMM-align, and the combinatorial peptide scanning library. When the scanning library is not available for an allele, the Sturniolo method is used instead. A paper describing the original method was published by Wang et al. (PLoS Comput Biol, 2008).

NN-align

NN-align is an artificial neural network-based alignment algorithm for MHC class II peptide binding prediction. It simultaneously identifies the MHC class II binding core and binding affinity. The method is trained using an algorithm that corrects bias in the training data caused by redundancy in binding core representation. Prediction accuracy has been shown to improve significantly when information about the residues flanking the peptide-binding core is taken into account. A 2009 paper in BMC Bioinformatics by Nielsen and Lund describe the method in detail (PMID: 19765293).

NetMHCIIpan

NetMHCIIpan predicts binding of peptides for over 500 HLA-DR alleles using artificial neural networks. A paper describing the method was published by Nielsen et al. in Immunome Research, November 2010.

The datasets used in assessing the performance of the ARB, SMM-align, and Sturniolo methods and in developing the Consensus method, as described in Wang et al., can be found at <http://mhcbindingpredictions.immuneepitope.org/MHCII/>. The three datasets can be used for developing algorithms that predict peptides binding to MHC class II molecules and/or activating CD4+ T cells. The first is a comprehensive dataset consisting of more than 10,000 previously unpublished MHC-peptide binding affinities for 16 alleles (peptide_affinity_dataset.zip). The second dataset is a text file of 29 peptide/MHC crystal structures found in the PDB that can be used for binding core predictions (non_redundant_pdb_core_pep_allele.txt). The third dataset contains 664 peptide sequences experimentally tested for CD4+ T-cell responses (LCMV_T_cell_activation.txt).

IEDB Recommended

IEDB recommended is the default prediction method selection. It considers all alleles and their corresponding peptide lengths for a particular species. For each allele-length combination, consensus method is used, which includes NN, SMM, and CombLib. If none of these methods are available for the allele, NetMHCIIpan is used.

2.4.1.2 T Cell Epitopes – MHC I Processing Prediction

2.4.1.2.1 Proteasomal cleavage/TAP transport/MHC class I combined predictor

For the prediction of antigen processing through the MHC class I antigen presentation pathway, we incorporated predictions of proteasomal cleavage and TAP transport similar to the MHCPathway website described in (Tenzer et al, CMLS, 2005). The predictions are based on in vitro experiments characterizing the sequence specificity of proteasomal cleavage and TAP transport. The goal of the prediction is to identify MHC-I ligands (peptides that are naturally processed from their source proteins and presented by MHC class I molecules).

The proteasomal cleavage predictions evaluate how efficiently a peptide or its N-terminally prolonged precursors can be liberated from its source protein. The TAP transport predictions evaluate how efficiently a peptide or its N-terminal prolonged precursors are transported into the ER by TAP (Peters et al., Immunol, 2003). When this information is taken together and combined with MHC class I binding predictions, the tool yields a prediction of the efficiency with which a peptide is presented on the cell surface. The methods available are ANN, SMM, ARB, SMMPMBEC, Comblib, NetMHCpan, and IEDB Recommended, which are described in Section 0.

A check box can be used to show only frequently occurring alleles. This allows the selection of only those alleles that occur in at least 1% of the human population or allele frequency of 1% or higher. However, un-checking the check-box will allow selection of all the alleles and corresponding peptide lengths for a particular species. Users can also upload an allele file instead of entering allele on the page one at a time.

2.4.1.2.2 Neural network based prediction of proteasomal cleavage sites (NetChop) and T cell epitopes (NetCTL/NetCTLpan)

NetChop produces neural network predictions for cleavage sites of the human proteasome (Kesmir et al., 2002). NetChop takes into account the characteristics of the structurally modified proteasomes found in cells stimulated by gamma-interferon under physiological conditions. The NetChop algorithm was trained on in vitro data and MHC Class I ligand data. The use of this training set, combined with the artificial neural network methodology, makes the prediction of cleavage sites more accurate. NetChop

has been trained only on human data, but since the proteasome structure is quite conserved, the algorithm developers believe that the tool is capable of making reliable predictions for at least the other mammalian proteasomes.

NetCTL predicts CTL epitopes in protein sequences integrating prediction of peptide MHC binding, proteasomal C terminal cleavage and TAP transport efficiency. The method is described in detail in Larsen et al. (Eur J Immunol., 2005). NetCTLpan is an update to the original NetCTL server that allows for prediction of CTL epitope with restriction to any MHC molecules of known protein sequence (Stranzl et al., Immunogenetics, 2010).

2.4.2 B Cell Epitope Prediction

2.4.2.1 Prediction of linear epitopes from protein sequence

Six different tools are provided that predict antibody epitope candidates from amino acid sequences. Five are based on amino acid property scales and a sixth method uses a Hidden Markov Model. Parameters such as hydrophilicity, flexibility, accessibility, and antigenic propensity of polypeptides chains have been correlated with the location of continuous epitopes in a few well-characterized proteins. Based on these observations, amino acid property scales have been developed to predict antigenic determinants. Each scale consists of 20 values assigned to each of the amino acid residues on the basis of their relative propensity to possess the property described by the scale. The following amino acid property scales have been selected and implemented based on their popularity and coverage of different categories.

- Secondary structure - Chou and Fasman beta turn prediction
- Surface exposure - Emini surface accessibility prediction
- Flexibility - Karplus and Schulz flexibility prediction
- Antigenicity - Kolaskar and Tongaonkar antigenicity prediction
- Hydrophobicity/hydrophilicity - Parker hydrophilicity prediction

BepiPred combines the predictions of a hidden Markov model and the propensity scale of Parker et al. It is described in Larsen et al. (Immunome Research, 2006).

2.4.2.2 DiscoTope - Prediction of epitopes from protein structure

DiscoTope is designed specifically to predict discontinuous epitopes. It uses protein three-dimensional structural data in addition sequence data. The method is based on amino acid statistics, spatial information, and surface accessibility in a compiled data set of discontinuous epitopes determined by X-ray crystallography of antibody/antigen protein complexes. The method is described in Haste Andersen et al. (Protein Sci., 2006).

2.4.2.3 ElliPro - Epitope prediction based upon structural protrusion

ElliPro predicts linear and discontinuous antibody epitopes based on a protein antigen's 3D structure. ElliPro accepts either a protein structure (preferred) or a protein sequence as an input. If a protein sequence is used, ElliPro will predict its 3D structure by homology modeling. Its use is described in the Tutorial tab of the ElliPro section of the Analysis Resource. The method is described in Julia Ponomarenko et al. (BMC Bioinformatics, 2008).

2.4.3 Epitope Analysis Tools

2.4.3.1 Population coverage

T cells recognize a complex between a specific MHC type and a particular pathogen-derived epitope and thus a given epitope will elicit a response only in individuals that express an MHC molecule capable of

binding that particular epitope. MHC molecules are extremely polymorphic (over a thousand different variants are known in humans). Therefore, selecting multiple peptides with different MHC binding specificities will afford increased coverage of the patient population targeted as vaccine recipients. The issue of population coverage in relation to MHC polymorphism is further complicated by the fact that different MHC types are expressed at dramatically different frequencies in different ethnicities. Thus, without careful consideration, a vaccine with ethnically biased population coverage could result. To address this issue, the actual/predicted binding capacity of potential epitopes to as many different MHC molecules possible (and when available, also restriction data of T cell responses recognizing the epitope) can be used to project the population coverage in different ethnicities of different vaccine candidates or epitope sets. Accordingly, epitope-based vaccines or diagnostics can be designed to maximize population coverage, while minimizing complexity (that is, the number of different epitopes included in the diagnostic or vaccine), and also minimizing the variability of coverage obtained or projected in different ethnic groups.

An important consideration in the process of epitope selection is that the patient population coverage afforded by a given set is not simply corresponding to the sum of the coverage of its individual components. Thus, to calculate the coverage afforded by a given mixture of epitopes, a more comprehensive approach and a suitable algorithm has been developed for this specific purpose (Bui et al. BMC Bioinformatics 2006). This method calculates the fraction of individuals predicted to respond to a given epitope set on the basis of HLA genotypic frequencies, assuming non-linkage disequilibrium between HLA loci, and on the basis of MHC binding and/or T cell restriction data. The algorithm is briefly explained here. First, genotypic frequencies of various MHC are tabulated. Each time a peptide binds to a given MHC, a “hit” is recorded for that MHC. The process is repeated for all peptides. Then the hits for MHC are tallied. Next, the frequency of each possible diploid MHC combination (phenotype) is calculated. For n MHC types, this corresponds to an $n \times n$ tabulation of the frequency at which each specific pair of MHCs will be found in the population from which the MHC frequencies are derived. A similar table is generated to contain the number of hits per each of the MHC combinations by adding the number of hits associated with each of the two alleles of MHC in the combination (a simple exception is the case of homozygous combinations, where the number of hits is simply the number of hits of the given MHC). From these two tables, a frequency distribution is assembled, tabulating the genotypic frequency of all MHC combinations associated with a certain number of hits. The result of the analysis is displayed as a frequency distribution histogram and a cumulative frequency plot.

We have derived HLA allele genotypic frequencies from the dbMHC database (<http://www.ncbi.nlm.nih.gov/mhc/>) and stored them in a database on the IEDB tool server. At present, dbMHC provides allele frequencies for 78 populations and 11 different geographical areas. It is envisioned that the compiled data will be updated regularly as further HLA frequency data become available. Furthermore, customized frequency data can be utilized in the calculation, should studies of specific and particular patient populations be of interest to a given user. Multiple population coverages can be simultaneously calculated and an average population coverage is generated. Since MHC class I and II restricted epitopes elicit immune responses from two different T cell populations (CTL and Th cells, respectively), the program provides three different coverage calculation modes – (1) class I separate, (2) class II separate, and (3) class I and class II combined.

2.4.3.2 Epitope conservancy

In a diagnostic or epitope-based vaccine setting, focusing on conserved epitopes allows for targeting responses around pathogen variability, whether it exists prior to infection, or develops in the natural course of disease. The use of conserved epitopes would be expected to focus the immune response on sequences crucial for retaining biological function of the pathogen proteins, and thus with intrinsically lower variability, even under immune pressure. The epitope conservancy analysis tools implemented here aims to address the issue of variability (or conservation) of epitopes, and to assist in the selection of

epitopes with the desired pattern of conservation. The algorithm has been implemented to calculate the degree of conservancy of an epitope within a given protein sequence set at different degree of identities. The degree of conservation is defined as the number of protein sequences that contain the epitope at a given identity level, divided by the total number of protein sequences found in the dataset analyzed (Bui et al. BMC Bioinformatics 2007).

2.4.3.3 Epitope Cluster Analysis

This tool groups epitopes into clusters based on sequence identity. A cluster is defined as a group of sequences that has a sequence similarity greater than the minimum sequence identity threshold specified. Epitope sequences can be either directly entered in the text area or uploaded from a file. Two acceptable sequence formats are PLAIN and FASTA. The user can select the sequence identity threshold at which they want to calculate epitope clusters. Clusters are displayed in a table format where clusters are indicated by table rows which have the same color. All calculated cluster results can be saved to a file by clicking on the "Download data to file" button.

2.4.3.4 Homology Mapping Tool and EpitopeViewer

This Homology Mapping Tool maps linear epitopes to 3D structures of proteins (Beaver, et al., Immunome Res 2007). This is done by comparing the epitope source protein sequence with that of proteins with known 3D structures in the PDB. The tool generates an alignment between the query sequence of the epitope source sequence and a homologous sequence from the PDB, and visualizes the result in an EpitopeViewer. For input, the tool uses the SwissProt ID of the antigen protein, the epitope sequence, and the position of the epitope in the antigen sequence as curated within the IEDB or input by the user. The tool applies the NCBI BLAST algorithm for performing sequence homology search, and provides options for the sophisticated user to choose cutoff values on parameters used in the search programs (such as e-value and penalty on gap initiation and gap extension). The tool output page displays the alignment between the query sequence of the antigen containing the epitope and the sequence from the PDB representing significant hits (matches). The region within the epitope is highlighted in the alignment, and the sequence identity for the epitope and homologous region is provided. The EpitopeViewer application for visualization of homologous epitope/antigen and its further structural analysis is launched from the output page.

Functionality was added to the homology mapping tool in 2010 to allow users to input their own conformational epitopes and map them to protein structures. This feature was documented on the "Example 5" tab of the homology mapping web page. The "Help" tab was also updated.

The convenient and easy to use EpitopeViewer, a Java application running JOGL, has been developed for three-dimensional visualization of immune epitopes and analyses of their interactions with antigen-specific receptors of the immune system (antibodies, T cell receptors, MHC molecules) for structures available in the Protein Data Bank (PDB). The EpitopeViewer is based on the Molecular Biology Toolkit (MBT; <http://mbt.sdsc.edu/>) developed at the San Diego Supercomputer Center (SDSC). It uses data both from the PDB and the IEDB, and visualizes one epitope at a time from a particular PDB structure (Beaver, et al., Immunome Res 2007).

The EpitopeViewer provides the following functionality:

- Link to the PDB web-page displaying a particular structure.
- Visualization of the 3D structure of epitope/antigen in complex with immune receptor(s) as curated within the IEDB and available in the PDB.

- Visualization of the 3D structure of epitope and antigen mapped to a PDB structure using the Homology Mapping tool.
- Visualization of sequences of epitope/antigen and immune receptor(s).
- 3D-visualization of intermolecular (epitope-paratope, epitope-antibody CDR, epitope-MHC, pMHC-TCR, pMHC-TCR CDR), inter-atom and inter-residue interactions curated within the IEDB and/or calculated on the fly from the PDB file with essential details (contact type, atoms, distance) provided;
- 2D-plot of inter-residue interactions between epitope and immune receptor.
- Generation of publication-quality pictures of structures, sequences, and plots of contacting residues.

2.4.4 Other Ways to Access Tools

There are several ways that users can access many of the tools in the Analysis Resource in addition to using the tools directly on the Analysis Resource website. On the Analysis Resource home page (<http://tools.iedb.org>), there are tabs for Tools-API and Download. The former takes the user to information about the RESTful interface. The RESTful (Representational State Transfer) web service is available for the MHC class I and II binding predictions for T cell epitopes. The service sends POST request to the tools server, and relies on user supplied parameters. The Tools-API web page contains examples for accessing the service using the 'curl' program, although any program that sends POST requests to the server will work just as well (including a web browser). This feature allows users to perform predictions on the IEDB server in batch mode without having to install any software on their own systems. Additionally, users will always be assured that they are using the latest version of the tools.

The Download tab takes the user to the IEDB Tools Download web page. For users from non-commercial organizations with batch processing needs, the MHC class I and II binding prediction tools are available as standalone scripts for download. These command line tools are kept in sync with the web tools and should therefore produce the same results as clicking through the web interface. They are freely available to non-profit/academic users through an open source license.

For users that would like to run the entire analysis resource locally, a virtual machine image file is available upon request. The image is kept in sync with the current version of the IEDB Analysis Resource and is updated on a six month cycle. This is also freely available for non-profit/academic users through an open-source license. Commercial licenses are also available. Requests for either license can be sent to license@iedb.org or via the IEDB help desk.

2.5 Support Overview

The Support pull-down menu contains items that aid the user to understand and utilize the features of the website. Users can access relevant documentation, request help, and provide feedback.

2.5.1 Solutions Center

The IEDB Solutions Center is the primary resource for information on using the website's features. The user can submit help requests, check on the status of requests, browse and search the knowledge base and forums, and link to help documentation, such as the Curation Manual. In order to submit and subsequently track a help request via the Solutions Center, users must follow a simple registration

procedure in order to provide an email address, name, and password. The Solutions Center can also be accessed by a link at the bottom of each web page.

2.5.2 Provide Feedback

All users are able to submit feedback, which will transmit an email message to the IEDB team. Feedback is intended for questions, input, and suggestions, such as new features they would like to see added in the future. Feedback helps the IEDB team update the system to provide users with the best possible experience. If users need help using the system or handling an unexpected result, a Help Request is more appropriate. The feedback feature can be accessed with the Support pull-down menu and the “Provide Feedback” at the bottom of each web page. Both initiate a submission to the IEDB Solutions Center.

2.5.3 Help Request

Users can submit help requests in two ways. At the bottom of most pages is a “Help request” link. This will initiate a submission to the IEDB Solutions Center. The second method also utilizes the IEDB Solutions Center. The top menu bar on the IEDB Solutions Center web page has a “SUBMIT A REQUEST TO THE HELP DESK” link. Selecting this link brings the user to a “Submit a request” web page. The user must fill in their email address, the subject line, and a description of the help request. All help requests are forwarded to the same help desk.

Help requests should consist of problems that users have with the application, such as a certain function of the system not working. Questions on how to use features of the application should be covered in the online help available in the Solutions Center. After submitting a help request, a confirmation e-mail will be sent to the user’s e-mail address, which will include the help request number. When the help request issue has been resolved, an e-mail will be sent to notify the user that the help request has been satisfied.

Help requests are generally responded to within one business day. Requests that are specific to analytical tools or the method used to curate data are answered initially to inform the requestor that their question/comment is being forwarded to team specialists, and an approximate date of full response is provided. Based on the complexity of the request or if that request prompts the team to make changes to the system or curate additional data/source organisms, requests are resolved immediately in some cases, while others are resolved in future IEDB system builds, or later curation.

2.5.4 Data Field Descriptions

The Data Field Descriptions item in the Support pull-down menu gives the user access to the Curation Manual. Using the Find function of their web browser, users can search for the data field name of interest in order to gain a fuller understanding of the field definition and the possible values.

2.5.5 Video Tutorials

There is a link to the IEDB video tutorials in the Solutions Center. The fourteen tutorials are listed in Table 2.1

Category	Topic
Overview of the IEDB	Introduction to the IEDB site and Search Options Simple Search Overview
Searching the IEDB	Simple Search: Finding Epitopes from a Protein Using the Organism Finder Peptide/Protein Homology Search Linear Sequence Queries Advanced Search Overview Advanced B cell search: Example of finding antibody cross-reaction How do I generate a list of all proteins from which epitopes have been identified for an organism of interest? Using the Disease Finder
Understanding Query Results	Results: Epitope Listing, Details of Individual Entries and Using the Export Function

Table 2.1 Available IEDB video tutorials

2.5.6 Help with Common Queries

A series of 16 queries has been designed to parallel the IEDB meta-analysis efforts. A link to this information can be found at the bottom of the Home Page Search. Meta-analyses are performed at intervals to query the database for all data relating to subjects of interest (e.g. [Influenza](#), [Malaria](#), [Tuberculosis](#)). The queries represent a simplified version of such analysis. Two examples from the series are “How do I generate a list of all the different species and strains reported for an organism of interest?” and “How do I search for human data and specify geographic region?” The user can click on the button (+) next to each query for step-by-step instructions on how to find the answer. Data generated through use of the tutorial can be downloaded for further analysis using Excel. When available, the option to download data appears in the upper left-hand side of the page (Excel icon). Tools for performing specific analyses are also available through the Analysis Resource on the IEDB website.

2.6 More IEDB

The "More IEDB" pull-down menu contains links to other relevant information that may be of interest to users. Its component links are described below.

2.6.1 Acknowledgements

A host of talented individuals have worked hard to make the Immune Epitope Database a reality. A roster of the current team members can be viewed on this page.

2.6.2 Citing the IEDB

Data and tools within the IEDB are presented as a public resource. Users are requested to consider citing the IEDB when they present information obtained from the IEDB or use tools contained in the Analysis Resource. It is expected that the authors of an entry as well as the IEDB are properly cited whenever their work is referred to:

1. The IEDB website should be cited using the URL: www.iedb.org
2. The journal reference for the IEDB was updated after the release of IEDB 2.0. The IEDB should be cited as:

Vita R, Zarebski L, Greenbaum JA, Emami H, Hoof I, Salimi N, Damle R, Sette A, Peters B. The immune epitope database 2.0. Nucleic Acids Res. 2010 Jan; 38(Database issue):D854-62. Epub 2009 Nov 11.

2.6.3 Database Export

The contents of the Immune Epitope Database are exported weekly to files in XML format. The database export page (Figure 2-46) contains a complete database export in XML format along with exports of the various records that are referenced in the complete database export. The complete dataset export is provided as a ZIP archive (iedb_export.zip) containing one XML file for each reference contained in the database. The export also contains ZIP archives of XML files that provide users with the full record for the various identifiers that are referenced in the full database export, such as the IEDB source organism accession identifier list, the MHC allele name list, and the organism list. The supporting XML files only contain full records when the record is not otherwise available from the original source.

The database export page also provides the relevant XML Schema Definition (XSD) files for each of the XML files provided. The XSD file(s) for a particular XML file will be located in the second column of the export table. In the case of the complete database export, multiple schemas are provided, with the primary schema being listed first, followed by any supporting schemas.

In addition to the XML export, the contents of the IEDB are exported weekly as a MySQL Structure Query Language (SQL) database. The database export page contains the complete database export in two formats, a single SQL script (iedb_public.sql.gz), and a TAR archive of MyISAM binary tables (iedb_public.tar.gz). Both export formats are generated from a MySQL v5.0 database server. The database export page also provides an entity-relationship diagram (ERD) for the MySQL database.

Archives of the data as they appeared in IEDB 1.0, 2.0, 2.1, and 2.3 are available by clicking on the *Archived Versions*. For each version, there is a compress file that contains an XML for each reference. The corresponding XSD files are also available for download.

In addition to the files available on the Database Export web page, comma separated values (CSV) file exports are available on-demand from all list pages and list tabs throughout the site, except for the patent list, which is only provided in PDF format. The CSV file exports are available in two formats, a compact format that only contains the data presented in the list the user is viewing, and a full record format that contains all of the data associated with the records in the list the user is viewing.

Select compilations of data are available for download from the Database Export web page in CSV format in the section titled CSV Metric Exports. Users can download these files to conveniently obtain all the information in the IEDB for specific categories. For example, reference_compact.zip and reference_full.zip contain the list of all references (literature and submissions) in the database. The compact version contains reference ID, reference type, PubMed ID, Author(s), Title, Abstract, Journal, and Year. The full version contains the same information plus author affiliations, Journal volume, Article pages, MeSH terms, and all other reference related information captured in the database. Files are available for all peptidic epitopes, non-peptidic epitopes, T cell assays, B cell assays, MHC binding assays, MHC ligand elution assays, and source organisms.

Database Export			
Information about our database export features can be found in our developer's forum .			
Version 2.4			
XML Database Export		IEDB Schema	
Complete Database Export	72MB	Curation.xsd (Primary IEDB schema)	46kB
		CurationSimpleTypes.xsd	134kB
		IedbPDBViewerSchema.xsd	7kB
IedbAccessionList.zip	23kB	IedbAccessionList.xsd	909B
MhcAlleleNameList.zip	20kB	MhcAlleleNameList.xsd	2kB
OrganismList.zip	14MB	OrganismList.xsd	751B
AssayTypeList.zip	4kB	AssayTypeList.xsd	771B
MySQL Database Export		Physical Entity Relationship Diagram	
SQL Statement Export	82MB	iedb_public_erd.pdf	
MyISAM Binary Export	153MB		25kB
CSV Metric Exports			
peptidic_full.zip	5MB	nonpeptidic_full.zip	47kB
tcell_compact.zip	6MB	tcell_full.zip	27MB
bcell_compact.zip	5MB	bcell_full.zip	25MB
elution_compact.zip	208kB	elution_full.zip	544kB
mhc_compact.zip	4MB	mhc_full.zip	10MB
sourceOrganism_compact.zip	36kB	sourceOrganism_full.zip	36kB
reference_compact.zip	7MB	reference_full.zip	9MB

[Archived Versions](#)

Figure 2-46 IEDB Database Export web page

2.6.4 Documents

A variety of IEDB reference materials is available for download by all users. The Documents page lists the files available for download by category. The files available for download include an Introduction to IEDB and Analysis Resource, a System Architecture and Database Design Specification, IEDB Annual Workshop Executive Summaries, the Annual Compendia, and quarterly newsletters. Additional reference materials will be added for download over time. Users can also find much of this material and more in the folders at <http://help.iedb.org>.

2.6.5 IEDB Ontology

Selecting IEDB Ontology from the pull-down menu takes the user to <http://ontology.iedb.org>, the home page for the Ontology of Immune Epitopes (ONTIE). The IEDB ontology is available to download in a format that can be viewed with the Protégé OWL editor. The file ONTIE.owl contains the classes and relations used in the IEDB export. IEDB-export.owl is the ONTIE-annotated export of the IEDB T cell epitope data. Smaller versions of the file are available for download.

2.6.6 Links to External Sources

The IEDB system provides a list of links to external resources solely for the convenience of Immune Epitope Database visitors. The Immune Epitope Database has no interest in, responsibility for, or control over the linked-site. The Immune Epitope Database makes no promises or warranties of any kind, express or implied, including those of fitness for any particular purpose, as to the content of the linked-

site. To view the links available, select Links under the Resources heading on the main menu. The hyperlinks on the links page are grouped by category:

- Public Databases, Prediction Algorithms, and Other Tools
- Antibody Related Links
- Bioinformatics Resource Centers
- MHC and TCR Related Links
- Protein Related Links
- Laboratory Resources
- Biodefense Resources

2.6.7 Patent List

As part of the IEDB curation effort, the Derwent World Patent Index has been searched for potentially relevant patent items. These are presented in a table on the Patent List web page that lists the publication number, patent title, inventors, assignee name, patent abstract, date filed, and date published. The enhanced abstracts of all of the 774 listed patent items have been reviewed, but the actual patents have not been read or curated. This information is presented for those users who wish to explore these patent items further.

The list mostly includes patents related to Category A-C priority pathogens, emerging and re-emerging infectious diseases, Malaria, Hepatitis B, Clostridium tetani, Leishmania, and Candida albicans, as well as other diseases. Users can search the table by using the "find" feature of their browser. The list contains patents through the year 2006. It is not updated.

2.6.8 Publications

A list of publications relevant to the IEDB can be found on the Publications page. They have been grouped into four categories – General IEDB, Epitope Meta-analyses, Analysis Resource, and Curation. This list is updated with each new release of the main website. A list of IEDB related publications can also be found in the Publications folder in the IEDB Solutions Center at <http://help.iedb.org>.

2.6.9 Terms of Use

The Terms of Use page is a collection of statements that outline the conditions related to using the IEDB system. The Terms of use includes our privacy notice, copyright information, and various disclaimers. The IEDB privacy policy describes what user information is collected, the circumstances for collecting it, and how it is used. Personal information about users is not collected unless the users choose to provide it.

3 Scientific Publications

This section lists the scientific publications for which the IEDB played a contributory role. The first section lists publications authored by the IEDB contractor team over the past seven years. The second section lists references that cited the IEDB. This list was compiled by using Google Scholar and the ISI Web of Knowledge to find citations for each one of the IEDB team authored papers.

3.1 Publications of the IEDB team by Year

Scientific articles written by the IEDB team members that are relevant to the IEDB are listed below by year of publication. In 2012, six articles were published, three articles were published in 2011, nine in 2010, seven in 2009, nine in 2008, twelve in 2007, five in 2006, six in 2005, and one in 2004. In all, the team has written 58 scientific articles about the IEDB in the last nine years.

3.1.1 2012

1. Kim Y, Ponomarenko J, Zhu Z, Tamang D, Wang P, Greenbaum J, Lundegaard C, Sette A, Lund O, Bourne PE, Nielsen M, Peters B. Immune epitope database analysis resource. *Nucleic Acids Res.* 2012 Jul;40 (Web Server issue):W525-30. Epub 2012 May 18. PubMed PMID: 22610854.
2. Kim Y, Vaughan K, Greenbaum J, Peters B, Law M, Sette A. A Meta-Analysis of the Existing Knowledge of Immunoreactivity against Hepatitis C Virus (HCV). *PLoS One.* 2012;7(5):e38028. Epub 2012 May 31. PubMed PMID: 22675428; PubMed Central PMCID: PMC3364976.
3. Krügel JV, Nielsen M, Padkjær SB, Lund O. Structural analysis of B-cell epitopes in antibody:protein complexes. *Mol Immunol.* 2013 Jan;53(1-2):24-34. doi: 10.1016/j.molimm.2012.06.001. Epub 2012 Jul 10. PubMed PMID: 22784991; PubMed Central PMCID: PMC3461403
4. Salimi N, Fleri W, Peters B, Sette A. The Immune Epitope Database: A Historical Retrospective of the First Decade. *Immunology.* 2012 Jun 8. doi:10.1111/j.1365-2567.2012.03611.x. [Epub ahead of print] PubMed PMID: 22681406.
5. Vaughan K, Kim Y, Sette A. A comparison of epitope repertoires associated with myasthenia gravis in humans and nonhuman hosts. *Autoimmune Dis.* 2012;2012:403915. doi: 10.1155/2012/403915. Epub 2012 Dec 2. PubMed PMID: 23243503; PubMed Central PMCID: PMC3518085.
6. Vaughan K, Peters B, Larche M, Pomes A, Broide D, Sette A. Strategies to Query and Display Allergy-Derived Epitope Data from the Immune Epitope Database. *Int Arch Allergy Immunol.* 2012 Nov 21;160(4):334-345. [Epub ahead of print] PubMed PMID: 23172234.

3.1.2 2011

7. Seymour E., Damle R., Sette A., Peters B. (2011). "Cost sensitive hierarchical document classification to triage PubMed abstracts for manual curation." *BMC Bioinformatics* 12(1): 482. [Epub ahead of print]. PMID: 22182279.
8. Vaughan K, Greenbaum J, Kim Y, Vita R, Chung J, Peters B, Broide D, Goodman R, Grey H, Sette A. Towards defining molecular determinants recognized by adaptive immunity in allergic disease: an inventory of the available data. *J Allergy (Cairo).* 2010;2010:628026. Epub 2011 Feb 13. PubMed PMID: 21403821

9. Vita R, Peters B, Josephs Z, de Matos P, Ennis M, Turner S, Steinbeck C, Seymour E, Zarebski L, Sette A. (2011). "A Model for Collaborative Curation, The IEDB and ChEBI Curation of Non-peptidic Epitopes." *Immunome Res.* 2011 Apr 1;7(1):1-8. PubMed PMID: 21897450

3.1.3 2010

10. Brinkman RR, Courtot M, Derom D, Fostel JM, He Y, Lord P, Malone J, Parkinson H, Peters B, Rocca-Serra P, Ruttenberg A, Sansone SA, Soldatova LN, Stoeckert CJ Jr, Turner JA, Zheng J; OBI consortium. Modeling biomedical experimental processes with OBI. *J Biomed Semantics.* 2010 Jun 22;1 Suppl 1:S7. PubMed PMID: 20626927
11. Diehl AD, Augustine AD, Blake JA, Cowell LG, Gold ES, Gondré-Lewis TA, Masci AM, Meehan TF, Morel PA, Nijnik A, Peters B, Pulendran B, Scheuermann RH, Yao QA, Zand MS, Mungall CJ. "Hematopoietic cell types: Prototype for a revised cell ontology. *J Biomed Inform.* 2010 Feb 1. [Epub ahead of print] PMID: 20123131
12. Kim Y, Sette A, Peters B. Applications for T-cell epitope queries and tools in the Immune Epitope Database and Analysis Resource. *J Immunol Methods.* 2010 Oct 31. [Epub ahead of print] PubMed PMID: 21047510.
13. Nielsen M, Lund O, Buus S, Lundsgaard C. MHC class II epitope predictive algorithms. *Immunology.* 2010 Jul;130(3):319-28. Epub 2010 Apr 12. Review. PubMed PMID: 20408898;
14. Ponomarenko J, Papangelopoulos N, Zajonc DM, Peters B, Sette A, Bourne PE. IEDB-3D: structural data within the immune epitope database. *Nucleic Acids Res.* 2010 Oct 28. [Epub ahead of print] PubMed PMID: 21030437.
15. Salimi N, Fleri W, Peters B, Sette A. Design and utilization of epitope-based databases and predictive tools. *Immunogenetics.* 2010 Apr;62(4):185-96. Epub 2010 Mar 6. Review. PubMed PMID: 20213141; PubMed Central PMCID: PMC2843836.
16. Vaughan K, Greenbaum J, Blythe M, Peters B, Sette A. Meta-analysis of all immune epitope data in the Flavivirus genus: inventory of current immune epitope data status in the context of virus immunity and immunopathology. *Viral Immunol.* 2010 Jun;23(3):259-84. PubMed PMID: 20565291; PubMed Central PMCID: PMC2942863.
17. Wang P, Sidney J, Kim Y, Sette A, Lund O, Nielsen M, Peters B. Peptide binding predictions for HLA DR, DP and DQ molecules. *BMC Bioinformatics.* 2010 Nov 22;11:568. PubMed PMID: 21092157; PubMed Central PMCID: PMC2998531.
18. Zhang H, Wang P, Papangelopoulos N, Xu Y, Sette A, Bourne PE, Lund O, Ponomarenko J, Nielsen M, Peters B. Limitations of Ab initio predictions of peptide binding to MHC class II molecules. *PLoS One.* 2010 Feb 17;5(2):e9272. PubMed PMID: 20174654; PubMed Central PMCID: PMC2822856.

3.1.4 2009

19. Davies V, Vaughan K, Damle R, Peters B, Sette A. Classification of the universe of immune epitope literature: representation and knowledge gaps. *PLoS One.* 2009 Sep 14;4(9):e6948. PubMed PMID: 19774228;
20. Greenbaum JA, Kotturi MF, Kim Y, Oseroff C, Vaughan K, Salimi N, Vita R, Ponomarenko J, Scheuermann RH, Sette A, Peters B. Pre-existing immunity against swine-origin H1N1 influenza viruses in the general human population. *Proc Natl Acad Sci U S A.* 2009 Dec 1;106(48):20365-70. Epub 2009 Nov 16. PubMed PMID: 19918065; PubMed Central PMCID: PMC2777968.

21. Hoof I, Peters B, Sidney J, Pedersen LE, Sette A, Lund O, Buus S, Nielsen M, NetMHCpan, a method for MHC class I binding prediction beyond humans. *Immunogenetics*. 2009 Jan;61(1):1-13. PMID: 19002680
22. Kim Y, Sidney J, Pinilla C, Sette A, Peters B. Derivation of an amino acid similarity matrix for peptide: MHC binding and its application as a Bayesian prior. *BMC Bioinformatics*. 2009 Nov 30;10:394. PubMed PMID: 19948066.
23. Vaughan K, Blythe M, Greenbaum J, Zhang Q, Peters B, Doolan DL, Sette A, Meta-analysis of immune epitope data for all Plasmodia: overview and applications for malarial immunobiology and vaccine-related issues. *Parasite Immunol*. 2009 Feb;31(2):78-97. [PMID: 19149776]
24. Vita R, Zarebski L, Greenbaum JA, Emami H, Hoof I, Salimi N, Damle R, Sette A, Peters B. The Immune Epitope Database 2.0. *Nucleic Acids Res*. 2009 Nov 11. [Epub ahead of print] PubMed PMID: 19906713.
25. Zhang H, Lund O, Nielsen M. The PickPocket method for predicting binding specificities for receptors based on receptor pocket similarities: Application to MHC-peptide binding. *Bioinformatics*. 2009 Mar 17. PMID: 19297351

3.1.5 2008

26. Lundegaard C., K. Lamberth, M. Harndahl, S. Buus, O. Lund, M. Nielsen. (2008). "NetMHC-3.0: accurate web accessible predictions of human, mouse and monkey MHC class I affinities for peptides of length 8-11." *Nucleic Acids Res*. 2008 36:W509-12. PMID: 18996943
27. Nielsen, M., C. Lundegaard, T. Blicher, B. Peters, A. Sette, S. Justesen, S. Buus, O. Lund. (2008). "Quantitative Predictions of Peptide Binding to Any HLA-DR Molecule of Known Sequence: NetMHCIIpan." *PLoS Computational Biology* 4(7). PMID: 18604266
28. Ponomarenko J, H. H. Bui, W. Li, N. Fusseder, P. E. Bourne, A. Sette, B. Peters. (2008). "ElliPro: a new structure-based tool for the prediction of antibody epitopes." *BMC Bioinformatics*, 9(514). PMID: 19055730
29. Ponomarenko J. V., M. H. C. van Regenmortel (2008) "B-cell epitope prediction." *Structural Bioinformatics*, Ed: Bourne PE, Gu J. Wiley-Liss; 2 edition.
30. Rapin N., I. Hoof, O. Lund, M. Nielsen. (2008). "MHC motif viewer." *Immunogenetics*. 60(12): 759-65. PMID: 18766337
31. Vita R., B. Peters, A. Sette. (2008). "The Curation Guidelines of the Immune Epitope Database and Analysis Resource." *Cytometry A* 73(11): 1066-1070. PMID: 18688821
32. Wang, P., J. Sidney, C. Dow, B. Mothe, A. Sette, B. Peters. (2008). "A Systematic Assessment of MHC Class II Peptide Binding Predictions and Evaluation of a Consensus Approach." *PLoS Computational Biology* 4(4). PMID: 18389056
33. Zarebski L. M., K. Vaughan, J. Sidney, B. Peters, H. Grey, K. D. Janda, A. Casadevall, A. Sette. (2008). "Analysis of epitope information related to *Bacillus anthracis* and *Clostridium botulinum*." *Expert Rev Vaccines* 7(1): 55-74. PMID: 18251694
34. Zhang, Q., P. Wang, et al. (2008). "Immune epitope database analysis resource (IEDB-AR)." *Nucleic Acids Research* 36: W513-W518. PMID: 18515843

3.1.6 2007

35. Beaver JE, Bourne PE, Ponomarenko JV. EpitopeViewer: a Java application for the visualization and analysis of immune epitopes in the Immune Epitope Database and Analysis Resource (IEDB). *Immunome Res.* 2007 Feb 21;3:3. PMID: 17313688
36. Blythe MJ, Zhang Q, Vaughan K, de Castro R Jr, Salimi N, Bui HH, Lewinsohn DM, Ernst JD, Peters B, Sette A. An analysis of the epitope knowledge related to Mycobacteria. *Immunome Res.* 2007 Dec 14;3(1):10. PMID: 18081934
37. Bui HH, Peters B, Assarsson E, Mbawuike I, Sette A. Ab and T cell epitopes of influenza A virus, knowledge and opportunities. *Proc Natl Acad Sci U S A.* 2007 Jan 2;104(1):246-51. PMID: 17200302
38. Bui HH, Sidney J, Li W, Fusseder N, Sette A. Development of an epitope conservancy analysis tool to facilitate the design of epitope-based diagnostics and vaccines. *BMC Bioinformatics.* 2007 Sep 26;8(1):361. PMID: 17897458
39. Ernst JD, Lewinsohn DM, Behar S, Blythe M, Schlesinger LS, Kornfeld H, Sette A. Meeting Report: NIH Workshop on the Tuberculosis Immune Epitope Database. *Tuberculosis (Edinb).* 2007 Dec 6. PMID: 18068490
40. Greenbaum JA, Andersen PH, Blythe M, Bui HH, Cachau RE, Crowe J, Davies M, Kolaskar AS, Lund O, Morrison S, Mumey B, Ofran Y, Pellequer JL, Pinilla C, Ponomarenko JV, Raghava GP, van Regenmortel MH, Roggen EL, Sette A, Schlessinger A, Sollner J, Zand M, Peters B. Towards a consensus on datasets and evaluation metrics for developing B-cell epitope prediction tools. *J Mol Recognit.* 2007 Mar-Apr;20(2):75-82. PMID: 17205610
41. Lundsgaard C, Lund O, Kesmir C, Brunak S, Nielsen M. Modeling the adaptive immune system: predictions and simulations. *Bioinformatics.* 2007 Dec 15;23(24):3265-75. PMID: 18045832
42. Nielsen M, Lundsgaard C, Blicher T, Lamberth K, Harndahl M, Justesen S, Røder G, Peters B, Sette A, Lund O, Buus S. NetMHCpan, a method for quantitative predictions of peptide binding to any HLA-A and -B locus protein of known sequence. *PLoS ONE.* 2007 Aug 29;2(8):e796. PMID: 17726526
43. Peters B, Sette A. Integrating epitope data into the emerging web of biomedical knowledge resources. *Nat Rev Immunol.* 2007 Jun;7(6):485-90. PMID: 17479127
44. Ponomarenko JV, Bourne PE., Antibody-protein interactions: benchmark datasets and prediction tools evaluation. *BMC Struct Biol.* 2007 Oct 2;7(1):64. PMID: 17910770
45. Sette A, Peters B., Immune epitope mapping in the post-genomic era: lessons for vaccine development. *Curr Opin Immunol.* 2007 Feb;19(1):106-10. PMID: 17113275
46. Wang P, Morgan AA, Zhang Q, Sette A, Peters B. Automating document classification for the Immune Epitope Database. *BMC Bioinformatics.* 2007 Jul 26;8:269. PMID: 17655769

3.1.7 2006

47. Bui HH, Sidney J, Dinh K, Southwood S, Newman MJ, Sette A. Predicting population coverage of T-cell epitope-based diagnostics and vaccines. *BMC Bioinformatics.* 2006 Mar 17;7(1):153. PMID: 16545123
48. Peters B, Bui HH, Frankild S, Nielson M, Lundsgaard C, Kostem E, Basch D, Lamberth K, Harndahl M, Fleri W, Wilson SS, Sidney J, Lund O, Buus S, Sette A., A community resource benchmarking predictions of peptide binding to MHC-I molecules, *PLoS Comput Biol.* 2006 Jun 9;2(6):e65. Epub 2006 Jun 9. PMID: 16789818

49. Salimi N, R. Vita. (2006). "The biocurator: connecting and enhancing scientific data". PLoS Comput Biol 2(10) :e125. PMID: 17069454
50. Sette, A., H. H. Bui, S. Buus, W. Flerl, R. Kubo, O. Lund, D. Nemazee, J. V. Ponomarenko, M. Sathiamurthy, S. Stewart, S. Way, S. S. Wilson, B. Peters. (2006). "The Immune Epitope Database and Analysis Resource." Pattern Recognition in Bioinformatics: International Workshop, Hong Kong, China, August 20, 2006 : Proceedings, Springer, Jagath C. Rajapakse, Limsoon Wong, Raj Acharya (Eds). ISBN: 3540374469 9783540374466
51. Vita R, K. Vaughan, L. Zarebski, N. Salimi, W. Flerl , H. Grey, M. Sathiamurthy, J. Mokili, H. H. Bui, P. E. Bourne, J. V. Ponomarenko, R. de Castro Jr, R. K. Chan, J. Sidney, S. S. Wilson, S. Stewart, S. Way, B. Peters, A. Sette. (2006) "Curation of complex, context-dependent immunological data." BMC Bioinformatics. 12(7): 341. PMID: 16836764

3.1.8 2005

52. Bui HH, Sidney J, Peters B, Sathiamurthy M, Sinichi A, Purton KA, Mothé BR, Chisari FV, Watkins DI, Sette A. Automated generation and evaluation of specific MHC binding predictive tools: ARB matrix applications. Immunogenetics. 2005 Jun;57(5):304-14. Epub 2005 May 3. PMID: 15868141
53. Peters B, Sette A. Generating quantitative models describing the sequence specificity of biological processes with the stabilized matrix method. BMC Bioinformatics. 2005 May 31;6:132. PMID: 15927070
54. Peters, B., J. Sidney, P. Bourne, H. H. Bui, S. Buus, G. Doh, W. Flerl, M. Kronenberg, R.Kubo, O. Lund, D. Nemazee, J. V. Ponomarenko, M. Sathiamurthy, S. Schoenberger, S. Stewart, P. Surko, S. Way, S. Wilson, A. Sette. (2005). "The design and implementation of the immune epitope database and analysis resource." Immunogenetics 57(5): 326-336. PMID: 15895191
55. Peters, B., J. Sidney, P. Bourne, H. H. Bui, S. Buus, G. Doh, W. Flerl, M. Kronenberg, R.Kubo, O. Lund, D. Nemazee, J. V. Ponomarenko, M. Sathiamurthy, S. Schoenberger, S. Stewart, P. Surko, S. Way, S. Wilson, A. Sette. (2005). "The Immune Epitope Database and Analysis Resource: From Vision to Blueprint." PLoS Biology 3(3). PMID: 15760272
56. Sathiamurthy, M., B. Peters, H. H. Bui, J. Sidney, J. Mokili, S. S. Wilson, W. Flerl, D. McGuinness, P. Bourne, A. Sette. (2005). "An ontology for immune epitopes: application to the design of a broad scope database of immune reactivities." Immunome Res 1(2): 1745-7580. PMID: 16305755
57. Sette, A., W. Flerl, B. Peters, M. Sathiamurthy, H. H. Bui, S. Wilson. (2005). "A Roadmap for the Immunomics of Category A-C Pathogens." Immunity 22(2): 155-161. PMID: 15773067

3.1.9 2004

58. Sette A. (2004). "The immune epitope database and analysis resource: from vision to blueprint." Genome Inform Ser Workshop Genome Inform 15(2):299. PMID: 16312048

3.2 Publications Citing the IEDB in 2012

In 2012, 323 references cited at least one of the 58 papers written by the IEDB team over the past nine years. This represents an increase of 20 citations over 2011. The citation list was compiled by using Google Scholar and the ISI Web of Knowledge to find citations for each one of the 58 papers. The list excludes self-citations by the 58 IEDB papers. This total may increase over time since these databases may not include references published late in 2012.

The papers have been categorized by the type of IEDB paper they cited – General IEDB (G), Analysis Resource (AR), Curation (C), or Meta-analysis (MA). All papers listed below denote their category or categories with these abbreviations since a paper can cite several IEDB papers that belong in different categories. For example, a paper that cites an analysis resource paper may also cite the primary IEDB Nucleic Acids Res (2009) paper, and thus is listed under General IEDB and has an [AR, G] to indicate the Analysis Resource citation. Any paper that has “General” as one of its categories has been listed in the General category below. All papers having “Analysis Resource” as a category and not having “General” have been listed in the “Analysis Resource” list below. A similar hierarchy has been applied for the Curation papers. That means all papers listed under “Meta-analysis” below only belong to that category.

The “General” category IEDB papers were cited 123 times in 2012. The Analysis Resource papers received 177 citations. The Curation category papers received 12. The meta-analysis papers received 69.

3.2.1 General IEDB

1. Ai, J.Y., Smith, B., and Wong, D.T.W. (2012). "Bioinformatics advances in saliva diagnostics." International Journal of Oral Science 4(2): 85-87. [G]
2. Aithal, A., Sharma, A., Joshi, S., Raghava, G.P.S., and Varshney, G.C. (2012). "PolysacDB: a database of microbial polysaccharide antigens and their antibodies." PLoS One 7(4): e34613; doi: 10.1371/journal.pone.0034613. [G]
3. Alexander, J., Ward, S., Mendy, J., Manayani, D.J., Farness, P., Avanzini, J.B., Guenther, B., Garduno, F., Jow, L., Snarsky, V., Ishioka, G., Dong, X., Vang, L., Newman, M.J., and Mayall, T. (2012). "Pre-clinical evaluation of a replication-competent recombinant Adenovirus serotype 4 vaccine expressing Influenza H5 hemagglutinin." PLoS One 7(2): e31177; doi: 10.1371/journal.pone.0031177. [G]
4. August, T.J., Tan, P.T., Tan, T.W., and Khan, M.A. (2012). "Consensus sequence for Influenza Virus A." <http://ip.com/patfam/en/43876838>. Patent. [G, MA]
5. Axelsson-Robertson, R. (2012). "Development of MHC class I African alleles and ex vivo detection of M. tuberculosis-reactive CD8+ T-cells." http://publications.ki.se/xmlui/bitstream/handle/10616/41006/Thesis_Rebecca_Axelsson-Robertson.pdf?sequence=1. Thesis. [G, MA]
6. Axelsson-Robertson R., Magalhaes, I., Parida, S.K., Zumla, A., and Maeurer, M. (2012). "The immunological footprint of Mycobacterium tuberculosis T-cell epitope recognition." Journal of Infectious Diseases 205(Suppl 2): S301-S315; doi: 10.1093/infdis/jis198. [G, MA]
7. Babon, J.A. (2012). "The subtype specific and cross-reactive T cell responses to influenza viruses in humans: a dissertation." http://escholarship.umassmed.edu/gsbs_diss/603. Dissertation. [G, AR, MA]
8. Babon, J.A., Cruz, J., Ennis, F.A., Yin, L., and Terajima, M. (2012). "A human CD4(+) T cell epitope in the Influenza hemagglutinin Is cross-reactive to Influenza A virus subtypes and to Influenza B virus." Journal of Virology 86(17): 9233-9243. [G, AR, MA]
9. Beck, T., Free, R.C., Thorisson, G.A., and Brookes, A.J. (2012). "Semantically enabling a genome-wide association study database." Journal of Biomedical Semantics 3(1): 1-16. [G]
10. Benoist, C., Lanier, L., Merad, M., and Mathis, D. (2012). "Consortium biology in immunology: the perspective from the Immunological Genome Project." Nature Reviews Immunology 12(10): 734-740. [G]

11. Bolcic, F., Laufer, N., Trincheri, J., Jones, L.R., and Quarleri, J. (2012). "A clustering phenomenon among HCV-1a strains among patients coinfected with HIV from Buenos Aires, Argentina." *Journal of Medical Virology* 84(4): 570-581. [G, AR]
12. Brennan, C.A., Ibarrondo, F., Sugar, C.A., Hausner, M.A., Shih, R., Ng, H.L., Detels, R., Margolick, J.B., Rinaldo, C.R., Phair, J., Jacobson, L.P., Yang, O.O., and Jamieson, B.D. (2012). "Early HLA-B*57-restricted CD8+ T lymphocyte responses predict HIV-1 disease progression." *Journal of Virology* 86(19): 10505-10516. [G]
13. Calis, J.J., de Boer, R.J., and Kesmir, C. (2012). "Degenerate T-cell recognition of peptides on MHC molecules creates large holes in the T-cell repertoire." *PLoS Computational Biology* 8(3): e1002412; doi: 10.1371/journal.pcbi.100241. [G, AR]
14. Capone, G., Novello, G., Bavaro, S.L., Fasano, C., Pesce Delfino, A., Polito, A.N., and Kanduc, D. (2012). "A qualitative description of the peptide sharing between poliovirus and Homo sapiens." *Immunopharmacology and Immunotoxicology* 34(5): 779-785. [G]
15. Carmona, S.J., Sartor, P.A., Leguizamon, M.S., Campetella, O.E., and Agueero, F. (2012). "Diagnostic peptide discovery: prioritization of pathogen diagnostic markers using multiple features." *PLoS One* 7(12): e50748; doi: 10.1371/journal.pone.0050748. [G, AR]
16. Carter, C. (2012). "Vaccinia and other viruses with available vaccines show marked homology with the HIV-1 envelope glycoprotein: the prospect of using existing vaccines to stem the AIDS pandemic." *Immunopharmacology and Immunotoxicology* 34(2): 222-231. [G]
17. Carter, D. (2012). "Sequence-based computational approaches to vaccine discovery and design." *Vaccinology: Principles and Practice* (eds W.J.W. Marrow, N.A. Sheikh, C.S. Schmidt and D.H. Davies), Wiley-Blackwell, Oxford, UK; Chapter 9: 131-149; doi: 10.1002/9781118345313.ch9. [G, AR]
18. Chandra, S. and Singh, T.R. (2012). "Linear B cell epitope prediction for epitope vaccine design against meningococcal disease and their computational validations through physicochemical properties." *Network Modeling Analysis in Health Informatics and Bioinformatics* 1(4): 153-159. [G]
19. Charoentong, P., Angelova, M., Efremova, M., Gallasch, R., Hackl, H., Galon, J., and Trajanoski, Z. (2012). "Bioinformatics for cancer immunology and immunotherapy." *Cancer Immunology Immunotherapy* 61(11): 1885-1903. [G, AR]
20. Chaves, F.A., Lee, A.H., Nayak, J.L., Richards, K.A., and Sant, A.J. (2012). "The utility and limitations of current web-available algorithms to predict peptides recognized by CD4 T cells in response to pathogen infection." *Journal of Immunology* 188(9): 4235-4248. [G, AR]
21. Chen, B., Ding, Y., and Wild, D.J. (2012). "Improving integrative searching of systems chemical biology data using semantic annotation." *Journal of Cheminformatics* 4(1): 6; doi: 10.1186/1758-2946-4-6. [G]
22. Chen, H., Yu, T., and Chen, J.Y. (2012). "Semantic web meets integrative biology: a survey." *Briefings in Bioinformatics* 14(1): 109-125. [G]
23. Chen, J. and Dongre, A. (2012). "Improving the pharmaceutical properties of biologics in drug discovery: unique challenges and enabling solutions." *ADME-Enabling Technologies in Drug Design and Development* (eds D.Zhang and S. Surapaneni), John Wiley & Sons, Inc., Hoboken, NJ, USA; doi: 10.1002/9781118180778.ch5. [G]
24. Chen, J., Wang, Y., Guo, D., and Shen, B. (2012). "A systems biology perspective on rational design of peptide vaccine against virus infections." *Current Topics in Medicinal Chemistry* 12(12): 1310-1319. [G, AR]

25. Chen, J.C., Chiu, L.L., Lee, K.L., Huang, W.N., Chuang, J.G., Liao, H.K., and Chow, L.P. (2012). "Identification of critical amino acids in an immunodominant IgE epitope of Pen c 13, a major allergen from *Penicillium citrinum*." PLoS One 7(4): e34627; doi: 10.1371/journal.pone.0034627. [G, AR]
26. Cho, Y.S., Dobos, K.M., Prenni, J., Yang, H., Hess, A., Rosenkrands, I., Andersen, P., Ryoo, S.W., Bai, G.H., Brennan, M.J., Izzo, A., Bielefeldt-Ohmann, H., and Belisle, J.T. (2012). "Deciphering the proteome of the in vivo diagnostic reagent "purified protein derivative" from *Mycobacterium tuberculosis*." Proteomics 12(7): 979-991. [G]
27. Chow, I.T., James, E.A., Tan, V., Moustakas, A.K., Papadopoulos, G.K., and Kwok, W.W. (2012). "DRB1*12:01 presents a unique subset of epitopes by preferring aromatics in pocket 9." Molecular Immunology 50(1-2): 26-34. [G]
28. Cotterell, M., Zheng, J., Sun, Q., Wu, Z., Champlin, C., and Beach, A. (2012). "Facilitating knowledge sharing and analysis in energy informatics with the Ontology for Energy Investigations (OEI)." Proceedings of Energy Informatics. Sprouts: Working Papers on Information Systems 12(4); <http://sproutsaisnet.org/12-4>. [G]
29. Davies, D.H. (2012). "Antigen discovery for vaccines using high-throughput proteomic screening technologies." Vaccinology: Principles and Practice (eds W.J.W. Morrow, N.A. Sheikh, C.S. Schmidt and D.H. Davies), Wiley-Blackwell, Oxford, UK; Chapter 10: 150-167; doi: 10.1002/9781118345313.ch10. [G, AR, C]
30. Diez-Rivero, C.M. and Reche, P.A. (2012). "CD8 T cell epitope distribution in viruses reveals patterns of protein biosynthesis." PLoS One 7(8): e43674; doi: 10.1371/journal.pone.0043674. [G]
31. Durward, M., Radhakrishnan, G., Harms, J., Bareiss, C., Magnani, D., and Splitter, G.A. (2012). "Active evasion of CTL mediated killing and low quality responding CD8+ T cells contribute to persistence of Brucellosis." PLoS One 7(4): e34925; doi: 10.1371/journal.pone.0034925. [G]
32. Duvvuri, V.R., Marchand-Austin, A., Eshaghi, A., Patel, S.N., Low, D.E., and Gubbay, J.B. (2012). "Potential T cell epitopes within swine-origin triple reassortant influenza A (H3N2) variant virus which emerged in 2011: an immunoinformatics study." Vaccine 30(42): 6054-6063. [G, AR, MA]
33. El Halim, Z.A., Badr, A., Tawfik, K., and Farag, I. (2012). "Major histocompatibility complex class II prediction." American Journal of Bioinformatics Research 2(1): 14-20. [G, AR]
34. Fung, K.W. and Bodenreider, O. (2012). "Knowledge representation and ontologies." Clinical Research Informatics (eds R.L. Richesson and J.E. Andrews), Spring-Verlag, London; 255-275. [G]
35. Ganzinger, M., He, S., Breuhahn, K., and Knaup, P. (2012). "On the ontology based representation of cell lines." PLoS One 7(11): e48584; doi: 10.1371/journal.pone.0048584. [G]
36. Ghosh, A., Chattopadhyay, S., Chawla-Sarkar, M., Nandy, P., and Nandy, A. (2012). "In silico study of rotavirus VP7 surface accessible conserved regions for antiviral drug/vaccine design." PLoS One 7(7): e40749; doi: 10.1371/journal.pone.0040749. [G]
37. Giaco, L., Amicosante, M., Fraziano, M., Gherardini, P.F., Ausiello, G., Helmer-Citterich, M., Colizzi, V., and Cabibbo, A. (2012). "B-Pred, a structure based B-cell epitopes prediction server." Advances and Applications in Bioinformatics and Chemistry 5: 11-21; doi: 10.2147/AABC.S30620. [G, AR]

38. Gkoutos, G.V., Schofield, P.N., and Hoehndorf, R. (2012). "The Units Ontology: a tool for integrating units of measurement in science." *Database: The Journal of Biological Databases and Curation* 2012; doi: 10.1093/database/bas033. [G]
39. Gok, M. and Ozcerit, A.T. (2012). "OETMAP: a new feature encoding scheme for MHC class I binding prediction." *Molecular and Cellular Biochemistry* 359(1-2): 67-72. [G, AR]
40. Gok, M. and Ozcerit, A.T. (2012). "Prediction of MHC class I binding peptides with a new feature encoding technique." *Cellular Immunology* 275(1-2): 1-4. [G, AR]
41. Goodswen, S.J., Kennedy, P.J., and Ellis, J.T. (2012). "A guide to in silico vaccine discovery for eukaryotic pathogens." *Briefings in Bioinformatics: ePub ahead of print*; doi: 10.1093/bib/bbs066. [G, AR]
42. Granados, D.P., Yahyaoui, W., Laumont, C.M., Daouda, T., Muratore-Schroeder, T.L., Cote, C., Laverdure, J.P., Lemieux, S., Thibault, P., and Perreault, C. (2012). "MHC I-associated peptides preferentially derive from transcripts bearing miRNA response elements." *Blood* 119(26): e181-e191; doi: 10.1182/blood-2012-02-412593. [G, AR]
43. Haendel, M.A. and Chesler, E.J. (2012). "Lost and found in behavioral informatics." *International Review of Neurobiology* 103: 1-18; doi: 10.1016/B978-0-12-388408-4.00001-0. [G]
44. Halperin, R.F., Stafford, P., Emery, J.S., Navalkar, K.A., and Johnston, S.A. (2012). "GuiTope: an application for mapping random-sequence peptides to protein sequences." *BMC Bioinformatics* 13:1; doi: 10.1186/1471-2105-13-1. [G]
45. Hastings, J., Magka, D., Batchelor, C., Duan, L., Stevens, R., Ennis, M., and Steinbeck, C. (2012). "Structure-based classification and ontology in chemistry." *Journal of Cheminformatics* 4: 8; doi: 10.1186/1758-2946-4-8. [G]
46. He, Y. (2012). "Omics-based systems vaccinology for vaccine target identification." *Drug Development Research* 73: 559-568; doi: 10.1002/ddr.21049. [G]
47. Helmberg, W. (2012). "Bioinformatic databases and resources in the public domain to aid HLA research." *Tissue Antigens* 80(4): 295-304. [G]
48. Iurescia, S., Fioretti, D., Fazio, V.M., and Rinaldi, M. (2012). "Epitope-driven DNA vaccine design employing immunoinformatics against B-cell lymphoma: a biotech's challenge." *Biotechnology Advances* 30(1): 372-383. [G, AR]
49. Jentzsch, F. and Hines, J.V. (2012). "Interfacing medicinal chemistry with structural bioinformatics: implications for T box riboswitch RNA drug discovery." *BMC Bioinformatics* 13(Suppl 2): S5; doi: 10.1186/1471-2105-13-S2-S5. [G]
50. Jing, L., Haas, J., Chong, T.M., Bruckner, J.J., Dann, G.C., Dong, L., Marshak, J.O., McClurkan, C.L., Yamamoto, T.N., Bailer, S.M., Laing, K.J., Wald, A., Verjans, G.M., and Koelle, D.M. (2012). "Cross-presentation and genome-wide screening reveal candidate T cells antigens for a herpes simplex virus type 1 vaccine." *Journal of Clinical Investigation* 122(2): 654-673. [G]
51. Jupp, S., Horridge, M., Iannone, L., Klein, J., Owen, S., Schanstra, J., Wolstencroft, K., and Stevens, R. (2012). "Populous: a tool for building OWL ontologies from templates." *BMC Bioinformatics* 13 (Suppl 1): S5; doi: 10.1186/1471-2105-13-S1-S5. [G]
52. Kanduc, D. (2012). "Homology, similarity, and identity in peptide epitope immunodefinition." *Journal of Peptide Science* 18(8): 487-494. [G]

53. Karosiene, E., Lundegaard, C., Lund, O., and Nielsen, M. (2012). "NetMHCcons: a consensus method for the major histocompatibility complex class I predictions." *Immunogenetics* 64(3): 177-186. [G, AR]
54. Koyjazin, R., Dubnik, A., Horn, G., Smorodinsky, N.I., Hardan, I., Shapira, M.Y., and Carmon, L. (2012). "Autoantibodies against the signal peptide domain of MUC1 in patients with multiple myeloma: Implications for disease diagnosis and prognosis." *Experimental and Therapeutic Medicine* 3(6): 1092-1098. [G]
55. Krzyczmonik, K., Switnicki, M., and Kaczanowski, S. (2012). "Analysis of immunogenicity of different protein groups from malaria parasite Plasmodium falciparum." *Infection Genetics and Evolution* 12(8): 1911-1916. [G, MA]
56. Kubrycht, J., Sigler, K., and Soucek, P. (2012). "Virtual interactomics of proteins from biochemical standpoint." *Molecular Biology International* 2012: 976385; doi: 10.1155/2012/976385. [G, AR]
57. Kulkarni-Kale, U., Waman, V., Raskar, S., Mehta, S., and Saxena, S. (2012). "Genome to vaccinome: role of bioinformatics, immunoinformatics & comparative genomics." *Current Bioinformatics* 7(4): 454-466. [G, AR]
58. Kumar, S., Mitchell, M.A., Rup, B., and Singh, S.K. (2012). "Relationship between potential aggregation-prone regions and HLA-DR-binding T-cell immune epitopes: implications for rational design of novel and follow-on therapeutic antibodies." *Journal of Pharmaceutical Sciences* 101(8): 2686-2701. [G, AR]
59. Kumar, S.P., Patel, S.K., Jasrai, Y.T., Pandya, H.A., and Srinivasan, P. (2012). "Biocomputational analysis of filaggrin sequence repeats for rheumatoid arthritis." *Electronic Journal of Biology* 8(2): 29-33. [G]
60. Lara-Ramirez, E.E., Segura-Cabrera, A., Salazar, M.I., Rodriguez-Perez, M.A., and Guo, X. (2012). "Genome-wide comparison inferred the origin and evolution of B-cell epitopes on the proteins of human influenza A virus." *Health* 4(10): 946-954. [G, MA]
61. Lister, A.L. (2012). "Enhancing systems biology models through semantic data integration." <http://hdl.handle.net/10443/1419>. Dissertation. [G]
62. Lucchese, G. (2012). "A peptide talk between JC virus and the human host: from silent infection to autoimmunity." *Immunopharmacology and Immunotoxicology* 34(6): 1067-1074. [G]
63. Lucchese, G., Calabro, M., and Kanduc, D. (2012). "Circumscribing the conformational peptide epitope landscape." *Current Pharmaceutical Design* 18(6): 832-839. [G, MA]
64. Lundegaard, C., Lund, O., and Nielsen, M. (2012). "Predictions versus high-throughput experiments in T-cell epitope discovery: competition or synergy?" *Expert Review of Vaccines* 11(1): 43-54. [G, AR]
65. Luo, Z., Miotto, R., and Weng, C. (2012). "A human-computer collaborative approach to identifying common data elements in clinical trial eligibility criteria." *Journal of Biomedical Informatics* 46(1): 33-39; doi: 10.1016/j.jbi.2012.07.006. [G]
66. Mahdavi, M., Mohabatkar, H., Keyhanfar, M., Jafarian, A., and Dehkordi, M.R. (2012). "Linear and conformational B cell epitope prediction of the HER 2 ECD-subdomain III by in silico methods." *Asian Pacific Journal of Cancer Prevention* 13(7): 3053 – 3059. [G, AR]
67. Maybeno, M.W. (2012). "Binding site enumeration of antigen-antibody complexes by non-negative matrix factorization of symmetric cross-blocking matrices." <http://hdl.handle.net/10211.10/1748>. Thesis. [G]

68. Minkiewicz, P., Bucholska, J., Darewicz, M., and Borawska, J. (2012). "Epitopic hexapeptide sequences from Baltic cod parvalbumin beta (allergen Gad c 1) are common in the universal proteome." *Peptides* 38(1): 105-109. [G]
69. Minkiewicz, P., Dziuba, J., Darewicz, M., Bucholska, J., and Mogut, D. (2012). "Evaluation of in silico prediction possibility of epitope sequences using experimental data concerning allergenic food proteins summarised in BIOPEP database." *Polish Journal of Food and Nutrition Sciences* 62(3): 151-157. [G, MA]
70. Mishto, M., Goede, A., Taube, K.T., Keller, C., Janek, K., Henklein, P., Niewienda, A., Kloss, A., Gohlke, S., Dahlmann, B., Enenkel, C., and Kloetzel, P.M. (2012). "Driving forces of proteasome-catalyzed peptide splicing in yeast and humans." *Molecular & Cellular Proteomics* 11(10): 1008-1023. [G]
71. Mungall, C.J., Torniai, C., Gkoutos, G.V., Lewis, S.E., and Haendel, M.A. (2012). "Uberon, an integrative multi-species anatomy ontology." *Genome Biology* 13(1): R5; doi: 10.1186/gb-2012-13-1-r5. [G]
72. Nastke, M.D., Becerra, A., Yin, L., Dominguez-Amoroch, O., Gibson, L., Stern, L.J., and Calvo-Calle, J. (2012). "Human CD4(+) T cell response to human herpesvirus 6." *Journal of Virology* 86(9): 4776-4792. [G]
73. Norcross, M.A., Luo, S., Lu, L., Boyne, M.T., Gomartelli, M., Rennels, A.D., Woodcock, J., Margulies, D.H., Mcmurtrey, C., and Vernon, S. (2012). "Abacavir induces loading of novel self-peptides into HLA-B*57:01: an autoimmune model for HLA-associated drug hypersensitivity." *AIDS* 26(11): F21-F29; doi: 10.1097/QAD.0b013e328355fe8f. [G]
74. Oseroff, C., Sidney, J., Vita, R., Tripple, V., McKinney, D.M., Southwood, S., Brodie, T.M., Sallusto, F., Grey, H., Alam, R., Broide, D., Greenbaum, J.A., Kolla, R., Peters, B., and Sette, A. (2012). "T cell responses to known allergen proteins are differently polarized and account for a variable fraction of total response to allergen extracts." *Journal of Immunology* 189(4): 1800-1811. [G, AR, MA]
75. O'Hara, J.M., Yermakova, A., and Mantis, N.J. (2012). "Immunity to ricin: fundamental insights into toxin-antibody interactions." *Current Topics in Microbiology and Immunology* 357: 209-241; doi: 10.1007/82_2011_193. [G]
76. Parikh, P.P., Minning, T.A., Vinh, N., Lalithsena, S., Asiaee, A.H., Sahoo, S.S., Doshi, P., Tarleton, R., and Sheth, A.P. (2012). "A semantic problem solving environment for integrative parasite research: identification of intervention targets for *Trypanosoma cruzi*." *PLoS Neglected Tropical Diseases* 6(1): e1458; doi: 10.1371/journal.pntd.0001458. [G]
77. Patronov, A., Dimitrov, I., Flower, D.R., and Doytchinova, I. (2012). "Peptide binding to HLA-DP proteins at pH 5.0 and pH 7.0: a quantitative molecular docking study." *BMC Structural Biology* 12: 20; doi: 10.1186/1472-6807-12-20. [G, AR]
78. Pickett, B.E., Sadat, E.L., Zhang, Y., Noronha, J.M., Squires, R., Hunt, V., Liu, M., Kumar, S., Zaremba, S., Gu, Z., Zhou, L., Larson, C.N., Dietrich, J., Klem, E.B., and Scheuermann, R.H. (2012). "ViPR: an open bioinformatics database and analysis resource for virology research." *Nucleic Acids Research* 40(Database issue): D593-D598; doi: 10.1093/nar/gkr859. [G]
79. Prabdial-Sing, N., Puren, A.J., and Bowyer, S.M. (2012). "Sequence-based in silico analysis of well studied Hepatitis C Virus epitopes and their variants in other genotypes (particularly genotype 5a) against South African human leukocyte antigen backgrounds." *BMC Immunology* 13:67; doi: 10.1186/1471-2172-13-67. [G]

80. Pradhan, S.N., Prince, P.R., Madhumathi, J., Roy, P., Narayanan, R.B., and Antony, U. (2012). "Protective immune responses of recombinant VP2 subunit antigen of infectious bursal disease virus in chickens." *Veterinary Immunology and Immunopathology* 148(3-4): 293-301. [G]
81. Premendu, P.M. (2012). "Structural Epitope Database (SEDB): A web-based database for the epitope, and its intermolecular interaction along with the tertiary structure information." *Journal of Proteomics & Bioinformatics* 5: 84-89; doi: 10.4172/jpb.1000217. [G]
82. Pyysalo, S., Ohta, T., Miwa, M., Cho, H.C., Tsujii, J., and Ananiadou, S. (2012). "Event extraction across multiple levels of biological organization." *Bioinformatics* 28(18): I575-I581. [G]
83. Racz, R., Chung, M., Xiang, Z., and He, Y. (2012). "Systematic annotation and analysis of 'virmugens'-virulence factors whose mutants can be used as live attenuated vaccines." *Vaccine* 31(5): 797-805. [G]
84. Rao, X. (2012). "A detailed comparison of peptides presented by different HLA class I loci: an in silico approach." <http://igitur-archive.library.uu.nl/dissertations/2012-0611-200740/rao.pdf>. Dissertation. [G, AR]
85. Ren, Y., Tian, F., and Zhou, P. (2012). "Computational peptidology." *Progress in Chemistry* 24(9): 1674-1682. [G]
86. Resende, D.M., Rezende, A.n.M., Oliveira, N.J., Batista, I.C., Correa-Oliveira, R., Reis, A.B., and Ruiz, J.C. (2012). "An assessment on epitope prediction methods for protozoa genomes." *BMC Bioinformatics* 13: 309; doi: 10.1186/1471-2105-13-309. [G, AR, C]
87. Rigo, M.M., Antunes, D.A., Cibulski, S.P., Sinigaglia, M., Bogo Chies, J.A., and Vieira, G.F. (2012). "Immunogenic epitopes of Hantaviruses' N protein are restricted to conserved regions." *Frontiers in Bioscience* 17: 1582-1588. [G, AR]
88. Rohrs, H. (2012). "Mass spectrometry of antigenic peptides." *Protein and Peptide Mass Spectrometry in Drug Discovery* (eds M.L. Gross, G. Chen and B.N. Pramanik), John Wiley & Sons, Inc., Hoboken, NJ, USA: 371-392; doi: 10.1002/9781118116555.ch13 . [G]
89. Roose, K., Schotsaert, M., Bakkouri, K.E., Schepens, B., Fiers, W., and Saelens, X. (2012). "Cutting edge approaches toward novel and cross-protective influenza vaccines." *Development of Novel Vaccines* (eds A. von Gabain and C. Klade), Springer Vienna: 205-232; doi: 10.1007/978-3-7091-0709-6_9. [G, AR, MA]
90. Rueckert, C. and Guzman, C.A. (2012). "Vaccines: from empirical development to rational design." *PLoS Pathogens* 8(11): e1003001; doi: 10.1371/journal.ppat.1003001. [G, AR]
91. Saethang, T., Hirose, O., Kimkong, I., Vu, A.T., Dang, X.T., Nguyen, L.A., Le, T.K., Kubo, M., Yamada, Y., and Satou, K. (2012). "EpicCapo: epitope prediction using combined information of amino acid pairwise contact potentials and HLA-peptide contact site information." *BMC Bioinformatics* 13: 313; doi: 10.1186/1471-2105-13-313. [G, AR]
92. Saethang, T., Hirose, O., Kimkong, I., Tran, V.A., Dang, X.T., Nguyen, T., Le, T.K., Kubo, M., Yamada, Y., and Satou, K. (2012). "PAAQD: predicting immunogenicity of MHC class I binding peptides using amino acid pairwise contact potentials and quantum topological molecular similarity descriptors." *Journal of Immunological Methods* 387(1-2): 293-302. [G, AR]
93. Sant, A.J. and McMichael, A. (2012). "Revealing the role of CD4(+) T cells in viral immunity." *Journal of Experimental Medicine* 209(8): 1391-1395. [G, MA]

94. Schriml, L.M., Arze, C., Nadendla, S., Chang, Y.W.W., Mazaitis, M., Felix, V., Feng, G., and Kibbe, W.A. (2012). "Disease Ontology: a backbone for disease semantic integration." Nucleic Acids Research 40(Database issue): D940-D946; doi: 10.1093/nar/gkr972. [G]
95. Smith, B. (2012). "Classifying processes: an essay in applied ontology." Ratio 25(4): 463-488. [G]
96. Spellman, P., Rosanov, D., and Chiotti, K. (2012). "Enhancing the breadth and efficacy of therapeutic vaccines for breast cancer." <http://www.dtic.mil/cgi-bin/GetTRDoc?AD=ADA569514>. Contract. [G]
97. Sun, P.P., Chen, W.H., Wang, X., Liu, B., and Lv, Y.H. (2012). "Prediction of antigen epitopes on protein surfaces based on support vector machine." Advanced Materials Research 393-395: 884-889; doi: 10.4028/www.scientific.net/AMR.393-395.884 . [G, AR]
98. Sundaramurthi, J.C., Brindha, S., Shobitha, S., Swathi, A., Ramanandan, P., and Hanna, L.E. (2012). "In silico identification of potential antigenic proteins and promiscuous CTL epitopes in *Mycobacterium tuberculosis*." Infection Genetics and Evolution 12(6): 1312-1318. [G, AR]
99. Tallis, M., Dave, D., and Burns, G.A. (2012). "Preliminary meta-analyses of experimental design with examples from HIV vaccine protection studies." 2012 AAAI Fall Symposium Series. <http://www.isi.edu/sites/default/files/users/burns/dislnf-tallis-et-al.pdf>. Conference paper. [G]
100. Taniguchi, R.T., DeVoss, J.J., Moon, J.J., Sidney, J., Sette, A., Jenkins, M.K., and Anderson, M.S. (2012). "Detection of an autoreactive T-cell population within the polyclonal repertoire that undergoes distinct autoimmune regulator (Aire)-mediated selection." Proceedings of the National Academy of Sciences of the United States of America 109(20): 7847-7852. [G]
101. Tao, C., He, Y., Poland, G., Chute, C., and Yang, H. (2012). "Ontology-based time information representation of vaccine adverse events in VAERS for temporal analysis." Journal of Biomedical Semantics 3(1): 13; doi: 10.1186/2041-1480-3-13. [G]
102. Taylor, A.P., Makabi-Panzu, B., Chen, X., Gold, D.V., and Goldenberg, D.M. (2012). "Evaluation of a non-viral vaccine in smallpox-vaccinated individuals and immunized HLA-transgenic mice." Human Immunology 73(6): 612-619. [G]
103. Tian, J., Zeng, G., Pang, X., Liang, M., Zhou, J., Fang, D., Liu, Y., Li, D., and Jiang, L. (2012). "Identification and immunogenicity of two new HLA-A*0201-restricted CD8(+) T-cell epitopes on dengue NS1 protein." International Immunology 24(4): 207-218. [G]
104. Tong, J.C.V. and Ren, E.C. (2012). "Method and system for evaluating a potential ligand-receptor interaction." <http://appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PG01&p=1&u=/netacgi/PTO/srchnum.html&r=1&f=G&l=50&s1=20120239367.PGNR>. Patent. [G]
105. Tong, M. and Taira, R.K. (2012). "Improving the accuracy of therapy descriptions in clinical trials using a bottom-up approach." AMIA Annual Symposium Proceedings 2012: 1393-1402. [G]
106. Trost, B., Pajon, R., Jayaprakash, T., and Kusalik, A. (2012). "Comparing the similarity of different groups of bacteria to the human proteome." PLoS One 7(4): e34007; doi: 10.1371/journal.pone.0034007. [G]
107. Tsuda, B., Kametani, Y., Goto, Y., Saito, Y., and Suzuki, Y. (2012). "A human B cell receptor epitope-based erbB-2 peptide (N: 163-182) with pan-reactivity to the T cells of Japanese breast cancer patients." Journal of Vaccines and Vaccination 3: 159; doi: 10.4172/2157-7560.1000159. [G]

108. Turner, J.A. and Laird, A.R. (2012). "The cognitive paradigm ontology: design and application." *Neuroinformatics* 10(1): 57-66. [G]
109. Umamaheswari, A., Pradhan, D., and Hemanthkumar, M. (2012). "Computer aided subunit vaccine design against pathogenic *Leptospira* serovars." *Interdisciplinary Sciences: Computational Life Sciences* 4(1): 38-45. [G, AR]
110. Vasilevsky, N., Johnson, T., Corday, K., Torniai, C., Brush, M., Segerdell, E., Wilson, M., Shaffer, C., Robinson, D., and Haendel, M. (2012). "Research resources: curating the new eagle-i discovery system." *Database: The Journal of Biological Databases and Curation*: 2012; doi: 10.1093/database/bar067. [G]
111. Valdivia-Granda, W.A. (2012). "Biodefense oriented genomic-based pathogen classification systems: challenges and opportunities." *Journal of Bioterrorism & Biodefense* 2:113; doi: 10.4172/2157-2526.1000113. [G]
112. Vempati, U.D., Przydzial, M.J., Chung, C., Abeyruwan, S., Mir, A., Sakurai, K., Visser, U., Lemmon, V.P., and Schuerer, S.C. (2012). "Formalization, annotation and analysis of diverse drug and probe screening assay datasets using the BioAssay Ontology (BAO)." *PLoS One* 7(11): e49198; doi: 10.1371/journal.pone.0049198. [G]
113. Vita, R., Greenbaum, J.A., Sette, A., OBI Consortium, and Peters, B. (2012). "Query enhancement through the practical application of ontology: The IEDB and OBI." *Bio-Ontologies* 2012: <http://bio-ontologies.knowledgeblog.org/409>. [G, C]
114. Vorup-Jensen, T. (2012). "Wrong resemblance? Role of the immune system in the biocompatibility of nanostructured materials." *Handbook of Harnessing Biomaterials in Nanomedicine: Preparation, Toxicity, and Applications* (ed D. Peer), Pan Stanford Publishing Pts. Ltd., Singapore; 283; doi: 10.4032/9789814364270. [G]
115. Walls, R.L., Athreya, B., Cooper, L., Elser, J., Gandolfo, M.A., Jaiswal, P., Mungall, C.J., Preece, J., Rensing, S., Smith, B., and Stevenson, D.W. (2012). "Ontologies as integrative tools for plant science." *American Journal of Botany* 99(8): 1263-1275. [G]
116. Wambre, E., James, E.A., and Kwok, W.W. (2012). "Characterization of CD4+ T cell subsets in allergy." *Current Opinion in Immunology* 24(6): 700-706. [G, MA]
117. Wolstencroft, K., Owen, S., Horridge, M., Jupp, S., Krebs, O., Snoep, J., Preez, F., Mueller, W., Stevens, R., and Goble, C. (2012). "Stealthy annotation of experimental biology by spreadsheets." *Concurrency and Computation: Practice and Experience* 25: 467-480; doi: 10.1002/cpe.2941. [G]
118. Xu, X. and Vugmeyster, Y. (2012). "Challenges and opportunities in absorption, distribution, metabolism, and excretion studies of therapeutic biologics." *AAPS Journal* 14(4): 781-791. [G]
119. Yao, B., Zhang, L., Liang, S., and Zhang, C. (2012). "SVMTriP: A method to predict antigenic epitopes using support vector machine to integrate tri-peptide similarity and propensity." *PLoS One* 7(9): e45152; doi: 10.1371/journal.pone.0045152. [G]
120. Yin, L., Calvo-Calle, J., Dominguez-Amoroch, O., and Stern, L.J. (2012). "HLA-DM constrains epitope selection in the human CD4 T cell response to vaccinia virus by favoring the presentation of peptides with longer HLA-DM-mediated half-lives." *Journal of Immunology* 189(8): 3983-3994. [G, AR]
121. Zhang, L., Chen, Y., Wong, H.S., Zhou, S., Mamitsuka, H., and Zhu, S. (2012). "TEPITOPEpan: extending TEPITOPE for peptide binding prediction covering over 700 HLA-DR molecules." *PLoS One* 7(2): e30483; doi: 10.1371/journal.pone.0030483. [G, AR]

122. Zhang, L., Udaka, K., Mamitsuka, H., and Zhu, S. (2012). "Toward more accurate pan-specific MHC-peptide binding prediction: a review of current methods and tools." *Briefings in Bioinformatics* 13(3): 350-364. [G, AR]
123. Zhang, Y., Mei, H., Wang, Q., Xie, J., Lv, J., Pan, X., and Tan, W. (2012). "Peptide binding specificities of HLA-B*5701 and B* 5801." *Science China Life Sciences* 55(9): 818-825. [G]

3.2.2 Analysis Resource

1. Alfirevic, A., Gonzalez-Galarza, F., Bell, C., Martinsson, K., Platt, V., Bretland, G., Evely, J., Lichtenfels, M., Cederbrant, K., French, N., Naisbitt, D., Park, B., Jones, A.R., and Pirmohamed, M. (2012). "In silico analysis of HLA associations with drug-induced liver injury: use of a HLA-genotyped DNA archive from healthy volunteers." *Genome Medicine* 4(6): 51; doi: 10.1186/gm350. [AR]
2. Ali, A., Soares, S.C., Santos, A.R., Guimaraes, L.C., Barbosa, E., Almeida, S.S., Abreu, V.A., Carneiro, A.R., Ramos, R.T., Bakhtiar, S.M., Hassan, S.S., Ussery, D.W., On, S., Silva, A., Schneider, M.P., Lage, A.P., Miyoshi, A., and Azevedo, V. (2012). "Campylobacter fetus subspecies: Comparative genomics and prediction of potential virulence targets." *Gene* 508(2): 145-156. [AR]
3. Amajala, K.C. (2012). "Epitope modeling, comparative mutation & structural stability analysis of Influenza A virus H1N1." *Drug Invention Today* 4(3). [AR, MA]
4. Ambroise, J. (2012). "Contribution of biostatistical methods to genomic and proteomic data analysis." <http://www.uclouvain.be/en-399103.html>. Thesis. [AR]
5. Andreatta, M. and Nielsen, M. (2012). "Characterizing the binding motifs of 11 common human HLA-DP and HLA-DQ molecules using NNAlign." *Immunology* 136(3): 306-311. [AR]
6. Arikata, M., Itoh, Y., Okamatsu, M., Maeda, T., Shiina, T., Tanaka, K., Suzuki, S., Nakayama, M., Sakoda, Y., and Ishigaki, H. (2012). "Memory immune responses against pandemic (H1N1) 2009 influenza virus induced by a whole particle vaccine in Cynomolgus monkeys carrying Mafa-A1* 052:02." *PLoS One* 7(5): e37220; doi: 10.1371/journal.pone.0037220. [AR, MA]
7. Arrigo, N., Paci, P., Di Paola, L., Santoni, D., De Ruvo, M., Giuliani, A., and Castiglione, F. (2012). "Characterizing protein shape by a volume distribution asymmetry index." *Open Bioinformatics Journal* 6: 20-27. [AR]
8. Babon, J.A. (2012). "The subtype specific and cross-reactive T cell responses to influenza viruses in humans: a dissertation." http://escholarship.umassmed.edu/gsbs_diss/603. Dissertation. [AR, G, MA]
9. Babon, J.A., Cruz, J., Ennis, F.A., Yin, L., and Terajima, M. (2012). "A human CD4(+) T cell epitope in the Influenza hemagglutinin Is cross-reactive to Influenza A virus subtypes and to Influenza B virus." *Journal of Virology* 86(17): 9233-9243. [AR, G, MA]
10. Baloria, U., Akhoon, B.A., Gupta, S.K., Sharma, S., and Verma, V. (2012). "In silico proteomic characterization of human epidermal growth factor receptor 2 (HER-2) for the mapping of high affinity antigenic determinants against breast cancer." *Amino Acids* 42(4): 1349-1360. [AR]
11. Barbosa, M.D., Kumar, S., Loughrey, H., and Singh, S.K. (2012). "Biosimilars and biobetters as tools for understanding and mitigating the immunogenicity of biotherapeutics." *Drug Discovery Today* 17(23-24): 1282-1288. [AR]
12. Bendtsen, C. (2012). "Prediction of human major histocompatibility complex class II binding peptides: a frequent case of publication bias?" *Artificial Intelligence in Medicine* 55(3): 209; doi: 10.1016/j.artmed.2012.05.001. [AR]

13. Binkowski, T., Marino, S.R., and Joachimiak, A. (2012). "Predicting HLA class I non-permissive amino acid residues substitutions." PLoS One 7(8): e41710; doi: 10.1371/journal.pone.0041710. **[AR]**
14. Bobryshev, Y.V., Moisenovich, M.M., Pustovalova, O.L., Agapov, I.I., and Orekhov, A.N. (2012). "Widespread distribution of HLA-DR-expressing cells in macroscopically undiseased intima of the human aorta: A possible role in surveillance and maintenance of vascular homeostasis." Immunobiology 217(5): 558-568. **[AR]**
15. Bragin, A.O., Demenkov, P.S., Kolchanov, N.A., and Ivanisenko, V.A. (2012). "Accuracy of protein allergenicity prediction can be improved by taking into account data on allergenic protein discontinuous peptides." Journal of Biomolecular Structure and Dynamics 31(1): 59-64. **[AR]**
16. Bragin, A.O., Demenkov, P.S., and Ivanisenko, V.A. (2012). "Protein allergenicity prediction on the basis of conformational peptides." Russian Journal of Genetics: Applied Research 2(1): 18-22. **[AR]**
17. Brenke, R., Hall, D.R., Chuang, G.Y., Comeau, S.R., Bohnuud, T., Beglov, D., Schueler-Furman, O., Vajda, S., and Kozakov, D. (2012). "Application of asymmetric statistical potentials to antibody-protein docking." Bioinformatics 28(20): 2608-2614. **[AR]**
18. Briesemeister, S. (2012). "Interpretable machine learning approaches in computational biology." http://tobias-lib.uni-tuebingen.de/volltexte/2012/6097/pdf/Dissertation_SebastianBriesemeister.pdf. Dissertation. **[AR]**
19. Briesemeister, S., Rahnenfuehrer, J., and Kohlbacher, O. (2012). "No longer confidential: estimating the confidence of individual regression predictions." PLoS One 7(11): e48723; doi: 10.1371/journal.pone.0048723. **[AR]**
20. Buggert, M., Norstrom, M.M., Czarnecki, C., Tupin, E., Luo, M., Gyllensten, K., Sonnerborg, A., Lundgaard, C., Lund, O., Nielsen, M., and Karlsson, A.C. (2012). "Characterization of HIV-specific CD4+ T cell responses against peptides selected with broad population and pathogen coverage." PLoS One 7(7): e39874; doi: 10.1371/journal.pone.0039874. **[AR]**
21. Cabrera-Chavez, F., Iametti, S., Miriani, M., de la Barca, A.M.C., Mamone, G., and Bonomi, F. (2012). "Maize prolamins resistant to peptic-tryptic digestion maintain immune-recognition by IgA from some celiac disease patients." Plant Foods for Human Nutrition (Formerly Qualitas Plantarum) 67(1): 24-30. **[AR]**
22. Camargo, A.C.M., Fernandes, B.L., Cruz, L., and Ferro, E.S. (2012). "Bioactive peptides produced by limited proteolysis." Colloquium Series on Neuropeptides 1(2): 1-92. **[AR]**
23. Cantor, J.R., Panayiotou, V., Agnello, G., Georgiou, G., and Stones, E.M. (2012). "Engineering reduced-immunogenicity enzymes for amino acid depletion therapy in cancer." Methods in Enzymology 502: 291-319. **[AR]**
24. Caoili, S.E. (2012). "On the meaning of affinity limits in B-cell epitope prediction for antipeptide antibody-mediated immunity." Advances in Bioinformatics 2012; doi: 10.1155/2012/346765. **[AR, C]**
25. Caoili, S.E. (2012). "Using quantitative dose-response data to benchmark B-cell epitope prediction for antipeptide antibodies." Proceedings of the ACM Conference on Bioinformatics, Computational Biology and Biomedicine 2012: 629-636. **[AR, C]**
26. Carlson, J.M., Brumme, C.J., Martin, E., Listgarten, J., Brockman, M.A., Le, A.Q., Chui, C.K., Cotton, L.A., Knapp, D.J., Riddler, S.A., Haubrich, R., Nelson, G., Pfeifer, N., DeZiel, C.E., Heckerman, D., Apps, R., Carrington, M., Mallal, S., Harrigan, P., John, M., and Brumme, Z.L.

- (2012). "Correlates of protective cellular immunity revealed by analysis of population-level immune escape pathways in HIV-1." *Journal of Virology* 86(24): 13202-13216. [AR]
27. Castle, J.C., Kreiter, S., Diekmann, J., Loewer, M., Van de Roemer, N., de Graaf, J., Selmi, A., Diken, M., Boegel, S., Paret, C., Koslowski, M., Kuhn, A.N., Britten, C.M., Huber, C., Tuereci, O., and Sahin, U. (2012). "Exploiting the mutanome for tumor Vaccination." *Cancer Research* 72(5): 1081-1091. [AR]
 28. Chen, K. and Kurgan, A. (2012). "Neural networks in bioinformatics." *Handbook of Natural Computing* (eds G. Rozenberg, J.N. Kok and T. Back), Springer Verlag Heidelberg, 2012: 565-583; doi: 10.1007/978-3-540-92910-9_18. [AR]
 29. Chen, K.Y., Liu, J., and Ren, E.C. (2012). "Structural and functional distinctiveness of HLA-A2 allelic variants." *Immunologic Research* 53(1-3): 182-190. [AR]
 30. Cheng, Y., Xu, J., Guo, J., Jin, Y., Wang, X., Zhang, Q., and Liu, L. (2012). "Circulating autoantibody to ABCC3 may be a potential biomarker for esophageal squamous cell carcinoma." *Clinical and Translational Oncology*: ePub ahead of print; doi: 10.1007/s12094-012-0941-9. [AR]
 31. Cintolo, J.A., Datta, J., Mathew, S.J., and Czerniecki, B.J. (2012). "Dendritic cell-based vaccines: barriers and opportunities." *Future Oncology* 8(10): 1273-1299. [AR]
 32. Cong, H., Mui, E.J., Witola, W.H., Sidney, J., Alexander, J., Sette, A., Maewal, A., El Bissati, K., Zhou, Y., Suzuki, Y., Lee, D., Woods, S., Sommerville, C., Henriquez, F.L., Roberts, C.W., and McLeod, R. (2012). "Toxoplasma gondii HLA-B*0702-restricted GRA7(20-28) peptide with adjuvants and a universal helper T cell epitope elicits CD8(+) T cells producing interferon-gamma and reduces parasite burden in HLA-B*0702 mice." *Human Immunology* 73(1): 1-10. [AR]
 33. Corallini, A., Mazzoni, E., Taronna, A., Manfrini, M., Carandina, G., Guerra, G., Guaschino, R., Vaniglia, F., Magnani, C., Casali, F., Dolcetti, R., Palmonari, C., Rezza, G., Martini, F., Barbanti-Brodano, G., and Tognon, M.G. (2012). "Specific antibodies reacting with simian virus 40 capsid protein mimotopes in serum samples from healthy blood donors." *Human Immunology* 73(5): 502-510. [AR]
 34. Covini, D., Tardito, S., Bussolati, O., Chiarelli, L.R., Pasquetto, M.V., Digilio, R., Valentini, G., and Scotti, C. (2012). "Expanding targets for a metabolic therapy of cancer: L-asparaginase." *Recent Patents on Anti-Cancer Drug Discovery* 7(1): 4-13. [AR]
 35. Cruz, A.C., Zweygarth, E., Barbosa Ribeiro, M.F., Goncalves da Silveira, J.A., de la Fuente, J., Grubhoffer, L., Valdes, J.J., and Friche Passos, L.M. (2012). "New species of Ehrlichia isolated from *Rhipicephalus (Boophilus) microplus* shows an ortholog of the *E. canis* major immunogenic glycoprotein gp36 with a new sequence of tandem repeats." *Parasites & Vectors* 5: 291; doi: 10.1186/1756-3305-5-291. [AR]
 36. Davies, D.H. (2012). "Antigen discovery for vaccines using high-throughput proteomic screening technologies." *Vaccinology: Principles and Practice* (eds W.J.W. Morrow, N.A. Sheikh, C.S. Schmidt and D.H. Davies), Wiley-Blackwell, Oxford, UK; Chapter 10: 150-167; doi: 10.1002/9781118345313.ch10. [AR, G, C]
 37. Davila, J., McNamara, L.A., and Yang, Z. (2012). "Comparison of the predicted population coverage of tuberculosis vaccine candidates Ag85B-ESAT-6, Ag85B-TB10.4, and Mtb72f via a bioinformatics approach." *PLoS One* 7(7): e40882; doi: 10.1371/journal.pone.0040882. [AR, MA]

38. Desmond, C.P., Gaudieri, S., James, I.R., Pfafferott, K., Chopra, A., Lau, G.K., Audsley, J., Day, C., Chivers, S., Gordon, A., Revill, P.A., Bowden, S., Ayres, A., Desmond, P.V., Thompson, A.J., Roberts, S.K., Locarnini, S.A., Mallal, S.A., and Lewin, S.R. (2012). "Viral adaptation to host immune responses occurs in chronic hepatitis B virus (HBV) infection, and adaptation is greatest in HBV e antigen-negative disease." *Journal of Virology* 86(2): 1181-1192. [AR]
39. Duvvuri, V.R., Marchand-Austin, A., Eshaghi, A., Patel, S.N., Low, D.E., and Gubbay, J.B. (2012). "Potential T cell epitopes within swine-origin triple reassortant influenza A (H3N2) variant virus which emerged in 2011: an immunoinformatics study." *Vaccine* 30(42): 6054-6063. [AR, G, MA]
40. Eisen, H.N., Hou, X.H., Shen, C., Wang, K., Tanguturi, V.K., Smith, C., Kozyrytska, K., Nambiar, L., McKinley, C.A., Chen, J., and Cohen, R.J. (2012). "Promiscuous binding of extracellular peptides to cell surface class I MHC protein." *Proceedings of the National Academy of Sciences of the United States of America* 109(12): 4580-4585. [AR]
41. Elemans, M., al Basatena, N.-K.S., and Asquith, B. (2012). "The efficiency of the human CD8+T cell response: how should we quantify it, what determines it, and does it matter?" *PLoS Computational Biology* 8(2): e1002381; doi: 10.1371/journal.pcbi.1002381. [AR]
42. Feldhahn, M., Doennes, P., Schubert, B., Schilbach, K., Rammensee, H.G., and Kohlbacher, O. (2012). "miHA-match: computational detection of tissue-specific minor histocompatibility antigens." *Journal of Immunological Methods* 386(1-2): 94-100. [AR]
43. Fridman, A., Finnefrock, A.C., Peruzzi, D., Pak, I., La Monica, N., Bagchi, A., Casimiro, D.R., Ciliberto, G., and Aurisicchio, L. (2012). "An efficient T-cell epitope discovery strategy using in silico prediction and the iTopia assay platform." *Oncogenetics* 1(8): 1258-1270. [AR]
44. Gangwar, R.S., Shil, P., Sapkal, G.N., Khan, S.A., and Gore, M.M. (2012). "Induction of virus-specific neutralizing immune response against West Nile and Japanese encephalitis viruses by chimeric peptides representing T-helper and B-cell epitopes." *Virus Research* 163(1): 40-50. [AR]
45. Giguere, S., Marchand, M., Laviolette, F., Drouin, A., and Corbeil, J. (2012). "Learning a peptide-protein binding affinity predictor with kernel ridge regression." arXiv preprint arXiv:1207.7253; <http://arxiv.org/abs/1207.7253>. [AR]
46. Goedel, P., Windmann, S., Dietze, K.K., Dittmer, U., and Bayer, W. (2012). "Modification of one epitope-flanking amino acid Allows for the induction of friend retrovirus-specific CD8(+) T cells by adenovirus-based immunization." *Journal of Virology* 86(22): 12422-12425. [AR]
47. Gomase, V. (2012). "An immunoinformatics approach to design synthetic peptide vaccine from Dendroaspis polylepis polylepis dendrotoxin-K (DTX-K)." *Journal of Environmental & Analytical Toxicology* 2: 157; doi: 10.4172/2161-0525.1000157. [AR]
48. Gomase, V.S. (2012). "Prediction of major histocompatibility complex binding peptides and epitopes from neurotoxin of Mesobuthustamulus." *Open Access Scientific Reports* 1: 288; doi: 10.4172/scientificreports.288. [AR]
49. Greiff, V., Redestig, H., Lueck, J., Bruni, N., Valai, A., Hartmann, S., Rausch, S., Schuchhardt, J., and Or-Guil, M. (2012). "A minimal model of peptide binding predicts ensemble properties of serum antibodies." *BMC Genomics* 13: 79; doi: 10.1186/1471-2164-13-79. [AR]
50. Grover, A., Shakyawar, S.K., Saudagar, P., Dubey, V.K., and Sundar, D. (2012). "Epitopic analysis of potential vaccine candidate in *Leishmania infantum* for development of human vaccine." *Letters in Drug Design & Discovery* 9(7): 698-705. [AR]

51. Guo, H. and Topham, D.J. (2012). "Multiple distinct forms of CD8+T cell cross-reactivity and specificities revealed after 2009 H1N1 influenza A virus infection in mice." PLoS One 7(9): e46166; doi: 0.1371/journal.pone.0046166. [AR, MA]
52. Gupta, S.K., Srivastava, M., Akhoon, B.A., Gupta, S.K., and Grabe, N. (2012). "In silico accelerated identification of structurally conserved CD8+ and CD4+ T-cell epitopes in high-risk HPV types." Infection Genetics and Evolution 12(7): 1513-1518. [AR]
53. Gurung, R.B., Purdie, A.C., Begg, D.J., and Whittington, R.J. (2012). "In silico identification of epitopes in *Mycobacterium avium* subsp. *paratuberculosis* proteins that were upregulated under stress conditions." Clinical and Vaccine Immunology 19(6): 855-864. [AR]
54. Gutierrez, A.H., Spero, D.M., Gay, C., Zimic, M., and De Groot, A.S. (2012). "New vaccines needed for pathogens infecting animals and humans: one health." Human Vaccines and Immunotherapeutics 8(7): 971-978. [AR]
55. Harndahl, M., Rasmussen, M., Roder, G., Pedersen, I.D., Sorensen, M., Nielsen, M., and Buus, S. (2012). "Peptide-MHC class I stability is a better predictor than peptide affinity of CTL immunogenicity." European Journal of Immunology 42(6): 1405-1416. [AR]
56. He, L., Friedman, A.M., and Bailey-Kellogg, C. (2012). "A divide-and-conquer approach to determine the Pareto frontier for optimization of protein engineering experiments." Proteins-Structure Function and Bioinformatics 80(3): 790-806. [AR]
57. Hoof, I., van Baarle, D., Hildebrand, W.H., and Kesmir, C. (2012). "Proteome sampling by the HLA class I antigen processing pathway." PLoS Computational Biology 8(5): e1002517; doi: 10.1371/journal.pcbi.1002517. [AR]
58. Huang, J., Cao, Y., Bu, X., and Wu, C. (2012). "Residue analysis of a CTL epitope of SARS-CoV spike protein by IFN-gamma production and bioinformatics prediction." BMC Immunology 13: 50; doi: 10.1186/1471-2172-13-50. [AR]
59. Jahn-Schmid, B., Hauser, M., Wopfner, N., Briza, P., Berger, U.E., Asero, R., Ebner, C., Ferreira, F., and Bohle, B. (2012). "Humoral and cellular cross-reactivity between Amb a 1, the major ragweed pollen allergen, and its mugwort homolog Art v 6." Journal of Immunology 188(3): 1559-1567. [AR]
60. Jimenez-Lopez, J.C., Kotchoni, S.O., Rodriguez-Garcia, M.I., and Alche, J.D. (2012). "Structure and functional features of olive pollen pectin methylesterase using homology modeling and molecular docking methods." Journal of Molecular Modeling 18(12): 4965-4984. [AR]
61. Juhaísz, A., Gell, G., Sebestyen, E., Haraszi, R., Tamas, L., and Balazs, E. (2012). "Brachypodium distachyon as a model for defining the allergen potential of non-prolamин proteins." Functional and Integrative Genomics 12(3): 439-446. [AR]
62. Jung, K.O., Khan, A.M., Tan, B.Y.L., Hu, Y., Simon, G.G., Nascimento, E.J., Lemonnier, F., Brusic, V., Miotto, O., Tan, T.W., Marques, E.T., Dhalia, R., Salmon, J., and August, J. (2012). "West Nile Virus T-cell ligand sequences shared with other flaviviruses: a multitude of variant sequences as potential altered peptide ligands." Journal of Virology 86(14): 7616-7624. [AR]
63. Karlsson, I., Kloverpris, H., Jensen, K.J., Stryhn, A., Buus, S., Karlsson, A., Vinner, L., Goulder, P., and Fomsgaard, A. (2012). "Identification of conserved subdominant HIV type 1 CD8(+) T cell epitopes restricted within common HLA supertypes for therapeutic HIV type 1 vaccines." AIDS Research and Human Retroviruses 28(11): 1434-1443. [AR]
64. Khan, J.M., Kumar, G., and Ranganathan, S. (2012). "In silico prediction of immunogenic T cell epitopes for HLA-DQ8." Immunome Research 8(1): 14. [AR]

65. Kloverpris, H.N., Harndahl, M., Leslie, A.J., Carlson, J.M., Ismail, N., van der Stok, M., Huang, K.H.G., Chen, F., Riddell, L., Steyn, D., Goedhals, D., van Vuuren, C., Frater, J., Walker, B.D., Carrington, M., Ndung'u, T., Buus, S., and Goulder, P. (2012). "HIV control through a single nucleotide on the HLA-B locus." *Journal of Virology* 86(21): 11493-11500. [AR]
66. Kobe, B. and Boden, M. (2012). "Computational modelling of linear motif-mediated protein interactions." *Current Topics in Medicinal Chemistry* 12(14): 1553-1561. [AR]
67. Krügel, J.V., Lundsgaard, C., Lund, O., and Nielsen, M. (2012). "Reliable B cell epitope Predictions: Impacts of Method Development and Improved Benchmarking." *PLoS Computational Biology* 8(12): e1002829; doi: 10.1371/journal.pcbi.1002829. [AR]
68. Kurgan, K.C. (2012). "18 neural networks in bioinformatics." http://link.springer.com/content/pdf/10.1007%2F978-3-540-92910-9_18.pdf. [AR]
69. Kuroda, D., Shirai, H., Jacobson, M.P., and Nakamura, H. (2012). "Computer-aided antibody design." *Protein Engineering Design and Selection* 25(10): 507-521. [AR]
70. Lampen, M.H. (2012). "Alternative HLA class-I peptide presentation in processing deficient tumors." <http://hdl.handle.net/1887/19078>. Thesis. [AR]
71. Landes, G. and Elias, K. (2012). "Preclinical considerations for development of antibody-based therapeutics in oncology." *Development of Antibody-Based Therapeutics* (eds M.A. Tabrizi, G.G. Bornstein and S. Klakamp), Springer New York: 183-240; doi: 10.1007/978-1-4419-5955-3_8. [AR]
72. Leger, A.J.S. (2012). "Expanding the functional CD8+ T cell repertoire reduces HSV-1 reactivation from latency in sensory ganglia." <http://d-scholarship.pitt.edu/16642/>. Dissertation. [AR]
73. Lengauer, T., Albrecht, M., and Domingues, F.S. (2012). "Computational biology." *Encyclopedia of Molecular Cell Biology and Molecular Medicine*; doi: 10.1002/3527600906.mcb.200400023.pub2. [AR]
74. Li, Y., Siegel, D.L., Scholler, N., and Kaplan, D.E. (2012). "Validation of glycan-3-specific scFv isolated from paired display/secretory yeast display library." *BMC Biotechnology* 12: 23; doi: 10.1186/1472-6750-12-23. [AR]
75. Liu, L., Liu, N., Liu, B., Yang, Y., Zhang, Q., Zhang, W., Yu, P., Jin, Y., Guo, J., and Guan, S. (2012). "Are circulating autoantibodies to ABCC3 transporter a potential biomarker for lung cancer?" *Journal of Cancer Research and Clinical Oncology* 138(10): 1737-1742. [AR]
76. Liu, T., Zhang, J., and Lei, T. (2012). "Prediction of rheumatoid arthritis-associated antigen peptides using a novel mixed algorithm." *Information Computing and Applications* (eds C. Liu, L. Wang and A. Yang), Springer Berlin Heidelberg; 528-535; doi: 10.1007/978-3-642-34041-3_74. [AR]
77. Luo, F., Gao, Y., Zhu, Y., and Liu, J. (2012). "Predicting binding-peptide of HLA-I on unknown alleles by integrating sequence information and energies of contact residues." *Emerging Intelligent Computing Technology and Applications* (eds D. Huang, P. Gupta, X. Zhang and P. Premaratne), Springer Berlin Heidelberg; 160-165; doi: 10.1007/978-3-642-31837-5_23. [AR]
78. Mah, S.K. and Tee, S.H. (2012). "Computational analysis of PTEN gene mutation." *International Journal on Advanced Science, Engineering and Information Technology* 2(5): 43-46. [AR]
79. Maillere, B., Delluc, S., and Ravot, G. (2012). "The prediction of immunogenicity of therapeutic proteins." *M S-Medecine Sciences* 28(1): 82-88. [AR]

80. Maybeno, M., Redeker, A., Welten, S.P., Peters, B., Loughhead, S.M., Schoenberger, S.P., Sette, A., and Arens, R. (2012). "Polyfunctional CD4(+) T cell responses to immunodominant epitopes correlate with disease activity of virulent *Salmonella*." PLoS One 7(8): e43481; doi: 10.1371/journal.pone.0043481. [AR]
81. Mehta, S.R., Pond, S.L., Young, J.A., Richman, D., Little, S., and Smith, D.M. (2012). "Associations between phylogenetic clustering and HLA profile among HIV-infected individuals in San Diego, California." Journal of Infectious Diseases 205(10): 1529-1533. [AR]
82. Mohabatkar, H., Keyhanfar, M., and Behbahani, M. (2012). "Protein bioinformatics applied to virology." Current Protein and Peptide Science 13(6): 547-559. [AR]
83. Moore, C., Sidney, J., English, A., Wriston, A., Hunt, D.F., Shabanowitz, J., Southwood, S., Bradley, K., Lafont, B.A., Mothe, B.R., and Sette, A. (2012). "Identification of the peptide-binding motif recognized by the pigtail macaque class I MHC molecule Mane-A1*082:01 (Mane A*0301)." Immunogenetics 64(6): 461-468. [AR]
84. Mori, M., Matsuki, K., Maekawa, T., Tanaka, M., Sriwanthana, B., Yokoyama, M., and Ariyoshi, K. (2012). "Development of a novel in silico docking simulation model for the fine HIV-1 cytotoxic T lymphocyte epitope mapping." PLoS One 7(7): e41703; doi: 10.1371/journal.pone.0041703. [AR]
85. Mortensen, B.K., Rasmussen, A.H., Larsen, M.E., Larsen, M.V., Lund, O., Braendstrup, P., Harndahl, M., Rasmussen, M., Buus, S., and Stryhn, A. (2012). "Identification of a novel UTY-encoded minor histocompatibility antigen." Scandinavian Journal of Immunology 76(2): 141-150. [AR]
86. Mostowy, R., Kouyos, R.D., Hoof, I., Hinkley, T., Haddad, M., Whitcomb, J.M., Petropoulos, C.J., Kesmir, C., and Bonhoeffer, S. (2012). "Estimating the fitness cost of escape from HLA presentation in HIV-1 protease and reverse transcriptase." PLOS Computational Biology 8(5): e1002525; doi: 10.1371/journal.pcbi.1002525. [AR]
87. Nakayasu, E.S., Sobreira, T.J., Torres, R., Jr., Ganiko, L., Oliveira, P.S., Marques, A.F., and Almeida, I.C. (2012). "Improved proteomic approach for the discovery of potential vaccine targets in *Trypanosoma cruzi*." Journal of Proteome Research 11(1): 237-246. [AR]
88. Nayak, S., Sivakumar, R., Cao, O., Daniell, H., Byrne, B.J., and Herzog, R.W. (2012). "Mapping the T helper cell response to acid alpha-glucosidase in Pompe mice." Molecular Genetics and Metabolism 106(2): 189-195. [AR]
89. Nene, V., Svitek, N., Toye, P., Golde, W.T., Barlow, J., Harndahl, M., Buus, S., and Nielsen, M. (2012). "Designing bovine T cell vaccines via reverse immunology." Ticks and Tick-Borne Diseases 3(3): 188-192. [AR]
90. Ochsenreither, S., Majeti, R., Schmitt, T., Stirewalt, D., Keilholz, U., Loeb, K.R., Wood, B., Choi, Y.E., Bleakley, M., and Warren, E.H. (2012). "Cyclin-A1 represents a new immunogenic targetable antigen expressed in acute myeloid leukemia stem cells with characteristics of a cancer-testis antigen." Blood 119(23): 5492-5501. [AR]
91. Oseroff, C., Sidney, J., Tripple, V., Grey, H., Wood, R., Broide, D.H., Greenbaum, J., Kolla, R., Peters, B., and Pomes, A. (2012). "Analysis of T cell responses to the major allergens from German cockroach: epitope specificity and relationship to IgE production." The Journal of Immunology 189(2): 679-688. [AR, MA]
92. Oseroff, C., Sidney, J., Vita, R., Tripple, V., McKinney, D.M., Southwood, S., Brodie, T.M., Sallusto, F., Grey, H., Alam, R., Broide, D., Greenbaum, J.A., Kolla, R., Peters, B., and Sette, A. (2012). "T cell responses to known allergen proteins are differently polarized and account for a

- variable fraction of total response to allergen extracts." *Journal of Immunology* 189(4): 1800-1811. [AR, G, MA]
93. Osipovitch, D.C., Parker, A.S., Makokha, C.D., Desrosiers, J., Kett, W.C., Moise, L., Bailey-Kellogg, C., and Griswold, K.E. (2012). "Design and analysis of immune-evasive enzymes for ADEPT therapy." *Protein Engineering Design & Selection* 25(10): 613-623. [AR]
 94. Pagetta, A., Tramentozzi, E., Frigo, G., and Finotti, P. (2012). "Heat shock protein-derived peptides as a potential immuno-regulatory vaccine in allergy. In silico analysis." *Immunome research* 8(1): 27. [AR]
 95. Painter, C.A. and Stern, L.J. (2012). "Conformational variation in structures of classical and non-classical MHCII proteins and functional implications." *Immunological Reviews* 250(1): 144-157. [AR]
 96. Pan, M., Wang, X., Liao, J., Yin, D., Li, S., Pan, Y., Wang, Y., Xie, G., Zhang, S., and Li, Y. (2012). "Prediction and identification of potential immunodominant epitopes in glycoproteins B, C, E, G, and I of herpes simplex virus type 2." *Clinical & Developmental Immunology* 2012; doi: 10.1155/2012/205313. [AR]
 97. Paris, R., Bejrchandra, S., Thongcharoen, P., Nitayaphan, S., Pitisuttithum, P., Sambor, A., Gurunathan, S., Francis, D., Ratto-Kim, S., Karnasuta, C., de Souza, M.S., Polonis, V.R., Brown, A.E., Kim, J.H., and Stephens, H.A. (2012). "HLA class II restriction of HIV-1 clade-specific neutralizing antibody responses in ethnic Thai recipients of the RV144 prime-boost vaccine combination of ALVAC-HIV and AIDSVAX (R) B/E." *Vaccine* 30(5): 832-836. [AR]
 98. Parker, A., Griswold, K., and Bailey-Kellogg, C. (2012). "Structure-guided deimmunization of therapeutic proteins." *Journal of Computational Biology* 20(2): 156-165. [AR]
 99. Pascal, M., Konstantinou, G.N., Masilamani, M., Lieberman, J., and Sampson, H.A. (2012). "In silico prediction of Ara h 2 T cell epitopes in peanut allergic children." *Clinical & Experimental Allergy* 43(1): 116-127. [AR]
 100. Pedersen, L.E., Harndahl, M., Nielsen, M., Patch, J.R., Junghansen, G., Buus, S., and Golde, W.T. (2012). "Identification of peptides from foot-and-mouth disease virus structural proteins bound by class I swine leukocyte antigen (SLA) alleles, SLA-1* 0401 and SLA-2* 0401." *Animal Genetics*. doi: 10.1111/j.1365-2052.2012.02400.x. [AR]
 101. Peri, C., Gagni, P., Combi, F., Gori, A., Chiari, M., Longhi, R., Cretich, M., and Colombo, G. (2012). "Rational epitope design for protein targeting." *ACS Chemical Biology* 8(2): 397-404. [AR]
 102. Pickett, B.E., Greer, D.S., Zhang, Y., Stewart, L., Zhou, L., Sun, G., Gu, Z., Kumar, S., Zaremba, S., Larsen, C.N., Jen, W., Klem, E.B., and Scheuermann, R.H. (2012). "Virus Pathogen Database and Analysis Resource (ViPR): a comprehensive bioinformatics database and analysis resource for the coronavirus research community." *Viruses-Basel* 4(11): 3209-3226. [AR]
 103. Ramaraj, T., Angel, T., Dratz, E.A., Jesaitis, A.J., and Mumey, B. (2012). "Antigen-antibody interface properties: composition, residue interactions, and features of 53 non-redundant structures." *Biochimica et Biophysica Acta-Proteins and Proteomics* 1824(3): 520-532. [AR]
 104. Resende, D.M., Rezende, A.M., Oliveira, N.J., Batista, I.C., Correa-Oliveira, R., Reis, A.B., and Ruiz, J.C. (2012). "An assessment on epitope prediction methods for protozoa genomes." *BMC Bioinformatics* 13: 309; doi: 10.1186/1471-2105-13-309. [AR, G, C]
 105. Riposo, J. and Mozziconacci, J. (2012). "Nucleosome positioning and nucleosome stacking: two faces of the same coin." *Molecular BioSystems* 8(4): 1172-1178. [AR]

106. Romero, P.A., Stone, E., Lamb, C., Chantranupong, L., Krause, A., Miklos, A., Hughes, R.A., Fechtel, B., Ellington, A.D., and Arnold, F.H. (2012). "SCHEMA-designed variants of human arginase I and II reveal sequence elements important to stability and catalysis." *ACS Synthetic Biology* 1(6): 221-228. **[AR]**
107. Roose, K., Schotsaert, M., Bakkouri, K.E., Schepens, B., Fiers, W., and Saelens, X. (2012). "Cutting edge approaches toward novel and cross-protective influenza vaccines." *Development of Novel Vaccines* (A. von Gabain and C. Klade), Springer Vienna: 205-232; doi: 10.1007/978-3-7091-0709-6_9. **[AR, G, MA]**
108. Ross, P., Holmes, J.C., Gojanovich, G.S., and Hess, P.R. (2012). "A cell-based MHC stabilization assay for the detection of peptide binding to the canine classical class I molecule, DLA-88." *Veterinary Immunology and Immunopathology* 150(3-4): 206-212. **[AR]**
109. Roy, B.M., Zhukov, D.V., and Maynard, J.A. (2012). "Flanking residues are central to DO11.10 T cell hybridoma stimulation by ovalbumin 323-339." *PLoS One* 7(10): e47858; doi: 10.1371/journal.pone.0047585. **[AR]**
110. Rudra, J.S., Sun, T., Bird, K.C., Daniels, M.D., Gasiorowski, J.Z., Chong, A.S., and Collier, J.H. (2012). "Modulating adaptive immune responses to peptide self-assemblies." *Acs Nano* 6(2): 1557-1564. **[AR]**
111. Sanou, M.P., De Groot, A.S., Murphey-Corb, M., Levy, J.A., and Yamamoto, J.K. (2012). "HIV-1 vaccine trials: evolving concepts and designs." *The Open AIDS Journal* 6: 274-2883 **[AR]**
112. Sauna, Z., Ameri, A., Kim, B., Yanover, C., Viel, K., Rajalingam, R., Cole, S., and Howard, T. (2012). "Observations regarding the immunogenicity of BDD-rFVIII derived from a mechanistic personalized medicine perspective." *Journal of Thrombosis and Haemostasis* 10(9): 1961-1965. **[AR]**
113. Saxena, A., Tamuly, S., and Saxena, M.K. (2012). "Cloning, sequencing, and in silico characterization of Omp 28 of *Salmonella Typhi* (strain MTCC 733) to develop r-DNA vaccine for typhoid fever." *Journal of Natural Science, Biology, and Medicine* 3(2): 133-138. **[AR]**
114. Schmidt, J., Iversen, A.K., Tenzer, S., Gostick, E., Price, D.A., Lohmann, V., Distler, U., Bowness, P., Schild, H., Blum, H.E., Klenerman, P., Neumann-Haefelin, C., and Thimme, R. (2012). "Rapid antigen processing and presentation of a protective and immunodominant HLA-B*27-restricted hepatitis C virus-specific CD8(+) T-cell epitope." *PLoS Pathogens* 8(11): e1003042. doi:10.1371/journal.ppat.1003042. **[AR]**
115. Schulten, V., Oseroff, C., Alam, R., Broide, D., Vijayanand, P., Peters, B., and Sette, A. (2012). "The identification of potentially pathogenic and therapeutic epitopes from common human allergens." *Annals of Allergy, Asthma & Immunology* 110(1): 7-10. **[AR]**
116. Shen, W.J., Wong, H.S., Xiao, Q.W., Guo, X., and Smale, S. (2012). "Towards a mathematical foundation of immunology and amino acid chains." Arxiv preprint arXiv:1205.6031 **[AR]**
117. Shukla, N.M., Salunke, D.B., Balakrishna, R., Mutz, C.A., Malladi, S.S., and David, S.A. (2012). "Potent adjuvanticity of a pure TLR7-agonistic imidazoquinoline dendrimer." *PLoS One* 7(8); doi: 10.1371/journal.pone.0043612. **[AR]**
118. Sivalingam, G.N. and Shepherd, A.J. (2012). "An analysis of B-cell epitope discontinuity." *Molecular Immunology* 51(3-4): 304-309. **[AR]**
119. Six, A., Bellier, B., Thomas-Vaslin, V., and Klatzmann, D. (2012). "Systems biology in vaccine design." *Microbial Biotechnology* 5(2): 295-304. **[AR]**

120. Srivastava, A., Ghosh, S., Anantharaman, N., and Jayaraman, V.K. (2012). "Hybrid biogeography based simultaneous feature selection and MHC class I peptide binding prediction using support vector machines and random forests." *Journal of Immunological Methods* 387 (1-2): 284-292. [\[AR\]](#)
121. Stranzl, T., Larsen, M.V., Lund, O., Nielsen, M., and Brunak, S. (2012). "The cancer exome generated by alternative mRNA splicing dilutes predicted HLA class I epitope density." *PLoS One* 7(9): e38670; doi: 10.1371/journal.pone.0038670. [\[AR\]](#)
122. Su, C.H., Pal, N.R., Lin, K.L., and Chung, I.F. (2012). "Identification of amino acid Propensities that are strong determinants of linear B-cell epitope using neural networks." *PLoS one* 7(2): e30617. doi:10.1371/journal.pone.0030617. [\[AR\]](#)
123. Sundaramurthi, J.C., Ramanathan, V.D., and Hanna, L.E. (2012). "HLA-B* 27: 05 specific CTL epitopes in Indian HIV-1C." *AIDS Research and Human Retroviruses* 29(1): 47-53. [\[AR\]](#)
124. Sundaramurthi, J.C., Swaminathan, S., and Hanna, L.E. (2012). "Resistance-associated epitopes of HIV-1C-highly probable candidates for a multi-epitope vaccine." *Immunogenetics* 64(10): 767-772. [\[AR\]](#)
125. Syed, P., Gyurjan, I., Kriegner, A., Vierlinger, K., Singer, C.F., Rappaport-Furhauser, C., Zerweck, J., Sollner, J., and Weinhausel, A. (2012). "In silico design and performance of peptide microarrays for breast cancer tumour-auto-antibody testing." *Journal of Molecular Biochemistry* 1(2): 129-143. [\[AR\]](#)
126. Tartouri, H. (2012). "Predicting peptides binding to MHC class II molecules using boosted decision tree." <http://biotech.psu.edu/node/106>. Conference Poster. [\[AR\]](#)
127. Thakur, A., Pedersen, L.E., and Jungersen, G. (2012). "Immune markers and correlates of protection for vaccine induced immune responses." *Vaccine* 30(33): 4907-4920. [\[AR\]](#)
128. Tommy, Y.B.W., Lim, T.S., Noordin, R., Saadatnia, G., and Choong, Y.S. (2012). "Theoretical investigation on structural, functional and epitope of a 12 kDa excretory-secretory protein from Toxoplasma gondii." *BMC Structural Biology* 12:30; doi:10.1186/1472-6807-12-30. [\[AR\]](#)
129. Uchtenhagen, H. (2012). "Elicitation and enhancement of T and B cell responses." <https://publications.ki.se/xmlui/handle/10616/41235>. Thesis. [\[AR\]](#)
130. van Luijn, M.M., van de Loosdrecht, A.A., Lampen, M.H., van Veelen, P.A., Zevenbergen, A., Kester, M.G.D., de Ru, A.H., Ossenkoppele, G.J., van Hall, T., and van Ham, S.M. (2012). "Promiscuous binding of invariant chain-derived CLIP peptide to distinct HLA-I molecules revealed in leukemic cells." *PLoS One* 7(4): e34649; 10.1371/journal.pone.0034649. [\[AR\]](#)
131. Van Regenmortel, M.H., V (2012). "Requirements for empirical immunogenicity trials, rather than structure-based design, for developing an effective HIV vaccine." *Archives of Virology* 157(1): 1-20. [\[AR\]](#)
132. Vaz, F., Couto, A., and Calado, C.R. (2012). "The importance of Helicobacter pylori's genetic variability for the construction of an efficient vaccine." *Bioengineering (ENBENG), 2012 IEEE 2nd Portuguese Meeting*: 1-5; doi: 10.1109/ENBENG.2012.6331369. [\[AR\]](#)
133. Watson, D.S., Endsley, A.N., and Huang, L. (2012). "Design considerations for liposomal vaccines: influence of formulation parameters on antibody and cell-mediated immune responses to liposome associated antigens." *Vaccine* 30(13): 2256-2272. [\[AR\]](#)
134. White, K.G. (2012). "Mining the Francisella tularensis proteome for vaccine candidates." <http://hdl.handle.net/10217/68140>. Thesis. [\[AR\]](#)

135. Wittrup, K.D. and Verdine, G.L. (2012). "Protein engineering for therapeutics, part A." *Methods in Enzymology* (eds K.D. Wittrup and G.L. Verdine), 502 (1); doi: <http://dx.doi.org/10.1016/B978-0-12-416039-2.00032-X> [AR]
136. Wu, K.W., Chien, C.Y., Li, S.W., King, C.C., and Chang, C.H. (2012). "Highly conserved influenza A virus epitope sequences as candidates of H3N2 flu vaccine targets." *Genomics* 100(2): 102-109. [AR, MA]
137. Wu, S., Yu, T., Song, X., Yi, S., Hou, L., and Chen, W. (2012). "Prediction and identification of mouse cytotoxic T lymphocyte epitopes in Ebola virus glycoproteins." *Virology Journal* 9: 111; doi: 10.1186/1743-422X-9-111. [AR]
138. Yang, T., Hohenstein, A.C., Lee, C.E., Hutton, J.C., and Davidson, H.W. (2012). "Mapping IA (g7) restricted epitopes in murine G6PC2." *Immunologic Research* 55(1-3): 91-99. [AR]
139. Ye, L., Li, X., Sun, S., Guan, S., Wang, M., Guan, X., Lee, K.H., Wei, J., and Liu, B. (2012). "A study of circulating anti-CD25 antibodies in non-small cell lung cancer." *Clinical and Translational Oncology* 1-5: ePub head of print; doi: 10.1007/s12094-012-0980-2. [AR]
140. Yue, M., Rankin, S.C., Blanchet, R.T., Nulton, J.D., Edwards, R.A., and Schifferli, D.M. (2012). "Diversification of the *Salmonella* fimbriae: a model of macro-and microevolution." *PLoS One* 7(6): e38596; doi:10.1371/journal.pone.0038596. [AR]
141. Zhang, W., Niu, Y., Xiong, Y., Zhao, M., Yu, R., and Liu, J. (2012). "Computational prediction of conformational B-cell epitopes from antigen primary structures by ensemble learning." *PLoS One* 7(8): e43575. doi:10.1371/journal.pone.0043575. [AR]
142. Zhao, L., Hoi, S.C., Wong, L., Hamp, T., and Li, J. (2012). "Structural and functional analysis of multi-interface domains." *PLoS One* 7(12): e50821. doi:10.1371/journal.pone.0050821. [AR]
143. Zhao, L., Wong, L., Lu, L., Hoi, S.C., and Li, J. (2012). "B-cell epitope prediction through a graph model." *BMC Bioinformatics* 13(Suppl 17): S20; doi: 10.1186/1471-2105-13-S17-S20. [AR]
144. Zvi, A., Rotem, S., Cohen, O., and Shafferman, A. (2012). "Clusters versus affinity-based approaches in *F. tularensis* whole genome search of CTL epitopes." *PLoS One* 7(5): e36440. doi:10.1371/journal.pone.0036440. [AR]

3.2.3 Curation

1. Burge, S., Attwood, T.K., Bateman, A., Berardini, T.Z., Cherry, M., and O'Donovan, C. (2012). "Biocurators and biocuration: surveying the 21st century challenges." *Database: The Journal of Biological Databases and Curation* 2012: bar059; doi: 0.1093/database/bar059. [C]
2. Hirschman, L., Burns, G.A., Krallinger, M., Arighi, C., Cohen, K., Valencia, A., Wu, C.H., Chatr-Aryamontri, A., Dowell, K.G., Huala, E., Lourenco, A., Nash, R., Veuthey, A.L., Wiegers, T., and Winter, A.G. (2012). "Text mining for the biocuration workflow." *Database: The Journal of Biological Databases and Curation* 2012: bas020; doi: 10.1093/database/bas020. [C]
3. James, K., Wipat, A., and Hallinan, J. (2012). "Is newer better? Evaluating the effects of data curation on integrated analyses in *Saccharomyces cerevisiae*." *Integrative Biology* 4(7): 751-727. [C]
4. Lu, Z. and Hirschman, L. (2012). "Biocuration workflows and text mining: overview of the BioCreative 2012 Workshop Track II." *Database: The Journal of Biological Databases and Curation* 2012: bas043; doi: 10.1093/database/bas043. [C]

5. McCart, J.A., Berndt, D.J., Jarman, J., Finch, D.K., and Luther, S.L. (2012). "Finding falls in ambulatory care clinical documents using statistical text mining." *Journal of the American Medical Informatics Association*: ePub ahead of print; doi: 10.1136/amiajnl-2012-001334. [C]
6. Park, J., Costanzo, M.C., Balakrishnan, R., Cherry, J.M., and Hong, E.L. (2012). "CvManGO, a method for leveraging computational predictions to improve literature-based Gene Ontology annotations." *Database: The Journal of Biological Databases and Curation* 2012: bas001; doi: 10.1093/database/bas001. [C]
7. Wee, X.T., Koh, Y., and Yap, C.W. (2012). "Automated systems to identify relevant documents in product risk management." *BMC Medical Informatics and Decision Making* 12: 13; doi: 10.1186/1472-6947-12-13. [C]

3.2.4 Epitope Meta-Analyses

1. Aldrick, J.F. (2012). "A mechanistic analysis of DNA vaccine-induced tumor immunity against the viral oncoprotein simian virus 40 large tumor antigen." <http://hdl.handle.net/2346/45189>. Dissertation. [MA]
2. Bar, E., Gladiator, A., Bastidas, S., Roschitzki, B., Acha-Orbea, H., Oxenius, A., and LeibundGut-Landmann, S. (2012). "A novel Th cell epitope of Candida albicans mediates protection from fungal infection." *The Journal of Immunology* 188(11): 5636-5643. [MA]
3. Baz, M., Papenburg, J., Hamelin, M.E., Ouakki, M., Skowronski, D.M., De Serres, G., and Boivin, G. (2012). "Seroconversion to seasonal influenza viruses after A(H1N1) pdm09 virus infection, Quebec, Canada." *Emerging Infectious Diseases* 18(7): 1132-1134. [MA]
4. Bodewes, R., Fraaij, P.L., Osterhaus, A.D., and Rimmelzwaan, G.F. (2012). "Pediatric influenza vaccination: understanding the T-cell response." *Expert Review of Vaccines* 11(8): 963-971. [MA]
5. Bosio, C.M., MacLeod, M., Marrack, P., and Kedl, R.M. (2012). "Utility of mouse models in vaccine design and development." *Vaccinology: Principles and Practice* (eds W.J.W. Morrow, N.A. Sheikh, C.S. Schmidt and D.H. Davies), Wiley-Blackwell, Oxford, UK: 94-109; doi: 10.1002/9781118345313.ch7. [MA]
6. Budimir, N., Huckriede, A., Meijerhof, T., Boon, L., Gostick, E., Price, D.A., Wilschut, J., and de Haan, A. (2012). "Induction of heterosubtypic cross-protection against influenza by a whole inactivated virus vaccine: the role of viral membrane fusion activity." *PLoS One* 7(1): e30898. doi:10.1371/journal.pone.0030898. [MA]
7. Cannella, A.P., Tsolis, R.M., Liang, L., Felgner, P.L., Saito, M., Sette, A., Gotuzzo, E., and Vinetz, J.M. (2012). "Antigen-specific acquired immunity in human brucellosis: implications for diagnosis, prognosis, and vaccine development." *Frontiers in Cellular and Infection Microbiology* 2: 1; doi: 10.3389/fcimb.2012.00001. [MA]
8. Cao, Z., Meng, J., Li, X., Wu, R., Huang, Y., and He, Y. (2012). "The epitope and neutralization mechanism of AVFluIgG01, a broad-reactive human monoclonal antibody against H5N1 influenza virus." *PLoS One* 7(5): e38126; doi:10.1371/journal.pone.0038126. [MA]
9. Cheng, V.C., To, K.K., Tse, H., Hung, I.F., and Yuen, K.Y. (2012). "Two years after pandemic influenza A/2009/H1N1: what have we learned?" *Clinical Microbiology Reviews* 25(2): 223-263. [MA]
10. Chin, R., Earnest-Silviera, L., Gordon, C.L., Olsen, K., Barr, I., Brown, L.E., Jackson, D.C., and Torresi, J. (2012). "Impaired dendritic cell maturation in response to pandemic H1N109 influenza virus." *Journal of Clinical Virology* 56(3): 226-231. [MA]

11. Duvvuri, V.R., Heffernan, J.M., Moghadas, S.M., Duwuri, B., Guo, H., Fisman, D.N., Wu, J., and Wu, G.E. (2012). "The role of cellular immunity in Influenza H1N1 population dynamics." *BMC Infectious Diseases* 12: 329; doi: 10.1186/1471-2334-12-329. [MA]
12. Faenzi, E., Zedda, L., Bardelli, M., Spensieri, F., Borgogni, E., Volpini, G., Buricchi, F., Pasini, F.L., Capecchi, P.L., and Montanaro, F. (2012). "One dose of an MF59-adjuvanted pandemic A/H1N1 vaccine recruits pre-existing immune memory and induces the rapid rise of neutralizing antibodies." *Vaccine* 30(27): 4086-4094. [MA]
13. Fange, Y., Banner, D., Kelvin, A.A., Huang, S.S., Paige, C.J., Corfe, S.A., Kane, K.P., Bleackley, R., Rowe, T., Leon, A.J., and Kelvin, D.J. (2012). "Seasonal H1N1 influenza virus infection induces cross-protective pandemic H1N1 virus immunity through a CD8-independent, B cell-dependent mechanism." *Journal of virology* 86(4): 2229-2238. [MA]
14. Fisher, B.M., Van Bockern, J., Hart, J., Lynch, A.M., Winn, V.D., Gibbs, R.S., and Weinberg, A. (2012). "Pandemic influenza A H1N1 2009 infection versus vaccination: a cohort study comparing immune responses in pregnancy." *PLoS One* 7(3): e33048. doi:10.1371/journal.pone.0033048. [MA]
15. Ford, C., Yusim, K., Ioerger, T., Feng, S., Chase, M., Greene, M., Korber, B., and Fortune, S. (2012). "Mycobacterium tuberculosis - heterogeneity revealed through whole genome sequencing." *Tuberculosis* 92(3): 194-201. [MA]
16. Frasca, D., Diaz, A., Romero, M., Phillips, M., Mendez, N.V., Landin, A.M., and Blomberg, B.B. (2012). "Unique biomarkers for B-cell function predict the serum response to pandemic H1N1 influenza vaccine." *International Immunology* 24(3): 175-182. [MA]
17. Ghendon, Y.Z., Markushin, S., Vasiliev, Y.M., Akopova, I., I, and Krivtsov, G. (2012). "Increasing the immunogenicity of inactivated chitosan adjuvanted vaccine from A/California/7/09 (H1N1) strain and analyzing the antigenic specificity of this influenza virus strain." *Voprosy Virusologii* 57(1): 28-33. [MA]
18. Guerin-El Khourouj, V., Duchamp, M., Krivine, A., Pedron, B., Ouachee-Chardin, M., Yakouben, K., Fremond, M.L., Baruchel, A., Dalle, J.H., and Sterkers, G. (2012). "Cellular and humoral immunity elicited by influenza vaccines in pediatric hematopoietic-stem cell transplantation." *Human Immunology* 73(9): 884-890. [MA]
19. Horby, P., Le, Q.M., Fox, A., Pham, Q.T., Nguyen Thi, T.Y., Le, T.T., Nguyen Le, K.H., Tran, N.D., Dang, D.T., Farrar, J., Wolbers, M., and Nguyen, T.H. (2012). "The epidemiology of interpandemic and pandemic influenza in Vietnam, 2007-2010 the Ha Nam household cohort study I." *American Journal of Epidemiology* 175(10): 1062-1074. [MA]
20. Hou, Y., Guo, Y., Wu, C., Shen, N., Jiang, Y., and Wang, J. (2012). "Prediction and identification of T cell epitopes in the H5N1 influenza virus nucleoprotein in chicken." *PLoS One* 7(6): e39344. doi: 10.1371/journal.pone.0039344. [MA]
21. Hsu, J.P., Phoon, M.C., Koh, G.C.H., Chen, M.I.C., Lee, V.J., Wu, Y., Xie, M.L., Cheong, A., Leo, Y.S., and Chow, V.T.K. (2012). "Comparison of neutralizing antibody and cell-mediated immune responses to pandemic H1N1 2009 influenza virus before and after H1N1 2009 influenza vaccination of elderly subjects and healthcare workers." *International Journal of Infectious Diseases* 16(8): e621-7. doi: 10.1016/j.ijid.2012.04.010. [MA]
22. Hughes, B., Hayden, F., Perikov, Y., Hombach, J., and Tam, J.S. (2012). "Report of the 5th meeting on influenza vaccines that induce broad spectrum and long-lasting immune responses, World Health Organization, Geneva, 16-17 November 2011." *Vaccine* 30(47): 6612-6622. [MA]

23. Iorio, A.M., Bistoni, O., Galdiero, M., Lepri, E., Camilloni, B., Russano, A.M., Neri, M., Basileo, M., and Spinozzi, F. (2012). "Influenza viruses and cross-reactivity in healthy adults: humoral and cellular immunity induced by seasonal 2007/2008 influenza vaccination against vaccine antigens and 2009 A(H1N1) pandemic influenza virus." *Vaccine* 30(9): 1617-1623. [MA]
24. Jacobs, J.H., Archer, B.N., Baker, M.G., Cowling, B.J., Heffernan, R.T., Mercer, G., Uez, O., Hanshaoworakul, W., Viboud, C., Schwartz, J., Tchetgen, E.T., and Lipsitch, M. (2012). "Searching for sharp drops in the incidence of pandemic A/H1N1 influenza by single year of age." *PLoS One* 7(8): e42328. doi:10.1371/journal.pone.0042328. [MA]
25. Kelso, A. (2012). "CD4(+) T cells limit the damage in influenza." *Nature Medicine* 18(2): 200-202. [MA]
26. Koopmans, M., de Bruin, E., Godeke, G.J., Friesema, I., van Gageldonk, R., Schipper, M., Meijer, A., van Binnendijk, R., Rimmelzwaan, G., de Jong, M., Buisman, A., van Beek, J., van de Vijver, D., and Reimerink, J. (2012). "Profiling of humoral immune responses to influenza viruses by using protein microarray." *Clinical Microbiology and Infection* 18(8): 797-807. [MA]
27. Koster, F., Gouveia, K., Zhou, Y., Lowery, K., Russell, R., MacInnes, H., Pollock, Z., Layton, R.C., Cromwell, J., and Toleno, D. (2012). "Exhaled aerosol transmission of pandemic and seasonal H1N1 influenza viruses in the ferret." *PLoS One* 7(4): e33118; doi:10.1371/journal.pone.0033118. [MA]
28. Lau, Y.F., Wright, A.R., and Subbarao, K. (2012). "The contribution of systemic and Pulmonary immune effectors to vaccine-induced protection from H5N1 influenza virus infection." *Journal of Virology* 86(9): 5089-5098. [MA]
29. Laurie, K.L., Huston, P., Riley, S., Katz, J.M., Willison, D.J., Tam, J.S., Mounts, A.W., Hoschler, K., Miller, E., and Vandemaele, K. (2012). "Influenza serological studies to inform public health action: best practices to optimise timing, quality and reporting." *Influenza and Other Respiratory Viruses* 7(2): 211-224. [MA]
30. Liu, J., Zhang, S., Tan, S., Yi, Y., Wu, B., Cao, B., Zhu, F., Wang, C., Wang, H., Qi, J., and Gao, G.F. (2012). "Cross-allele cytotoxic T lymphocyte responses against 2009 pandemic H1N1 influenza A virus among HLA-A24 and HLA-A3 supertype-positive individuals." *Journal of Virology* 86(24): 13281-13294. [MA]
31. Lynch, G.W., Selleck, P., Church, W., and Sullivan, J.S. (2012). "Seasoned adaptive antibody immunity for highly pathogenic pandemic influenza in humans." *Immunology and Cell Biology* 90(2): 149-158. [MA]
32. Mechaly, A., Levy, H., Epstein, E., Rosenfeld, R., Marcus, H., Ben-Arie, E., Shafferman, A., Ordentlich, A., and Mazor, O. (2012). "A novel mechanism for antibody-based anthrax toxin neutralization inhibition of pre pore-to-pore conversion." *Journal of Biological Chemistry* 287(39): 32665-32673. [MA]
33. Mostaco-Guidolin, L.C., Bowman, C.S., Greer, A.L., Fisman, D.N., and Moghadas, S.M. (2012). "Transmissibility of the 2009 H1N1 pandemic in remote and isolated Canadian communities: a modelling study." *BMJ Open* 2: e001614 doi:10.1136/bmjopen-2012-001614. [MA]
34. Oshansky, C.M. and Thomas, P.G. (2012). "The human side of influenza." *Journal of Leukocyte Biology* 92(1): 83-96. [MA]
35. Pablo Castillo-Palencia, J., Laflamme, L., and Monarrez-Espino, J. (2012). "Occurrence of AH1N1 viral infection and clinical features in symptomatic patients who received medical care during the 2009 influenza pandemic in Central Mexico." *BMC Infectious Diseases* 12: 363; doi: 10.1186/1471-2334-12-363. [MA]

36. Paul, S. (2012). "Host-pathogen interactions and evolution of epitopes in HIV-1: understanding selection and escape." http://rave.ohiolink.edu/etdc/view?acc_num=kent1334509644. Dissertation. [MA]
37. Peeters, M., Regner, S., Vaman, T., Devaster, J.M., and Rombo, L. (2012). "Safety and immunogenicity of an AS03-adjuvanted A(H1N1)pmd09 vaccine administered simultaneously or sequentially with a seasonal trivalent vaccine in adults 61 years or older: Data from two multicentre randomised trials." *Vaccine* 30(45): 6483-6491. [MA]
38. Puig-Barbera, J., Diez-Domingo, J., Arnedo-Pena, A., Ruiz-Garcia, M., Perez-Vilar, S., Mico-Esparza, J., Belenguer-Varea, A., Carratala-Munuera, C., Gil-Guillen, V., and Schwarz-Chavarri, H. (2012). "Effectiveness of the 2010-2011 seasonal influenza vaccine in preventing confirmed influenza hospitalizations in adults: a case-case comparison, case-control study." *Vaccine* 30(39): 5714-5720. [MA]
39. Rhee, J.W., Kim, D., Park, B.K., Kwon, S., Cho, S., Lee, I., Park, M.S., Seo, J.N., Kim, Y.S., Choi, H.S., Lee, Y., and Kwon, H.J. (2012). "Immunization with a hemagglutinin-derived synthetic peptide formulated with a CpG-DNA-liposome complex induced protection against lethal influenza virus infection in mice." *PLoS One* 7(11): e48750. doi:10.1371/journal.pone.0048750. [MA]
40. Sabarth, N., Savidis-Dacho, H., Schwendinger, M.G., Bruehl, P., Portsmouth, D., Crowe, B.A., Kistner, O., Barrett, P., Kreil, T.R., and Howard, M. (2012). "A cell culture-derived whole-virus H5N1 vaccine induces long-lasting cross-clade protective immunity in mice which is augmented by a homologous or heterologous booster vaccination." *Vaccine* 30(37): 5533-5540. [MA]
41. Samayoa, L. (2012). "Evaluating the immunogenic potential of synthetic influenza TB & BT peptides." <http://hdl.handle.net/10393/20575>. Thesis. [MA]
42. Schmidt, T., Dirks, J., Enders, M., Gartner, B.C., Uhlmann-Schiffler, H., Sester, U., and Sester, M. (2012). "CD4+ T-cell immunity after pandemic influenza vaccination cross-reacts with seasonal antigens and functionally differs from active influenza infection." *European Journal of Immunology* 42(7): 1755-1766. [MA]
43. Schotsaert, M., Saelens, X., and Leroux-Roels, G. (2012). "Influenza vaccines: T-cell responses deserve more attention." *Expert Review of Vaccines* 11(8): 949-962. [MA]
44. Sridhar, S., Begom, S., Birmingham, A., Ziegler, T., Roberts, K.L., Barclay, W.S., Openshaw, P., and Lalvani, A. (2012). "Predominance of heterosubtypic IFN- γ -only-secreting effector memory T cells in pandemic H1N1 naive adults." *European Journal of Immunology* 42(11): 2913-2924. [MA]
45. Steidel, M., Fragnoud, R., Guillotte, M., Roesch, C., Michel, S., Meunier, T., Paranhos-Baccala, G., Gervasi, G., and Bedin, F. (2012). "Nonstructural protein NS1 immunodominant epitope detected specifically in dengue virus infected material by a SELDI-TOF/MS based assay." *Journal of Medical Virology* 84(3): 490-499. [MA]
46. Tan, A.C., Deliyannis, G., Bharadwaj, M., Brown, L.E., Zeng, W., and Jackson, D.C. (2012). "The design and proof of concept for a CD8+ T cell-based vaccine inducing cross-subtype protection against influenza A virus." *Immunology and Cell Biology* 91(1): 96-104. [MA]
47. Wei, H., Lenz, S.D., Thompson, D.H., and Pogranichniy, R.M. (2012). "DNA-vaccine platform development against H1N1 subtype of swine influenza A viruses." *Viral Immunology* 25(4): 297-305. [MA]
48. Yang, Z., Zhan, Y., Chen, R., Zhou, R., Wang, Y., Luo, Y., Jiang, M., Li, J., Qin, S., and Guan, W. (2012). "A prospective comparison of the epidemiological and clinical characteristics of

pandemic (H1N1) 2009 influenza A virus and seasonal influenza A viruses in Guangzhou, South China in 2009." Japanese Journal of Infectious Diseases 65(3): 208-214. [MA]

49. Zhou, B., Li, Y., Speer, S.D., Subba, A., Lin, X., and Wentworth, D.E. (2012). "Engineering temperature sensitive live attenuated influenza vaccines from emerging viruses." Vaccine 30(24): 3691-3702. [MA]

4 References

- Beaver JE, Bourne PE, Ponomarenko JV. EpitopeViewer: a Java application for the visualization and analysis of immune epitopes in the Immune Epitope Database and Analysis Resource (IEDB). *Immunome Res.* 2007 Feb 21;3:3. PMID: 17313688
- Bui HH, Sidney J, Peters B, Sathiamurthy M, Sinichi A, Purton KA, Mothe BR, Chisari FV, Watkins DI, Sette A. Automated generation and evaluation of specific MHC binding predictive tools: ARB matrix applications. *Immunogenetics.* 2005 Jun;57(5):304-14. Epub 2005 May 3.
- Bui HH, Sidney J, Dinh K, Southwood S, Newman MJ, Sette A. Predicting population coverage of T-cell epitope-based diagnostics and vaccines. *BMC Bioinformatics.* 2006 Mar 17;7(1):153. PMID: 16545123
- Bui HH, Sidney J, Li W, Fusseder N, Sette A. Development of an epitope conservancy analysis tool to facilitate the design of epitope-based diagnostics and vaccines. *BMC Bioinformatics.* 2007 Sep 26;8(1):361. PMID: 17897458
- Chou P, Fasman G. Prediction of the secondary structure of proteins from their amino acid sequence. *Adv Enzymol Relat Areas Mol Biol.* 1978;45–148. PMID: 364941
- Diepolder HM, Gerlach JT, Zachoval R, Hoffmann RM, Jung MC, Wierenga EA, Scholz S, Santantonio T, Houghton M, Southwood S, Sette A, Pape GR. Immunodominant CD4+ T-cell epitope within nonstructural protein 3 in acute hepatitis C virus infection. *J Virol.* 1997 Aug;71(8):6011-9. PubMed PMID: 9223492; PubMed Central PMCID: PMC191858.
- Emini E, Hughes J, Perlow D, Boger J. Induction of hepatitis A virus-neutralizing antibody by a virus specific synthetic peptide. *J Virol.* 1985;55:836–839. PMID: 2991600
- Haste Andersen P, Nielsen M, Lund O. Prediction of residues in discontinuous B-cell epitopes using protein 3D structures. *Protein Sci.* 2006 Nov;15(11):2558-67. Epub 2006 Sep 25. PMID: 17001032
- Karplus PA, Schulz GE. Prediction of chain flexibility in proteins. *Naturwissenschaften.* 1985. 72:212-213.
- Keşmir C, Nussbaum AK, Schild H, Detours V, Brunak S. Prediction of proteasome cleavage motifs by neural networks. *Protein Eng.* 2002 Apr;15(4):287-96. PMID: 11983929
- Kim Y, Sidney J, Pinilla C, Sette A, Peters B. Derivation of an amino acid similarity matrix for peptide: MHC binding and its application as a Bayesian prior. *BMC Bioinformatics.* 2009 Nov 30;10:394. PMID: 19948066
- Kim Y, Vaughan K, Greenbaum J, Peters B, Law M, Sette A. A meta-analysis of the existing knowledge of immunoreactivity against hepatitis C virus (HCV). *PLoS One.* 2012;7(5):e38028. doi: 10.1371/journal.pone.0038028. Epub 2012 May 31. PubMed PMID: 22675428; PubMed Central PMCID: PMC3364976.
- Kolaskar AS, Tongaonkar PC. A semi-empirical method for prediction of antigenic determinants on protein antigens. *FEBS Lett.* 1990 Dec 10;276(1-2):172-4. PMID: 1702393
- Larsen JE, Lund O, Nielsen M. Improved method for predicting linear B-cell epitopes. *Immunome Res.* 2006 Apr 24;2:2. PMID: 16635264
- Larsen MV, Lundsgaard C, Lamberth K, Buus S, Brunak S, Lund O, Nielsen M. An integrative approach to CTL epitope prediction: a combined algorithm integrating MHC class I binding, TAP transport

- efficiency, and proteasomal cleavage predictions. *Eur J Immunol.* 2005 Aug;35(8):2295-303. PMID: 15997466
- Moutaftsi M, Peters B, Pasquetto V, Tscharke DC, Sidney J, Bui HH, Grey H, Sette A. A consensus epitope prediction approach identifies the breadth of murine T(CD8+)-cell responses to vaccinia virus. *Nat Biotechnol.* 2006 Jul;24(7):817-9. PMID: 16767078
- Nielsen M, Justesen S, Lund O, Lundegaard C, Buus S. NetMHCIIpan-2.0 - Improved pan-specific HLA-DR predictions using a novel concurrent alignment and weight optimization training procedure. *Immunome Res.* 2010 Nov 13;6:9. PMID: 21073747
- Nielsen M, Lundegaard C, Blicher T, Lamberth K, Harndahl M, Justesen S, Roder G, Peters B, Sette A, Lund O, Buus S. 2007. NetMHCpan, a method for quantitative predictions of peptide binding to any HLA-A and -B locus protein of known sequence. *PLoS ONE* 2:e796. PMID: 17726526
- Nielsen M, Lundegaard C, Lund O. Prediction of MHC class II binding affinity using SMM-align, a novel stabilization matrix alignment method. *BMC Bioinformatics.* 2007 Jul 4;8:238. PMID: 17608956
- Nielsen M, Lundegaard C, Worning P, Lauemoller SL, Lamberth K, Buus S, Brunak S, Lund O., Reliable prediction of T-cell epitopes using neural networks with novel sequence representations, *Protein Sci.* 2003 May;12(5):1007-17
- Parker J, Guo D, Hodges R. New hydrophilicity scale derived from High-Performance Liquid Chromatography peptide retention data: correlation of predicted surface residues with antigenicity and X-ray-derived accessible sites. *Biochemistry.* 1986;25:5425–5432. PMID: 2430611
- Peters B, Sidney J, Bourne P, Bui HH, Buus S, Doh G, Flerl W, Kronenberg M, Kubo R, Lund O, Nemazee D, Ponomarenko JV, Sathiamurthy M, Schoenberger S, Stewart S, Surko P, Way S, Wilson S, Sette A. The immune epitope database and analysis resource: from vision to blueprint. *PLoS Biol.* 2005 Mar;3(3):e91. PMID: 15760272.
- Peters B, Bui HH, Frankild S, Nielson M, Lundegaard C, Kostem E, Basch D, Lamberth K, Harndahl M, Flerl W, Wilson SS, Sidney J, Lund O, Buus S, Sette A., A community resource benchmarking predictions of peptide binding to MHC-I molecules, *PLoS Comput. Biol.* 2006 Jun 9;2(6):e65. Epub 2006 Jun 9. PMID: 16789818
- Peters B, Sette A., "Generating quantitative models describing the sequence specificity of biological processes with the stabilized matrix method." *BMC Bioinformatics* 2005 May 31;6(1):132
- Peters B, Bulik S, Tampe R, Van Endert PM, Holzhutter HG. Identifying MHC class I epitopes by predicting the TAP transport efficiency of epitope precursors. *J Immunol.* 2003 Aug 15;171(4):1741-9.
- Ponomarenko J, H. H. Bui, W. Li, N. Fusseder, P. E. Bourne, A. Sette, B. Peters. (2008). “ElliPro: a new structure-based tool for the prediction of antibody epitopes.” *BMC Bioinformatics*, 9(514). PMID: 19055730
- Sidney J, Assarsson E, Moore C, Ngo S, Pinilla C, Sette A, Peters B. Quantitative peptide binding motifs for 19 human and mouse MHC class I molecules derived using positional scanning combinatorial peptide libraries. *Immunome Res.* 2008 Jan 25;4:2. PMID: 18221540
- Stranzl T, Larsen MV, Lundegaard C, Nielsen M. NetCTLpan: pan-specific MHC class I pathway epitope predictions. *Immunogenetics.* 2010 Jun;62(6):357-68. Epub 2010 Apr 9. PubMed PMID: 20379710; PubMed Central PMCID: PMC2875469
- Sturniolo T, Bono E, Ding J, Raddrizzani L, Tuereci O, Sahin U, Braxenthaler M, Gallazzi F, Protti MP, Sinigaglia F, Hammer J. Generation of tissue-specific and promiscuous HLA ligand databases

- using DNA microarrays and virtual HLA class II matrices. *Nat Biotechnol.* 1999 Jun;17(6):555-61. PMID: 10385319
- Tenzer S, Peters B, Bulik S, Schoor O, Lemmel C, Schatz MM, Kloetzel PM, Rammensee HG, Schild H, Holzhutter HG. Modeling the MHC class I pathway by combining predictions of proteasomal cleavage, TAP transport and MHC class I binding. *Cell Mol Life Sci.* 2005 May;62(9):1025-37.
- Vita R, Zarebski L, Greenbaum JA, Emami H, Hoof I, Salimi N, Damle R, Sette A, Peters B. The immune epitope database 2.0. *Nucleic Acids Res.* 2010 Jan;38(Database issue):D854-62. doi: 10.1093/nar/gkp1004. Epub 2009 Nov 11. PubMed PMID: 19906713; PubMed Central PMCID: PMC2808938.
- Wang, P., J. Sidney, C. Dow, B. Mothe, A. Sette, B. Peters. (2008). "A Systematic Assessment of MHC Class II Peptide Binding Predictions and Evaluation of a Consensus Approach." *PLoS Computational Biology* **4**(4). PMID: 18389056