

Contract No. HHSN272201200010C

Immune Epitope Database and Analysis Program

2011 Annual IEDB Compendium

La Jolla Institute for Allergy and Immunology
9420 Athena Circle
La Jolla, CA 92037

858-752-6923
858-752-6987 (fax)
wfleri@liai.org

27 March 2012

Table of Contents

Table of Contents.....	i
Table of Figures	iii
Introduction	1
1 Antibody and T Cell Epitopes	2
2 Website Features	61
2.1 Home Page	62
2.2 Browse	63
2.2.1 Browse Records by MHC Allele	63
2.2.2 Browse Records by Source Organism	63
2.2.3 Browse by 3D Structure	66
2.3 Query	66
2.3.1 Perform a Keyword Search.....	67
2.3.2 Perform a Home Page Search	67
2.3.3 Advanced query.....	69
2.3.4 Search Results Summary	72
2.3.4.1 Peptide MHC Binding Motif Displays.....	79
2.3.4.2 Accessing the EpitopeViewer.....	81
2.3.4.3 Result Tabs	82
2.3.5 Finders Overview	83
2.3.5.1 Allele Finder.....	83
2.3.5.2 Assay Finder.....	84
2.3.5.3 Disease Finder.....	85
2.3.5.4 Molecule Finder	86
2.3.5.5 Organism Finder.....	89
2.4 Tools	91
2.4.1 T Cell Epitope Prediction	92
2.4.1.1 T Cell Epitopes - MHC binding prediction.....	92
2.4.1.1.1 Peptide Binding to MHC Class I Molecules	92
2.4.1.1.1.1 MHC Class I Binding Prediction Resource	93
2.4.1.1.2 Peptide Binding to MHC Class II Molecules	94
2.4.1.2 T Cell Epitopes – MHC I Processing Prediction	96
2.4.1.2.1 Proteasomal cleavage/TAP transport/MHC class I combined predictor...96	
2.4.1.2.2 Neural network based prediction of proteasomal cleavage sites (NetChop) and T cell epitopes (NetCTL)	96
2.4.2 B Cell Epitope Prediction	96
2.4.2.1 Prediction of linear epitopes from protein sequence.....	96
2.4.2.2 DiscoTope - Prediction of epitopes from protein structure.....	97
2.4.2.3 ElliPro - Epitope prediction based upon structural protrusion	97
2.4.3 Epitope Analysis Tools.....	97
2.4.3.1 Population coverage	97
2.4.3.2 Epitope conservancy.....	98
2.4.3.3 Epitope Cluster Analysis	98
2.4.3.4 Homology Mapping Tool and EpitopeViewer	99
2.5 Support Overview	100
2.5.1 Solutions Center	100
2.5.2 Provide Feedback.....	100
2.5.3 Help Request.....	100

2.5.4	Data Field Descriptions	100
2.5.5	Video Tutorials	100
2.5.6	Help with Common Queries	101
2.6	More IEDB	101
2.6.1	Acknowledgements	101
2.6.2	Citing the IEDB	101
2.6.3	Database Export	102
2.6.4	Documents	103
2.6.5	IEDB Ontology	103
2.6.6	Links to External Sources	103
2.6.7	Patent List	104
2.6.8	Publications	104
2.6.9	Terms of Use	104
3	Scientific Publications	105
3.1	Publications of the IEDB team by Year	105
3.1.1	2011	105
3.1.2	2010	105
3.1.3	2009	106
3.1.4	2008	106
3.1.5	2007	107
3.1.6	2006	108
3.1.7	2005	108
3.1.8	2004	109
3.2	Publications Citing the IEDB in 2011	109
3.2.1	General IEDB	109
3.2.2	Analysis Resource	117
3.2.3	Curation	125
3.2.4	Epitope Meta-Analyses	126
4	References	133

Table of Figures

Figure 2-1 IEDB 2.5 Home page	62
Figure 2-2 Browse by MHC Allele interface.....	63
Figure 2-3 Browse by Source Organism interface.....	64
Figure 2-4 Using the search feature on the Browse by Source Organism page	65
Figure 2-5 Source Organism Information page	65
Figure 2-6 Browse by 3D Structure interface.....	66
Figure 2-7 Home page Simple Search	67
Figure 2-8 Query results for a substring search performed on the input sequence AELLVALENQHTIDL.....	68
Figure 2-9 Epitope Search input screen	70
Figure 2-10 B Cell Search input screen	71
Figure 2-12 Identifier Search input screen.....	72
Figure 2-13 Sample of Search Result Summary.....	73
Figure 2-13 Screen generated by drilling down on the positive epitope hyperlink in the Search Result Summary.....	74
Figure 2-14 Epitope results sorted by sequence in the Structure column, showing the first sequence starting with a “D” as specified in the “Go To Records That Start With” field in the upper right.....	75
Figure 2-15 Query results for clustering at 80% sequence identity.....	76
Figure 2-16 Screen generated by drilling down on the positive T cell assay hyperlink in the Search Result Summary.....	77
Figure 2-18 Screen generated by drilling down on the Epitope Source Organism link in the Search Result Summary	77
Figure 2-19 Screen generated by drilling down on the Host Organism link in the Search Result Summary	78
Figure 2-20 Screen generated by drilling down on the Restricting MHC Allele link in the Search Result Summary.....	78
Figure 2-21 Screen generated by drilling down on the reference hyperlink in the Search Result Summary	79
Figure 2-21 Sample MHC Allele Information page with Peptide MHC Binding Motif diagram for H-2_Db. Note the link to the corresponding Amino Acid Binding Chart on the bottom right of the diagram	80
Figure 2-23 Amino acid binding matrix for MHC allele H-2_Db	81
Figure 2-23 B Cell Response screen with Epitope Viewer links in the leftmost column.....	82
Figure 2-24 Many results pages have information organized into tabs	83
Figure 2-25 Find form on the Allele Finder.....	84
Figure 2-26 Assay Finder on the T Cell Advanced Search page. Assays are displayed in a tree structure and users can find displays by their method/technique and by the characters with which the assay name starts.....	84
Figure 2-27 Search form on the Assay Type Finder.....	85
Figure 2-28 The disease finder within the Immune Mediated Disease Association section of the Home Page search with diabetes highlighted	86
Figure 2-30 Example of the non-peptidic branch of the Molecule Finder tree showing the branches before and after penicillin. Notice the pop-up balloon adding information for each entry	87

Figure 2-31 Example of the protein tree as found in the Source Antigen Molecule Finder on the IEDB home page.....	88
Figure 2-31 Molecule Finder Search form and resulting source list	89
Figure 2-32 Common selections in Organism finder.....	90
Figure 2-33 NCBI Taxonomy Tree.....	91
Figure 2-34 IEDB Database Export web page.....	103

Introduction

The Immune Epitope Database and Analysis Resource (IEDB) is a public repository of immune epitope data and is sponsored by the National Institute for Allergy and Infectious Diseases (NIAID). The IEDB development started in December 2003 and it became available to the public in a beta test phase on 15 February 2006. The IEDB contains data related to antibody and T cell epitopes for humans, non-human primates, rodents, and other animal species. The IEDB also makes available a variety of analytical and epitope prediction tools and resources within its Analysis Resource.

This seventh Annual Compendium of the Immune Epitope Database and Analysis Resource consists of three sections. The first section contains a list of the antibody and T cell epitope information in the database as of 5 January 2012. The second section describes the features of the IEDB 2.8 website. The third section lists the scientific publications in 2011 for which the IEDB played a contributory role.

Since the publication of last year's 2010 Annual Compendium, the quantity of data available in the IEDB has increased significantly with the addition of almost 2000 fully curated references. By the end of the year, curation of peptidic and non-peptidic epitope data relating to all infectious diseases, including NIAID Category A, B, and C priority pathogens and NIAID Emerging and Re-emerging infectious diseases, allergens, autoimmune diseases, and transplant/alloantigens was current.

1 Antibody and T Cell Epitopes

Many new references and many new species were added to the IEDB in 2011, as demonstrated in Table 1.1. The table lists the number of distinct B cell and T cell epitopes in the database by source species at the end of 2010 and 2011. Of the 2706 species/strains listed, 258 were added in 2011. It should be noted that the source organism is the species/strain from which the epitopes originate, and may not be from an infecting organism or vaccine target. The curation of MHC binding peptides, cross-reactive epitopes, and autoimmune epitopes has resulted in the appearance of human (*Homo sapiens*) and mouse (*Mus musculus*) epitopes on the list.

In the table below, the leftmost column labeled "New 2011" indicates with an "X" if epitopes for the species/strain was added to the IEDB in 2011. A font color of red is used to highlight the information in the row. The Organism ID matches the NCBI taxonomy ID if it exists. Otherwise it represents an IEDB-assigned identifier, which are eight digit numbers starting with "1000". These are easily distinguishable from the NCBI identifiers which are six digits or less. The columns labeled "B-10", "T-10", "B-11", and "T-11" indicate the cumulative number of distinct B cell and T cell epitopes in the database at the end of 2010 and 2011, respectively. The two rightmost columns display the differences in the B and T cell epitope counts from 2010 to 2011. The changes in B and T cell epitope counts are shown in red. In 2011, the number of B cell epitopes increased by 3,334, from 25,378 to 28,712, and the number of T cell epitopes increased by 5,795, from 52,591 to 58,386.

Table 1.1 Summary of B and T cell epitopes contained in the IEDB

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	5755	Acanthamoeba castellanii	14	2	14	2		
X	2147	Acholeplasma			1		1	
X	264635	Acholeplasma granularum			1		1	
	2148	Acholeplasma laidlawii		2		2		
	351607	Acidothermus cellulolyticus 11B		1		1		
	470	Acinetobacter baumannii		1		1		
	471	Acinetobacter calcoaceticus		1		1		
	29430	Acinetobacter haemolyticus	1		1			
	10001530	Acinetobacter haemolyticus strain 57		1		1		
	10001531	Acinetobacter haemolyticus strain 61		1		1		
	10001503	Acinetobacter lwoffii F78		1		1		
	62977	Acinetobacter sp. ADP1			1		1	
X	7902	Acipenser gueldenstaedtii				1		1
	228399	Actinobacillus pleuropneumoniae serovar 1 str. 4074	2	1	2	1		
	416269	Actinobacillus pleuropneumoniae serovar 5b str. L20		1		1		
	209841	Actinobacillus pleuropneumoniae serovar 7	1		1			
	272636	Adeno-associated virus		11		18		7
	10804	Adeno-associated virus - 2	20	66	20	66		
	202813	Adeno-associated virus - 8		7		7		
	10508	Adenoviridae	3	2	3	2		
X	7160	Aedes albopictus			7		7	
	4494	Aegilops markgrafii		1		1		
X	37682	Aegilops tauschii				1		1
X	6100	Aequorea victoria			1		1	
	105751	Aeromonas bestiarum		1		1		
	645	Aeromonas salmonicida	59		59			
	29491	Aeromonas salmonicida subsp. salmonicida		1		1		
X	56636	Aeropyrum pernix			3		3	
	272557	Aeropyrum pernix K1		2		2		
	117204	African horse sickness virus 3	21		21			
	36421	African horse sickness virus 4	28		28			
	10497	African swine fever virus	1		1			
X	10498	African swine fever virus BA71V			46		46	
	85777	Agelas mauritiana		1		1		
	714	Aggregatibacter actinomycetemcomitans	1	4	1	4		
X	10001628	Aggregatibacter actinomycetemcomitans serotype b str. Y4			1		1	
	358	Agrobacterium tumefaciens		1		1		
	10000828	Ajellomyces dermatitidis ATCC 60636		2		2		
	65690	AK7 murine leukemia virus		1		1		
	11791	AKR (endogenous) murine leukemia virus		7		7		
	11790	AKT8 murine leukemia virus		1		1		
	10001458	Alcaligenes eutrophus		1		1		
	511	Alcaligenes faecalis		1		1		
	512	Alcaligenes sp.		1		1		
	10783	Aleutian mink disease parvovirus (STRAIN G)	3		3			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	28314	Aleutian mink disease virus	1		1			
	172148	Alkhurma hemorrhagic fever virus		4		4		
X	3517	<i>Alnus glutinosa</i>				11		11
X	9502	<i>Alouatta caraya</i>			1		1	
	5599	<i>Alternaria alternata</i>	5		5			
	314275	<i>Alteromonas macleodii</i> str. 'Deep ecotype'		1		1		
	261202	Alto Paraguay hantavirus		3		3		
	45218	Amapari virus		3		3		
	4212	<i>Ambrosia artemisiifolia</i>	4	2	4	2		
	4215	<i>Ambrosia artemisiifolia</i> var. <i>elatior</i>	9	12	9	12		
	4214	<i>Ambrosia trifida</i>		6		6		
	86782	Amur virus		34		35		1
	170955	Amur virus Solovey/AP63/1999		2		2		
	4011	Anacardiaceae		4		4		
	171929	<i>Anacardium occidentale</i>	50		52		2	
	4615	<i>Ananas comosus</i>	3		3			
	769	<i>Anaplasma centrale</i>		1		1		
	770	<i>Anaplasma marginale</i>	15	14	15	14		
	10000760	<i>Anaplasma marginale</i> South Idaho		2		2		
	320483	<i>Anaplasma marginale</i> str. Florida	19	61	19	61		
	234826	<i>Anaplasma marginale</i> str. St. Maries	16	1	16	1		
	212042	<i>Anaplasma phagocytophilum</i> HZ	21		21			
	10001573	Anatid herpesvirus 1 Clone-03	1		1			
	46607	Andes virus	2	77	2	77		
	10000553	Andes virus CHI-7913	53		53			
	6858	<i>Androctonus australis</i>	9		9			
	70175	<i>Androctonus australis</i> hector		23		23		
	6860	<i>Androctonus mauritanicus</i> mauritanicus	1		1			
	334426	<i>Angiostrongylus costaricensis</i>	1	1	1	1		
	6269	<i>Anisakis simplex</i>		8		8		
X	155017	<i>Anogeissus</i>			1		1	
	7165	<i>Anopheles gambiae</i>		1		1		
X	8845	<i>Anser cygnoides</i>			2		2	
X	9505	<i>Aotus trivirgatus</i>			1		1	
	7460	<i>Apis mellifera</i>	14	99	14	99		
	7469	<i>Apis mellifera ligustica</i>		1		1		
	4045	<i>Apium graveolens</i>		14		14		
	224324	<i>Aquifex aeolicus</i> VF5		3		3		
	3702	<i>Arabidopsis thaliana</i>		4		4		
	201444	Aracatuba virus		5		5		
	3818	<i>Arachis hypogaea</i>	377	26	382	54	5	28
	308159	Araucaria virus		3		3		
	10000980	<i>Arcanobacterium pyogenes</i> Strain 42	4		4			
	224325	<i>Archaeoglobus fulgidus</i> DSM 4304		1		1		
	41118	Arenavirus sp.		2		2		
	3704	<i>Armoracia rusticana</i>	3		5		2	
	6661	<i>Artemia franciscana</i>	2		2			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	4220	<i>Artemisia vulgaris</i>	1	19	1	19		
	29320	<i>Arthrobacter nicotinovorans</i>	1		1			
	290399	<i>Arthrobacter</i> sp. FB24		1		1		
	6253	<i>Ascaris suum</i>		1	1	1	1	
	746128	<i>Aspergillus fumigatus</i>	115	30	125	32	10	2
	5061	<i>Aspergillus niger</i>		1		1		
	5067	<i>Aspergillus parasiticus</i>		1		1		
	5064	<i>Aspergillus restrictus</i>	1		1			
X	9509	<i>Ateles geoffroyi</i>					1	1
X	9510	<i>Ateles paniscus</i>					1	1
X	9511	<i>Ateles</i> sp.					1	1
	287752	<i>Aurantimonas manganoxydans</i> SI85-9A1		1		1		
	4497	<i>Avena nuda</i>		1		1		
	4498	<i>Avena sativa</i>		4		4		
	11861	<i>Avian erythroblastosis virus</i>	1		1			
	172851	<i>Avian hepatitis E virus</i>	10		15		5	
	11127	<i>Avian infectious bronchitis virus</i> (strain M41)	4	3	4	3		
	231428	<i>Avian infectious bronchitis virus</i> (strain Vic S)	11	8	11	8		
	38171	<i>Avian reovirus</i> strain S1133	2		2			
	195700	<i>Avian rotavirus</i> PO-13	6		6			
	354	<i>Azotobacter vinelandii</i>		2		2		
	322710	<i>Azotobacter vinelandii</i> DJ		1		1		
	5866	<i>Babesia bigemina</i>		3		3		
	5865	<i>Babesia bovis</i>	3	8	3	8		
	10001459	<i>Babesia bovis</i> Argentina R1A	4		4			
	10000382	<i>Babesia bovis</i> Mexico	1	4	1	4		
	10000383	<i>Babesia bovis</i> Mexico Mo7	1	33	1	33		
	5872	<i>Babesia equi</i>	8		8			
	5868	<i>Babesia microti</i>	2		2			
	120505	<i>Baboon cytomegalovirus</i>		1		1		
	196403	<i>Baboon endogenous virus</i>	1	1	1	1		
	11764	<i>Baboon endogenous virus</i> strain M7	1		1			
	1390	<i>Bacillus amyloliquefaciens</i>		2	18	2	18	
	1392	<i>Bacillus anthracis</i>	215	197	237	197	22	
	486619	<i>Bacillus anthracis</i> str. A0193		1		1		
	592021	<i>Bacillus anthracis</i> str. A0248		1		1		
	486623	<i>Bacillus anthracis</i> str. A0389		4		4		
	486621	<i>Bacillus anthracis</i> str. A0442		1		1		
	486620	<i>Bacillus anthracis</i> str. A0465		5		5		
	486624	<i>Bacillus anthracis</i> str. A0488		81		81		
	191218	<i>Bacillus anthracis</i> str. A2012		28		28		
	198094	<i>Bacillus anthracis</i> str. Ames		1		1		
	261594	<i>Bacillus anthracis</i> str. 'Ames Ancestor'		1		1		
	568206	<i>Bacillus anthracis</i> str. CDC 684		2		2		
	260799	<i>Bacillus anthracis</i> str. Sterne	5	3	5	3		
	10000291	<i>Bacillus anthracis</i> str. Sterne 34F2	1		1			
	405536	<i>Bacillus anthracis</i> Tsiankovskii-I		1		1		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	1396	Bacillus cereus	1	4	1	4		
	572264	Bacillus cereus 03BB102		1		1		
	451709	Bacillus cereus 03BB108		8		8		
	405533	Bacillus cereus AH1134		3		3		
	222523	Bacillus cereus ATCC 10987		1		1		
	226900	Bacillus cereus ATCC 14579		2		2		
	526977	Bacillus cereus ATCC 4342		1		1		
	405532	Bacillus cereus B4264		1		1		
	269801	Bacillus cereus G9241		34		34		
	405531	Bacillus cereus G9842		1		1		
	451708	Bacillus cereus H3081.97		12		12		
	451707	Bacillus cereus NVH0597-99		7		7		
	405917	Bacillus cereus W		1		1		
	441769	Bacillus coahuilensis m4-4		1		1		
	315749	Bacillus cytotoxicus NVH 391-98		2		2		
	1467	Bacillus lentus		1		1		
	1402	Bacillus licheniformis		10		10		
	1404	Bacillus megaterium		1		1		
	1423	Bacillus subtilis	2	4	2	4		
	224308	Bacillus subtilis subsp. subtilis str. 168		1		1		
	535026	Bacillus subtilis subsp. subtilis str. NCIB 3610		1		1		
	1428	Bacillus thuringiensis	5		5			
X	527019	Bacillus thuringiensis IBL 200					1	1
	339854	Bacillus thuringiensis serovar israelensis ATCC 35646		6		6		
	29339	Bacillus thuringiensis serovar kurstaki	3		3			
X	527029	Bacillus thuringiensis serovar pondicheriensis BGSC 4BA1					1	1
	1435	Bacillus thuringiensis serovar san diego		2		2		
	527026	Bacillus thuringiensis serovar sotto str. T04001		1		1		
	527024	Bacillus thuringiensis serovar tochiensis BGSC 4Y1		1		1		
	412694	Bacillus thuringiensis str. Al Hakam		9		9		
	315730	Bacillus weihenstephanensis KBAB4		4		4		
	2	Bacteria	6		13		7	
	12040	Barley yellow dwarf virus-PAV	1		1			
	283166	Bartonella henselae str. Houston-1			1		1	
	37962	Bayou virus		1		1		
	12260	Bean pod mottle virus		2		2		
	31715	Bean-pod mottle virus (strain Kentucky G7)	9	1	9	1		
	31721	Beet necrotic yellow vein virus	10		10			
	12161	Beet yellows virus	5		5			
	3645	Bertholletia excelsa	7	24	7	24		
	161934	Beta vulgaris	3		5		2	
	3505	Betula pendula	36	203	43	210	7	7
	10629	BK polyomavirus		52		52		
X	10001761	BK polyomavirus strain Dunlop					1	1
	65743	Blackcurrant reversion virus	2		2			
	6973	Blattella germanica	5	15	9	15	4	
	40697	Blomia tropicalis	18		18			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	40051	Bluetongue virus	7		7			
	10904	Bluetongue virus (serotype 1 / isolate Australia)	7		7			
	10900	Bluetongue virus (serotype 10 / American isolate)	3		3			
	33717	Bluetongue virus (serotype 13 / isolate USA)	2		2			
	33718	Bluetongue virus (serotype 17 / isolate USA)	4		4			
	35327	Bluetongue virus 1	3		3			
	10906	Bluetongue virus 10	3		3			
	35329	Bluetongue virus 11	6		6			
	35330	Bluetongue virus 13	1		1			
	10903	Bluetongue virus 17	4		4			
	94967	Bluetongue virus 4	2		2			
X	197780	Bluetongue virus 8				10		10
	388634	Bombyx mandarina nuclear polyhedrosis virus		1		1		
	271108	Bombyx mori NPV	2		2			
	360910	Bordetella avium 197N		1		1		
	518	Bordetella bronchiseptica		1		1		
	520	Bordetella pertussis	224	45	224	45		
	257313	Bordetella pertussis Tohama I	1	11	1	11		
	12455	Borna disease virus	8	4	8	4		
	10000518	Borna disease virus Giessen strain He/80	6		6			
	29518	Borrelia afzelii		1	1	1	1	
	390236	Borrelia afzelii PKo	2		2			
	139	Borrelia burgdorferi	39	38	41	40	2	2
	498740	Borrelia burgdorferi 64b		2		2		
	224326	Borrelia burgdorferi B31	66	10	98	10	32	
	10001091	Borrelia burgdorferi BEP4	1		1			
	10000675	Borrelia burgdorferi CA12		6		6		
	64895	Borrelia burgdorferi group	3		3			
	521007	Borrelia burgdorferi N40	4	3	4	3		
	445985	Borrelia burgdorferi ZS7	2	45	2	45		
	412419	Borrelia duttonii Ly	7		7			
	29519	Borrelia garinii	2	29	4	29	2	
	10000530	Borrelia garinii IP90	3		3			
	9913	Bos taurus	1027	363	1109	381	82	18
	8722	Bothrops asper	1		1			
	11128	Bovine coronavirus	7		7			
	12064	Bovine enterovirus	13		13			
	12065	Bovine enterovirus strain VG-5-27	6		6			
	10000472	Bovine ephemeral fever virus BB7721	2		2			
	10320	Bovine herpesvirus 1	4	36	4	36		
	10000404	Bovine herpesvirus 1 Lam	1		1			
	263683	Bovine herpesvirus 5 strain TX89	2		2			
	79889	Bovine herpesvirus type 1.1	1		1			
	10323	Bovine herpesvirus type 1.1 (strain Cooper)	8	18	8	18		
	10324	Bovine herpesvirus type 1.1 (strain P8-2)	1		1			
	11901	Bovine leukemia virus	32	29	32	29		
X	337052	Bovine papillomavirus 1				8		8

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10559	Bovine papillomavirus type 1	1		16		15	
X	10560	Bovine papillomavirus type 2			15		15	
	10562	Bovine papillomavirus type 4	10	3	10	3		
	11215	Bovine parainfluenza virus 3			1		1	
	11246	Bovine respiratory syncytial virus	2	1	2	1		
	31611	Bovine respiratory syncytial virus (strain 391-2)	3		3			
	11249	Bovine respiratory syncytial virus (strain RB94)	3		3			
	82823	Bovine respiratory syncytial virus strain lelystad	1		1			
	82824	Bovine respiratory syncytial virus strain snook			75		75	
	10927	Bovine rotavirus	7	1	7	1		
	36439	Bovine rotavirus strain NCDV/G6	1		1			
	10933	Bovine rotavirus strain RF	12	7	12	7		
	10934	Bovine rotavirus strain UK/G6			1		1	
	11099	Bovine viral diarrhea virus 1	1	11	1	11		
	11100	Bovine viral diarrhea virus 1-NADL	3	3	3	3		
	54315	Bovine viral diarrhea virus 2	1		1			
	82470	Bovine viral diarrhea virus strain Oregon C24V	5		5			
	158474	Bovine viral diarrhea virus strain Trangie Y546	1		1			
	288000	Bradyrhizobium sp. BTAi1			1		1	
	3707	Brassica juncea	9		9			
	235	Brucella abortus	4	29	4	29		
	520450	Brucella abortus bv. 2 str. 86/8/59			1		1	
	575591	Brucella abortus NCTC 8038			1		1	
	430066	Brucella abortus S19			13		13	
	641140	Brucella abortus str. 2308 A			1		1	
	10001424	Brucella abortus W99	1		1			
	483179	Brucella canis ATCC 23365			6		6	
	29459	Brucella melitensis	2	63	2	63		
	359391	Brucella melitensis biovar Abortus 2308			31		31	
	224914	Brucella melitensis bv. 1 str. 16M	6	6	6	6		
	520464	Brucella melitensis bv. 1 str. Rev.1	1		1			
	236	Brucella ovis			1		1	
	10001886	Brucella ovis 020	2		2			
	10001888	Brucella ovis 63/290	1		1			
	444178	Brucella ovis ATCC 25840			5		7	2
	10001887	Brucella ovis Reo 198	1		1			
	29461	Brucella suis			7		7	
	204722	Brucella suis 1330			28		28	
	470137	Brucella suis ATCC 23445			3		3	
	6279	Brugia malayi	2	3	3	5	1	2
X	6280	Brugia pahangi				1		1
	89462	Bubalus bubalis			1		1	
	32605	Buffalopox virus			2		2	
	8616	Bungarus multicinctus	17	3	17	3		
X	32008	Burkholderia				1		1
	339670	Burkholderia ambifaria AMMD			4		4	
	331271	Burkholderia cenocepacia AU 1054			4		4	

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	350702	Burkholderia cenocepacia PC184		1		1		
	292	Burkholderia cepacia	3	1	3	1		
	134537	Burkholderia fungorum	1		1			
	13373	Burkholderia mallei		45		45		
	243160	Burkholderia mallei ATCC 23344		38		38		
	334802	Burkholderia mallei FMH		1		1		
	320390	Burkholderia mallei GB8 horse 4		1		1		
	334803	Burkholderia mallei JHU		2		2		
	412022	Burkholderia mallei NCTC 10229		9		10	1	
	320388	Burkholderia mallei SAVP1		24		25	1	
	28450	Burkholderia pseudomallei		1		1		
	357348	Burkholderia pseudomallei 1106a		1		1		
	441160	Burkholderia pseudomallei 14		1		1		
	320372	Burkholderia pseudomallei 1710b		3		3		
	425067	Burkholderia pseudomallei 305		1		2	1	
	360118	Burkholderia pseudomallei 406e		1		1		
	320373	Burkholderia pseudomallei 668		5		7	2	
	441158	Burkholderia pseudomallei 9		1		1		
	441159	Burkholderia pseudomallei 91		1		1		
	272560	Burkholderia pseudomallei K96243		5		22	17	
	320374	Burkholderia pseudomallei S13		1		1		
	269483	Burkholderia sp. 383		2		2		
	271848	Burkholderia thailandensis E264		2		2		
	269482	Burkholderia vietnamiensis G4		9		9		
	6239	Caenorhabditis elegans		11		11		
	35305	California encephalitis virus		1		1		
X	9522	Callicebus				1	1	
X	9483	Callithrix jacchus				3	3	
	28873	Camelpox virus		2		2		
	203172	Camelpox virus CMS		28		28		
	203174	Camelpox virus CP1		1		1		
	203173	Camelpox virus M-96		133		133		
	306254	Campylobacter coli RM2228		3		3		
	32019	Campylobacter fetus subsp. fetus	3		3			
	197	Campylobacter jejuni	1	20	15	20	14	
	195099	Campylobacter jejuni RM1221		13		13		
X	32022	Campylobacter jejuni subsp. jejuni				2	2	
X	10000679	Campylobacter jejuni subsp. jejuni 16971.94GSH (O:41)				2	2	
	407148	Campylobacter jejuni subsp. jejuni 81116		14		14		
	354242	Campylobacter jejuni subsp. jejuni 81-176		3		3		
	482628	Campylobacter jejuni subsp. jejuni BH-01-0142		1		1		
	360112	Campylobacter jejuni subsp. jejuni HB93-13		2		2		
	192222	Campylobacter jejuni subsp. jejuni NCTC 11168	10	12	10	12		
	306263	Campylobacter lari RM2100		1		1		
X	28080	Campylobacter upsaliensis				3	3	
	44088	Canarypox virus		6		6		
	5476	Candida albicans	90	66	91	66	1	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000335	Candida albicans A-9 (serotype B)	1		1			
	10000337	Candida albicans KIT 1113	1		1			
X	10001652	Candida albicans NIH B-792 (serotype B)			1		1	
	237561	Candida albicans SC5314		1		1		
	10000339	Candida albicans serotype A	1		1			
X	300021	Candida albicans var. stellatoidea			2		2	
X	10001740	Candida glabrata IFO 0622			1		1	
	5480	Candida parapsilosis	1		1			
X	10001747	Candida parapsilosis M1015			1		1	
X	45582	Candida saitoana			1		1	
	234267	Candidatus Solibacter usitatus Ellin6076		2		2		
	292348	Canine calicivirus (strain 48)	2		2			
	11232	Canine distemper virus		2	4	8	4	6
	11233	Canine distemper virus strain Onderstepoort	6	19	6	19		
	35258	Canine oral papillomavirus		25		25		
	10788	Canine parvovirus	21	20	22	20	1	
	246878	Canine parvovirus 2	3		3			
	10790	Canine parvovirus strain CPV-D CORNELL 320	1		1			
X	10791	Canine parvovirus strain N			47		47	
	9615	Canis lupus familiaris	3	61	5	61	2	
X	9925	Capra hircus			1		1	
	11660	Caprine arthritis encephalitis virus	12	1	14	1	2	
	11662	Caprine arthritis encephalitis virus G63	6		6			
	11661	Caprine arthritis encephalitis virus strain Cork	9		9			
	7957	Carassius auratus	3		3			
	64289	Carey Island virus		2		2		
X	32201	Carya illinoinensis			19		19	
	10141	Cavia porcellus	29	72	31	72	2	
X	9515	Cebus apella			1		1	
	6878	Centruroides noxius	7		8		1	
	13415	Chamaecyparis obtusa	1	62	1	62		
	266779	Chelativorans sp. BNC1		2		2		
	12618	Chicken anemia virus	3		3			
	37124	Chikungunya virus		3		3		
	310542	Chimpanzee adenovirus	2		2			
	7154	Chironomus thummi	2	3	2	3		
	7155	Chironomus thummi thummi	58	27	58	27		
X	9397	Chiroptera			1		1	
	810	Chlamydia	5		13		8	
	243161	Chlamydia muridarum Nigg		14		28		14
	813	Chlamydia trachomatis	119	52	122	58	3	6
	315277	Chlamydia trachomatis A/HAR-13	6	1	6	1		
	10000858	Chlamydia trachomatis B/Jali-20/OT	2		2			
	272561	Chlamydia trachomatis D/UW-3/CX		1		1		
	10001141	Chlamydia trachomatis Serovar A	22	8	22	8		
	10000804	Chlamydia trachomatis Serovar B	47	5	47	5		
	10000763	Chlamydia trachomatis Serovar C	16	1	16	1		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10001085	Chlamydia trachomatis Serovar D	1		3		2	
	10001121	Chlamydia trachomatis Serovar Da	1		1			
	10000764	Chlamydia trachomatis Serovar E	18	1	18	1		
	10000845	Chlamydia trachomatis Serovar F	3		3			
	10000765	Chlamydia trachomatis Serovar H	7		7			
	10000766	Chlamydia trachomatis Serovar I	10		10			
	10001008	Chlamydia trachomatis Serovar J	6		6			
	10000767	Chlamydia trachomatis serovar K	14		14			
	10000853	Chlamydia trachomatis Serovar L1	21	3	21	3		
	10000768	Chlamydia trachomatis Serovar L2	15	7	15	7		
	10000769	Chlamydia trachomatis Serovar L3	2		2			
X	809	Chlamydiaceae			5		5	
	204428	Chlamydiae	1		1			
X	83553	Chlamydophila			4		4	
	83555	Chlamydophila abortus	3		3			
	10000559	Chlamydophila abortus B-577	11		11			
	83558	Chlamydophila pneumoniae	56	21	56	21		
	115713	Chlamydophila pneumoniae CWL029		49		49		
	10000852	Chlamydophila pneumoniae Kajaani 6		7		7		
	182082	Chlamydophila pneumoniae TW-183	7		7			
	83554	Chlamydophila psittaci	71	2	79	2	8	
	9534	Chlorocebus aethiops		3		3		
	169173	Choclo virus		2		2		
X	7777	Chondrichthyes			1		1	
X	544	Citrobacter			1		1	
X	546	Citrobacter freundii			1		1	
	12162	Citrus tristeza virus	4		4			
	11096	Classical swine fever virus	4	1	7	1	3	
	358769	Classical swine fever virus - Alfort/187	2		7		5	
	358805	Classical swine fever virus - Alfort/Tuebingen	5		5			
	11098	Classical swine fever virus - Brescia	4		4			
	279150	Classical swine fever virus 96TD	2		2			
	10001025	Classical swine fever virus Glentorf		26		26		
	10001578	Classical swine fever virus LPC/AHRI	2		2			
X	10001764	Classical swine fever virus Margarita (AJ704817)			4	1	4	1
	10000451	Classical swine fever virus Shimen	16		16			
	36911	Clavispora lusitaniae	1		1			
	214432	Cloning vector pscFvCA-E8VHd		1		1		
	1491	Clostridium botulinum	123	60	125	60	2	
	36826	Clostridium botulinum A	44		44			
	10000293	Clostridium botulinum A 1	1		1			
	10000294	Clostridium botulinum A 2	2		2			
	10000302	Clostridium botulinum A Kyoto-F	1		1			
	413999	Clostridium botulinum A str. ATCC 3502		3		3		
	441771	Clostridium botulinum A str. Hall	44		44			
	10000301	Clostridium botulinum A str. Hall hyper	3		3			
	36827	Clostridium botulinum B	28		28			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000295	Clostridium botulinum B 111	2		2			
	10000303	Clostridium botulinum B Lammann	1		1			
	10000305	Clostridium botulinum B Okra	3		3			
	508765	Clostridium botulinum B str. Eklund 17B		1		1		
	10000297	Clostridium botulinum C 92-13	5		5			
	10000306	Clostridium botulinum C Stockholm	2		2			
	36829	Clostridium botulinum D	2		2			
	10000296	Clostridium botulinum D 1873	2		2			
	36830	Clostridium botulinum E	3	3	3	3		
	10000299	Clostridium botulinum E Beluga	2		2			
	508767	Clostridium botulinum E3 str. Alaska E43		1		1		
	36831	Clostridium botulinum F	2		2			
	10000304	Clostridium botulinum F NCTC 10281	1		1			
	445335	Clostridium botulinum NCTC 2916		2		2		
	445338	Clostridium botulinum str. Iwanei E	6		6			
	1496	Clostridium difficile	15		15			
	10000307	Clostridium difficile BART'S W1	1		1			
X	10001847	Clostridium difficile BI / NAP1/ 027			1		1	
	386415	Clostridium novyi NT		2		2		
	29362	Clostridium papyrosolvens	1		1			
	1502	Clostridium perfringens	10		10			
	107819	Clostridium perfringens D	1		1			
	195102	Clostridium perfringens str. 13		1		1		
	1513	Clostridium tetani	76	231	76	231		
	212717	Clostridium tetani E88		16		16		
	203119	Clostridium thermocellum ATCC 27405		1		1		
	5501	Coccidioides immitis		1		1		
	199306	Coccidioides posadasii		2		2		
	5503	Cochliobolus lunatus	10	10	20	10	10	
	9014	Colinus virginianus	1	2	1	2		
	8932	Columba livia		8		8		
	314285	Congregibacter litoralis KT71		1		1		
	6491	Conus geographus	30		30			
	6492	Conus magus	2		2			
	6493	Conus striatus	11		11			
	32614	Convict Creek 107 virus	1	3	1	3		
	13451	Corylus avellana	27	27	27	53		26
	1717	Corynebacterium diphtheriae	10	50	10	50		
	152794	Corynebacterium efficiens		5		5		
	196164	Corynebacterium efficiens YS-314		2		2		
	1718	Corynebacterium glutamicum		22		22		
	196627	Corynebacterium glutamicum ATCC 13032		7		7		
	306537	Corynebacterium jeikeium K411		1		1		
	10703	Corynephage beta	2		2			
	186541	Cote d'Ivoire ebolavirus		1		1		
	128999	Cote d'Ivoire ebolavirus - Cote d'Ivoire (Tai Forest, 1994)		3		3		
	10623	Cottontail rabbit papillomavirus	3	6	3	7		1

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	12264	Cowpea mosaic virus		1		1		
	10243	Cowpox virus		22		22		
	265872	Cowpox virus (Brighton Red)		1		1		
	10000571	Cowpox virus (Brighton Red) White-pock		1		1		
	777	Coxiella burnetii		32		52		20
	434923	Coxiella burnetii CbuG_Q212		1		1		
	434922	Coxiella burnetii Dugway 5J108-111		6		6		
	360116	Coxiella burnetii 'MSU Goat Q177'		3		4		1
	360115	Coxiella burnetii RSA 331		6		6		
	360117	Coxiella burnetii RSA 334		14		14		
	227377	Coxiella burnetii RSA 493		9		10		1
	12066	Coxsackievirus	1		1			
	103903	Coxsackievirus B3 (strain Nancy)	13	30	13	30		
	103905	Coxsackievirus B4 (strain E2)	6	41	6	41		
	103906	Coxsackievirus B4 (strain JVB / Benschoten / New York/51)		76		76		
	10029	Cricetulus griseus	1		1			
	11593	Crimean-Congo hemorrhagic fever virus		1		1		
	368445	Crocodilepox virus		2		2		
	8732	Crotalus durissus terrificus	4		4			
	5207	Cryptococcus neoformans		1	2	1	2	
X	178876	Cryptococcus neoformans var. grubii				1		1
	283643	Cryptococcus neoformans var. neoformans B-3501A		2	1	2	1	
	10001132	Cryptococcus neoformans var. neoformans Serotype A	1		1			
X	10001120	Cryptococcus neoformans var. neoformans Serotype D				1		1
	3369	Cryptomeria japonica	41	181	41	181		
	237895	Cryptosporidium hominis		3		3		
	5807	Cryptosporidium parvum		26		28		2
	353152	Cryptosporidium parvum Iowa II		76		76		
	220837	Cryptosporidium sp. MNJ-1		1		1		
	12305	Cucumber mosaic virus	1		1			
	117125	Cucumber mosaic virus (strain Pepo)		1		1		
	3656	Cucumis melo		12		12		
	208899	Cupixi virus		1		1		
	266264	Cupriavidus metallidurans CH34		2		2		
	301964	CY1014 virus		1		1		
X	4903	Cyberlindnera jadinii				12		12
	1004253	Cyberlindnera mrakii	1	1	1	1		
	46457	Cycloclasticus oligotrophus		1		1		
	28909	Cynodon dactylon	3	23	3	45		22
	10358	Cytomegalovirus		32		32		
	269798	Cytophaga hutchinsonii ATCC 33406		1		1		
	4509	Dactylis glomerata		2		2		
	7955	Danio rerio		3	1	3	1	
	4039	Daucus carota		1		1		
	305674	Deerpox virus W-848-83		2		2		
	243164	Dehalococcoides ethenogenes 195		1		1		
	12637	Dengue virus	9	47	9	47		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	11053	Dengue virus 1	11	59	11	65		6
X	10001582	Dengue virus 1 Mochizuki			2		2	
	11059	Dengue virus 1 Nauru/West Pac/1974	1		1			
	33741	Dengue virus 1 Singapore/S275/1990		30		30		
	11060	Dengue virus 2	81	95	85	128	4	33
	31635	Dengue virus 2 16681-PDK53		2	3	2	3	
	11064	Dengue virus 2 Jamaica/1409/1983	262	11	262	11		
	11062	Dengue virus 2 Malaysia M2	1		1			
X	10001583	Dengue virus 2 New Guinea C			1	3	1	3
X	10001635	Dengue virus 2 PL046				7		7
	11066	Dengue virus 2 Puerto Rico/PR159-S1/1969	30		30			
X	10001768	Dengue virus 2 S-16803			9		9	
	31634	Dengue virus 2 Thailand/16681/84	10	55	25	55	15	
	11065	Dengue virus 2 Thailand/NGS-C/1944	15	16	17	17	2	1
	11069	Dengue virus 3	17	60	17	60		
	408870	Dengue virus 3 Philippines/H87/1956	4	4	7	4	3	
X	10001619	Dengue virus 3 strain 16652			16		16	
	11070	Dengue virus 4	5	40	6	41	1	1
	408871	Dengue virus 4 Dominica/814669/1981	1	5	1	6		1
X	408686	Dengue virus 4 Philippines/H241/1956			2		2	
	408688	Dengue virus 4 Thailand/0348/1991			1		1	
	10000965	Dengue virus type 1 FGA/89	1		1			
	10000440	Dengue virus type 1 Hawaii		9		10		1
X	10000961	Dengue virus type 1 strain 16007			12		12	
	10000442	Dengue virus type 3 CH53489		6		7		1
	246753	Dengue virus vector p4(Delta30)		2		2		
	6954	Dermatophagoides farinae	12	36	14	36	2	
	6956	Dermatophagoides pteronyssinus	58	104	60	121	2	17
	439235	Desulfatibacillum alkenivorans AK-01		1		1		
	272564	Desulfitobacterium hafniense DCB-2		2		2		
	281689	Desulfuromonas acetoxidans DSM 684			1		1	
	11319	Dhori virus (strain Indian/1313/61)	1		1			
	44689	Dictyostelium discoideum			1		1	
X	9265	Didelphidae			1		1	
	12506	Dobrava-Belgrade virus			16		16	
	7441	Dolichovespula maculata	11	20	11	20		
	292633	Dragon grouper nervous necrosis virus	20		20			
	7227	Drosophila melanogaster	3	11	3	11		
	12639	Duck hepatitis B virus	189	20	189	20		
	10000466	Duvenhage virus 6		2		2		
	11021	Eastern equine encephalitis virus		1		1		
	11022	Eastern equine encephalitis virus (STRAIN VA33[TEN BROECK])		1		1		
	10000439	Eastern equine encephalitis virus SV	8		8			
	205488	Ebola virus sp.		3		4		1
	186536	Ebolavirus			1		1	
X	53751	Echinacea purpurea			1		1	
	6210	Echinococcus granulosus	37		39		2	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
X	6211	Echinococcus multilocularis			5		5	
	99586	Echis ocellatus	5		5			
	33758	Echovirus		1		1		
	12643	Ectromelia virus		5		5		
	944	Ehrlichia canis	7		7			
X	269484	Ehrlichia canis str. Jake			16		16	
	945	Ehrlichia chaffeensis	13	1	13	1		
	205920	Ehrlichia chaffeensis str. Arkansas	15		23		8	
	35795	Ehrlichia muris		1	2	3	2	2
	779	Ehrlichia ruminantium	3		3			
	5801	Eimeria acervulina		1		1		
	5802	Eimeria tenella	6		6			
	35321	El Moro Canyon virus		2		2		
	6035	Encephalitozoon cuniculi		5		5		
	284813	Encephalitozoon cuniculi GB-M1		27		27		
	12104	Encephalomyocarditis virus		1		1		
	370354	Entamoeba dispar SAW760		15		16		1
	5759	Entamoeba histolytica	29	13	29	13		
	294381	Entamoeba histolytica HM-1:IMSS		97		97		
	10000352	Entamoeba histolytica YS-27	1		1			
	12340	Enterobacteria phage 933J	2		2			
	10730	Enterobacteria phage 933W	1		1			
	291401	Enterobacteria phage CP-1639		1		1		
	10863	Enterobacteria phage f1		1		1		
	10864	Enterobacteria phage fd	7		7			
	10710	Enterobacteria phage lambda	2	6	2	7		1
	10754	Enterobacteria phage P22		5		5		
	10658	Enterobacteria phage PRD1	2		2			
	55884	Enterobacteria phage SfV		1		1		
	10665	Enterobacteria phage T4	10	20	10	20		
	10760	Enterobacteria phage T7	1		1			
	543	Enterobacteriaceae	2		3		1	
	12022	Enterobacterio phage MS2	1		1			
	1351	Enterococcus faecalis	1		2		1	
	1352	Enterococcus faecium	6		6			
	333849	Enterococcus faecium DO		1		1		
	12059	Enterovirus		9		9		
	150846	Enterovirus 5865/sin/000009	2		2			
	31330	Ephydatia fluviatilis		1		1		
	82830	Epstein-barr virus strain ag876	1	1	1	1		
	10326	Equid herpesvirus 1	5		5			
	10000525	Equid herpesvirus 2 16V	1		1			
	10000526	Equid herpesvirus 2 5FN	1		1			
	10000524	Equid herpesvirus 2 691	1		1			
	10000391	Equid herpesvirus 2 ER32	1		1			
	10000527	Equid herpesvirus 2 FIN60		1		1		
	10331	Equid herpesvirus 4	5		5			

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000405	Equid herpesvirus 4 TH20	2		2			
	82831	Equid herpesvirus type 2 strain 86/87	1		1			
	11047	Equine arteritis virus	2		2			
	11665	Equine infectious anemia virus	91	109	91	109		
	11670	Equine infectious anemia virus (CLONE 1369)		1		1		
	11671	Equine infectious anemia virus (STRAIN WSU5)		16		16		
	10000499	Equine infectious anemia virus PV		2		2		
	10000835	Equine rhinitis A virus 393/76	4		4			
	9796	Equus caballus	4	44	7	44	3	
	9798	Equus przewalskii		1		1		
	562	Escherichia coli	175	95	196	97	21	2
X	10001633	Escherichia coli 055:B5			3		3	
	358709	Escherichia coli 101-1		5		5		
	10001145	Escherichia coli 1471	2		2			
	10000727	Escherichia coli 180/C3	1		1			
	362663	Escherichia coli 536		58		59		1
	525281	Escherichia coli 83972		3		3		
	405955	Escherichia coli APEC O1		7		7		
	481805	Escherichia coli ATCC 8739		1		1		
	37762	Escherichia coli B	1	1	1	1		
	10000728	Escherichia coli B B/r CM6		1		1		
	344601	Escherichia coli B171		11		11		
X	550676	Escherichia coli B185				1		1
	340184	Escherichia coli B7A		5		5		
	199310	Escherichia coli CFT073		1	1	1	1	
	340186	Escherichia coli E110019		1		1		
	340185	Escherichia coli E22		11		11		
	331111	Escherichia coli E24377A		31		31		
	316401	Escherichia coli ETEC H10407	62	31	64	31	2	
	340197	Escherichia coli F11		12		12		
	10001528	Escherichia coli F515	1		1			
	331112	Escherichia coli HS		8		8		
	585034	Escherichia coli IAI1	3		3			
	10001502	Escherichia coli J-5	1		1			
X	10001753	Escherichia coli K1				1		1
	83333	Escherichia coli K-12	5	13	13	16	8	3
X	679206	Escherichia coli MS 119-7				1		1
X	679205	Escherichia coli MS 124-1				1		1
X	10001659	Escherichia coli O125				1		1
	168807	Escherichia coli O127:H6	1		1			
	83334	Escherichia coli O157:H7		103		103		
	478005	Escherichia coli O157:H7 str. EC4486		1		1		
	478006	Escherichia coli O157:H7 str. EC4501		2		2		
	478008	Escherichia coli O157:H7 str. EC869		13		14		1
	155864	Escherichia coli O157:H7 str. EDL933	1	19	2	19	1	
	386585	Escherichia coli O157:H7 str. Sakai		13		13		
	10000733	Escherichia coli O5:K4:H4	1		1			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	244320	Escherichia coli O55:H7		1		1		
	217992	Escherichia coli O6		7		7		
	10000734	Escherichia coli O65:K:-H-	1		1			
	316385	Escherichia coli str. K-12 substr. DH10B		2		2		
	511145	Escherichia coli str. K-12 substr. MG1655		26		26		
	316407	Escherichia coli str. K-12 substr. W3110		1		1		
	364106	Escherichia coli UTI89		2		2		
	2759	Eukaryota	1		1			
X	34828	Eulemur mongoz			1		1	
	6958	Euroglyphus maynei		10		10		
	420521	Expression vector pNIC-NHT-CF	1		1			
	3617	Fagopyrum esculentum	39		40		1	
	62330	Fagopyrum tataricum	4		5		1	
	6690	Farfantepenaeus aztecus	51		51			
	46835	Fasciola gigantica	2		2			
	6192	Fasciola hepatica	250	11	254	11	4	
	11978	Feline calicivirus	4		4			
	11981	Feline calicivirus (STRAIN F9)	2		2			
	11980	Feline calicivirus (STRAIN JAPANESE F4)	6		6			
X	12663	Feline coronavirus				1		1
	11673	Feline immunodeficiency virus		28		28		
	11674	Feline immunodeficiency virus (isolate Petaluma)	2	3	2	3		
	45409	Feline immunodeficiency virus (isolate wo)	3		3			
	36372	Feline immunodeficiency virus (strain UK8)		1		1		
	33734	Feline infectious peritonitis virus (strain 79-1146)	4		10	7	6	7
X	10001624	Feline infectious peritonitis virus (strain KU-2)			14	27	14	27
	11769	Feline leukemia virus strain A/Glasgow-1	6		6			
	10001130	Feline leukemia virus subtype A	2		2			
	10786	Feline panleukopenia virus		4		4		
	9685	Felis catus	24	67	32	81	8	14
	4606	Festuca arundinacea	1		1			
	156586	Flavobacteria bacterium BBFL7		1		1		
	12110	Foot-and-mouth disease virus	22	2	22	2		
X	12111	Foot-and-mouth disease virus - type A				2		2
	10000991	Foot-and-mouth disease virus - type A (strain A22 Iraq)	5		5	1		1
	10000989	Foot-and-mouth disease virus - type A (strain A22)	8	6	8	6		
	110195	Foot-and-mouth disease virus - type Asia 1	7	2	8	3	1	1
	10000995	Foot-and-mouth disease virus - type Asia 1 Pakistan	1		1			
	12116	Foot-and-mouth disease virus - type C	6	25	6	26		1
	12118	Foot-and-mouth disease virus - type O	16	3	24	4	8	1
	10000801	Foot-and-mouth disease virus - type O (O/SKR/2002)	1		1			
	10001118	Foot-and-mouth disease virus - type O (strain HKN/14/82)	2		2			
	10000856	Foot-and-mouth disease virus - type O isolate O/UKG/35/2001		13		14		1
X	10001642	Foot-and-mouth disease virus - type O Wuppertal/FRG/82				1		1
	10000992	Foot-and-mouth disease virus - type SAT 1 (Strain Bot 1/68)	1		1			
X	35292	Foot-and-mouth disease virus - type SAT 2				1		1
	10000993	Foot-and-mouth disease virus - type SAT 2 (Strain Ken 3/57)	1		1			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10001000	Foot-and-mouth disease virus - type SAT 2 (strain Rho 1/48)	4		4			
X	12123	Foot-and-mouth disease virus - type SAT 3					1	1
	10000994	Foot-and-mouth disease virus - type SAT 3 (Strain Bec 1/65)	1		1			
	12112	Foot-and-mouth disease virus (strain A10-61)	8		8			
	12114	Foot-and-mouth disease virus (strain A12)	21		21			
	12115	Foot-and-mouth disease virus (strain A24 Cruzeiro)	14	3	17	4	3	1
	12113	Foot-and-mouth disease virus (strain A5)	3		3			
	12120	Foot-and-mouth disease virus (strain C1-Santa Pau)	1		1			
	12117	Foot-and-mouth disease virus (strain C3 Indaial)	2		2			
	73482	Foot-and-mouth disease virus (strain O1)	18	1	18	1		
	10000820	Foot-and-mouth disease virus (strain O1) (O/Taiwan/1/97)	1		1			
	10000964	Foot-and-mouth disease virus (strain O1) (O1 Brugge)	2		2			
	10000516	Foot-and-mouth disease virus (strain O1) (O1 Campos)	18	18	18	18		
	10000513	Foot-and-mouth disease virus (strain O1) (O1 Kaufbeuren)	37	8	37	8		
	10000514	Foot-and-mouth disease virus (strain O1) (O1BFS 1860)	8		8			
	10000515	Foot-and-mouth disease virus (strain O1) (O1BFS)	4		4			
	10000556	Foot-and-mouth disease virus (strain O1) Kaufbeuren	42	11	42	12		1
	161727	Foot-and-mouth disease virus A10/Holland	11	14	11	14		
	12121	Foot-and-mouth disease virus C1	1		1			
	10000840	Foot-and-mouth disease virus C1 Brescia It/64	2		2			
	10000986	Foot-and-mouth disease virus C1 CS30	1		1			
	10000836	Foot-and-mouth disease virus C1 CS8	22	24	22	24		
	46290	Foot-and-mouth disease virus C3	4	1	4	1		
	10001039	Foot-and-mouth disease virus C3 (strain Resendne-Br/55)	1		1			
	244367	Foot-and-mouth disease virus C-S8c1	12	17	12	17		
	13067	Forficula			2		2	
	31621	Four Corners hantavirus		2	5	2	5	
	10261	Fowlpox virus			7		7	
	10263	Fowlpox virus isolate HP-438/Munich			1		1	
X	401614	Francisella novicida U112					1	1
	263	Francisella tularensis			5		7	2
	351581	Francisella tularensis subsp. holartica FSC200			1		1	
	458234	Francisella tularensis subsp. holartica FTNF002-00			1		1	
	376619	Francisella tularensis subsp. holartica LVS			75	1	75	1
	393011	Francisella tularensis subsp. holartica OSU18			5		5	
	119856	Francisella tularensis subsp. tularensis			5		5	
	430557	Francisella tularensis subsp. tularensis FSC033			27		27	
	393115	Francisella tularensis subsp. tularensis FSC198			50		50	
	177416	Francisella tularensis subsp. tularensis SCHU S4			90		90	
	418136	Francisella tularensis subsp. tularensis WY96-3418			1		1	
	298653	Frankia sp. EAN1pec			2		2	
	11795	Friend murine leukemia virus		6	25	6	25	
	209882	Fusobacterium nucleatum subsp. vincentii ATCC 49256			1		1	
	8053	Gadus callarias			10		10	
	7137	Galleria mellonella			1		1	
	9031	Gallus gallus			228	152	252	164
X	373098	Gambierdiscus toxicus					4	4

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	11824	Gardner-Arnstein feline leukemia oncovirus B	13		13			
	54290	GB virus C	16		16			
	471223	Geobacillus sp. WCH70		2		2		
	1422	Geobacillus stearothermophilus	1	1	1	1		
	5741	Giardia intestinalis		8		8		
	598745	Giardia intestinalis ATCC 50581		4		5		1
	184922	Giardia lamblia ATCC 50803		239		239		
	28448	Gluconacetobacter xylinus		1		1		
	3847	Glycine max	71	1	71	2		1
	9593	Gorilla gorilla		1		1		
	9595	Gorilla gorilla gorilla		4		5		1
	55951	Grapevine leafroll-associated virus 3	1		1			
	35288	Grapevine virus A	19		19			
	45219	Guanarito virus		838		838		
X	10001616	Guanarito virus strain INH-95551				1		1
	114727	H1N1 subtype	3	11	8	23	5	12
	10000477	H1N1 subtype Influenza A virus (A/Netherlands/306/00 (H1N1))		1		1		
	10001225	H1N1 subtype Influenza A/Oklahoma/7485/01		5		5		
	10001315	H1N1 swine influenza virus (A/swine/Korea/S10/2004(H1N1))		3		3		
	10001316	H1N1 swine influenza virus (A/swine/Korea/S175/2004(H1N1))		1		1		
	119210	H3N2 subtype	2	8	2	19		11
	10001157	H3N2 subtype Influenza A virus (A/Hong Kong(H3N2))		15		15		
	102793	H5N1 subtype	2	16	7	22	5	6
	10001317	H9N2 subtype Influenza A virus (A/swine/Korea/S81/2004(H9N2))		1		1		
	10001318	H9N2 subtype Influenza A virus (A/swine/Korea/S83/2004(H9N2))		2		2		
X	6289	Haemonchus contortus				1		1
X	197575	Haemophilus aegyptius				1		1
	730	Haemophilus ducreyi	2	1	3	1	1	
X	233412	Haemophilus ducreyi 35000HP				1		1
	727	Haemophilus influenzae	19	61	24	64	5	3
	374927	Haemophilus influenzae 22.1-21		1		1		
	375177	Haemophilus influenzae 3655		1		1		
	521004	Haemophilus influenzae 6P18H1		1		1		
	10001055	Haemophilus influenzae 6U	2		2			
	521005	Haemophilus influenzae 7P49H1		2		2		
	281310	Haemophilus influenzae 86-028NP	1		1			
	10001056	Haemophilus influenzae ATCC 9795	2		2			
	10001053	Haemophilus influenzae MinnA	9		9			
	10000833	Haemophilus influenzae NTHi 1128	6		6			
	10001042	Haemophilus influenzae NTHi 1479	12	4	12	4		
	10000807	Haemophilus influenzae NTHi UC19	2	2	2	2		
	374928	Haemophilus influenzae PittAA		2		2		
	374931	Haemophilus influenzae PittGG		1		1		
	374932	Haemophilus influenzae PittHH	1		1			
	262727	Haemophilus influenzae R2846		3		3		
	262728	Haemophilus influenzae R2866		1		1		
	375432	Haemophilus influenzae R3021		3		3		

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	71421	Haemophilus influenzae Rd KW20		1		1		
	10000860	Haemophilus influenzae Serotype B	14	9	17	9	3	
	10001155	Haemophilus influenzae strain 1479	2		2			
X	10001150	Haemophilus influenzae Strain Eagan			58		58	
	10001523	Haemophilus influenzae strain I-69 Rd-/b+	2		4		2	
X	10001520	Haemophilus influenzae strain RM7004			1		1	
	10001149	Haemophilus influenzae Subtype 1H	23		23			
	10000861	Haemophilus influenzae Variant d1	18		18			
	10690	Haemophilus phage HP1		1		1		
	205914	Haemophilus somnus 129PT		1		1		
X	228400	Haemophilus somnus 2336			1		1	
	6454	Haliotis rufescens	1		1			
	10626	Hamster polyomavirus	11		11			
	11599	Hantaan virus	2	45	2	45		
	11602	Hantaan virus 76-118	11	15	11	15		
	370830	Hantaan virus Q32		4		4		
X	470918	Hantaanvirus CGHu1				1		1
	458678	Hantaanvirus CGRn93P8		2		2		
	11598	Hantavirus		3		3		
	74942	Hantavirus CRF355		1		1		
	42358	Hantavirus Monongahela-3		5		5		
	37741	Hantavirus sp.		2		2		
X	279233	Hantavirus Z37				2		2
	13557	Hapalemur griseus		1		1		
	4232	Helianthus annuus	18		18			
	32025	Helicobacter hepaticus		1		1		
	235279	Helicobacter hepaticus ATCC 51449	2		2			
	210	Helicobacter pylori	33	3	35	3	2	
	85962	Helicobacter pylori 26695	13	6	13	6		
	10001667	Helicobacter pylori 487	1		1			
X	10001794	Helicobacter pylori B128 Gerbil-adapted variant 7.13				1		1
X	563041	Helicobacter pylori G27				2		2
	10000718	Helicobacter pylori J223	2		2			
	85963	Helicobacter pylori J99		27		53		26
	570508	Helicobacter pylori P12		2		2		
	102617	Helicobacter pylori SS1	1		1			
	10000720	Helicobacter pylori UA948	2		2			
	10000721	Helicobacter pylori UA955	1		1			
X	6339	Heligmosomoides polygyrus				1		1
	6536	Helix pomatia	1		1			
	63330	Hendra virus	7		7			
	11102	Hepacivirus		3		3		
	12092	Hepatitis A virus	23	9	23	22		13
	10407	Hepatitis B virus	217	459	246	460	29	1
	12513	Hepatitis B virus 2		1		1		
	31512	Hepatitis B virus adr/mutant		1		1		
	10409	Hepatitis B virus adr4		11		11		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10410	Hepatitis B virus adw/991	2	2	2	2		
	10412	Hepatitis B virus adw/Indonesia/PIDW420		2		2		
	10415	Hepatitis B virus adw/Okinawa/PODW282		4		4		
	45410	Hepatitis B virus adw4/Brazil/isolate w4b		6		6		
	10411	Hepatitis B virus alpha1		15		15		
	489469	Hepatitis B virus ayw/China/Tibet127/2002	1		1			
	391647	Hepatitis B virus ayw2		6		6		
	391646	Hepatitis B virus ayw3	1		1			
	391650	Hepatitis B virus ayw4	1		1			
	10000433	Hepatitis B virus genotype B	1		1			
	10000434	Hepatitis B virus genotype C		3		3		
	10000435	Hepatitis B virus genotype D		1		1		
	10414	Hepatitis B virus LSH/chimpanzee			2		2	
	10001156	Hepatitis B virus subtype AD	3	3	3	3		
	106820	Hepatitis B virus subtype adr		23	25	23	25	
	106821	Hepatitis B virus subtype adw		17	60	17	60	
	10408	Hepatitis B virus subtype adw2		70	60	71	60	1
	10419	Hepatitis B virus subtype adyw			35		35	
	10000436	Hepatitis B virus subtype AY		7		7		
	10000437	Hepatitis B virus subtype AYR			1		1	
	10418	Hepatitis B virus subtype ayw		57	165	57	165	
	11103	Hepatitis C virus	656	845	669	867	13	22
	11104	Hepatitis C virus (isolate 1)		37	223	37	223	
	356391	Hepatitis C virus (isolate 6a33)			5		5	
	356413	Hepatitis C virus (isolate BEBE1)			10		10	
	11105	Hepatitis C virus (isolate BK)	3	42	3	42		
	333284	Hepatitis C virus (isolate Con1)		3	3	3	3	
	356419	Hepatitis C virus (isolate EUH1480)			4		4	
	329389	Hepatitis C virus (isolate Glasgow)	2	1	2	1		
	11108	Hepatitis C virus (isolate H)		128	81	128	81	
	63746	Hepatitis C virus (isolate H77)		34	174	41	207	7 33
	356410	Hepatitis C virus (isolate HC-G9)	2	1	2	1		
	11110	Hepatitis C virus (isolate HCT18)		1		1		
	356416	Hepatitis C virus (isolate HCV-K3a/650)			14		14	
	31644	Hepatitis C virus (isolate HCV-KF)	1	1	1	1		
	356386	Hepatitis C virus (isolate India)			1		1	
	11116	Hepatitis C virus (isolate Japanese)	6	18	6	18		
	356417	Hepatitis C virus (isolate JK049)			5		5	
	356415	Hepatitis C virus (isolate NZL1)	1	1	1	1		
	31645	Hepatitis C virus (isolate Taiwan)	3	19	3	19		
	356421	Hepatitis C virus (isolate Th580)			4		4	
	357355	Hepatitis C virus (isolate Tr Kj)			3		3	
	356424	Hepatitis C virus (isolate VN004)			1		1	
	41856	Hepatitis C virus genotype 1	2	55	2	58		3
	40271	Hepatitis C virus genotype 2		41	5	41	6	1
	356114	Hepatitis C virus genotype 3		114	10	121	13	7 3
	33745	Hepatitis C virus genotype 4			2		2	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	33746	Hepatitis C virus genotype 5		1		1		
	42182	Hepatitis C virus genotype 6		7		7		
	421877	Hepatitis C virus isolate HC-J1	3	26	3	26		
	11113	Hepatitis C virus isolate HC-J6	3	2	7	2	4	
	11115	Hepatitis C virus isolate HC-J8	2	1	2	1		
	356411	Hepatitis C virus JFH-1	3	1	3	1		
	31646	Hepatitis C virus subtype 1a	147	312	147	357		45
	10000453	Hepatitis C virus subtype 1a (isolate Gla)	5		5			
	10000455	Hepatitis C virus subtype 1a 1/910		17		17		
	10000457	Hepatitis C virus subtype 1a Chiron Corp.	1	1	1	1		
	31647	Hepatitis C virus subtype 1b	533	169	535	197	2	28
	10000456	Hepatitis C virus subtype 1b AD78	71		71			
	10000968	Hepatitis C virus subtype 1b isolate BE-11	3		3			
	10000460	Hepatitis C virus subtype 1b JK1	13		13			
	31649	Hepatitis C virus subtype 2a	78	22	78	23		1
	31650	Hepatitis C virus subtype 2b	100	3	100	3		
	356426	Hepatitis C virus subtype 3a	5	3	5	30		27
	42792	Hepatitis C virus subtype 3g	1		1			
	31653	Hepatitis C virus subtype 4a		1	1	1		
	31654	Hepatitis C virus subtype 5a		1	1	1		
X	31655	Hepatitis C virus subtype 6a					1	1
	12475	Hepatitis delta virus	48	7	48	7		
	10000522	Hepatitis delta virus (isolate TW2667)		5		5		
	12461	Hepatitis E virus	133	27	133	27		
	31767	Hepatitis E virus (strain Burma)	160		160			
	31768	Hepatitis E virus (strain Mexico)	31		31			
	10000519	Hepatitis E virus China Xinjiang	1		1			
	10000520	Hepatitis E virus SAR-55	1	6	1	6		
	39113	Hepatitis GB virus B		4		4		
	28300	Heron hepatitis B virus		1		1		
	10299	Herpes simplex virus (type 1 / strain 17)	44	30	44	30		
	10301	Herpes simplex virus (type 1 / strain Angelotti)		1		1		
	10304	Herpes simplex virus (type 1 / strain F)	17	5	17	5		
	10303	Herpes simplex virus (type 1 / strain HFEM)	2		2			
	10308	Herpes simplex virus (type 1 / strain Patton)	3		3			
	10309	Herpes simplex virus (type 1 / strain SC16)	6	2	6	2		
	126283	Herpes simplex virus unknown type		1		1		
	10292	Herpesviridae		1		1		
	49011	Hesperocyparis arizonica	2		2			
	3981	Hevea brasiliensis	164	43	169	43	5	
	388799	HIV-1 group O	1		1			
	11685	HIV-1 M:B_ARV2/SF2		43		43		
	11706	HIV-1 M:B_HXB2R		12	1	12	1	
	11696	HIV-1 M:B_MN	1	21	3	21	2	
	327105	HIV-1 O_ANT70	1		1			
	11583	HoJo virus		1		1		
	29679	Holcus lanatus	14		14			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	9606	Homo sapiens	4119	5172	5063	7103	944	1931
	397342	Horsepox virus		5		6		1
	343462	Human adenovirus 11p	7		7			
	28282	Human adenovirus 12	10	2	10	2		
	46921	Human adenovirus 13	1		1			
	28276	Human adenovirus 15	1		1			
	10515	Human adenovirus 2	28	5	28	5		
	45659	Human adenovirus 3	20	1	20	1		
	28284	Human adenovirus 40	2	1	2	1		
	46941	Human adenovirus 46	1		1			
	28285	Human adenovirus 5	22	154	22	172		18
	31545	Human adenovirus 8	1		1			
	10001392	Human adenovirus B strain Harbin04B	5		5			
	129951	Human adenovirus C	1	3	1	3		
	130309	Human adenovirus F		1		1		
	11137	Human coronavirus 229E			2		2	
	31631	Human coronavirus OC43			1		1	
	12067	Human coxsackievirus A9	30		30			
	12071	Human coxsackievirus B1		12		12		
X	82639	Human coxsackievirus B2				1		1
	12072	Human coxsackievirus B3	7	14	7	14		
	10001213	Human coxsackievirus B3 (strain RK)	1		1			
	12073	Human coxsackievirus B4	14	50	17	50	3	
	11827	Human endogenous retrovirus	2	1	2	1		
	64382	Human Endogenous Retrovirus IDDMK1,2-22	3		3			
	45617	Human endogenous retrovirus K	12		12			
	39054	Human enterovirus 71	4		4			
X	10000548	Human enterovirus 71 Subgenogroup C2				18		18
	138948	Human enterovirus A	1	1	1	1		
	138950	Human enterovirus C	6	3	6	3		
	208726	Human hepatitis A virus	4		4			
	12098	Human hepatitis A virus Hu/Australia/HM175/1976	86	62	86	80		18
	10298	Human herpesvirus 1	140	78	141	142	1	64
	10000394	Human herpesvirus 1 103/65	1		1			
	10000396	Human herpesvirus 1 McIntyre			1		1	
	10000398	Human herpesvirus 1 NS	1		1			
	10306	Human herpesvirus 1 strain KOS	17	4	17	4		
	10310	Human herpesvirus 2	90	139	96	163	6	24
	10312	Human herpesvirus 2 strain 186			1		1	
	10313	Human herpesvirus 2 strain 333			4		4	
	10315	Human herpesvirus 2 strain HG52			31		31	
	10335	Human herpesvirus 3	6	79	6	79		
	10000406	Human herpesvirus 3 H-551	26	15	26	15		
	10338	Human herpesvirus 3 strain Dumas		28		28		
	10376	Human herpesvirus 4	117	341	124	348	7	7
	10377	Human herpesvirus 4 (strain B95-8)	65	252	68	264	3	12
	10000420	Human herpesvirus 4 BL74			1		1	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000421	Human herpesvirus 4 CKL		10		10		
	10000424	Human herpesvirus 4 GD1		1		1		
	36352	Human herpesvirus 4 type 1	4	12	4	12		
	12509	Human herpesvirus 4 type 2	2	1	2	5	4	
	10000427	Human herpesvirus 4 type A		5		5		
	10359	Human herpesvirus 5	80	465	83	471	3	6
	10360	Human herpesvirus 5 strain AD169	27	317	27	360		43
	10363	Human herpesvirus 5 strain Towne	4	24	4	24		
	10368	Human herpesvirus 6	2	2	2	2		
	10369	Human herpesvirus 6 (strain GS)	2		2			
	10370	Human herpesvirus 6 (strain Uganda-1102)	1	2	1	2		
	36351	Human herpesvirus 6 strain Z29	1		1			
	32604	Human herpesvirus 6B	1	2	1	2		
	10000535	Human herpesvirus 6B HST	1		1			
	10372	Human herpesvirus 7	2	1	2	2	1	
	57278	Human herpesvirus 7 strain JI		1		1		
	37296	Human herpesvirus 8	26	125	26	482		357
	12721	Human immunodeficiency virus	1	16	1	16		
	11676	Human immunodeficiency virus 1	8	276	39	281	31	5
	10000500	Human immunodeficiency virus 1 IIIB		2		2		
	11709	Human immunodeficiency virus 2		6		6		
	11682	Human immunodeficiency virus type 1 (BH5 ISOLATE)		1		1		
	11686	Human immunodeficiency virus type 1 (BRU ISOLATE)	1	3	1	3		
	11687	Human immunodeficiency virus type 1 (CDC-451 ISOLATE)		3		3		
	11679	Human immunodeficiency virus type 1 (CLONE 12)		6		6		
	11689	Human immunodeficiency virus type 1 (ELI ISOLATE)		6		6		
	362651	Human immunodeficiency virus type 1 (isolate YU2)		21		21		
	11694	Human immunodeficiency virus type 1 (JH3 ISOLATE)		3		3		
	11688	Human immunodeficiency virus type 1 (JRCSF ISOLATE)		35		35		
	11697	Human immunodeficiency virus type 1 (MAL ISOLATE)		7		7		
	11704	Human immunodeficiency virus type 1 (MFA ISOLATE)		2		2		
	11695	Human immunodeficiency virus type 1 (NDK ISOLATE)		8		8		
	11698	Human immunodeficiency virus type 1 (NEW YORK-5 ISOLATE)		1		1		
	11699	Human immunodeficiency virus type 1 (OYI ISOLATE)		3		3		
	11701	Human immunodeficiency virus type 1 (RF/HAT ISOLATE)	1	19	1	19		
	11691	Human immunodeficiency virus type 1 (SF162 ISOLATE)		1	2	1	2	
	11690	Human immunodeficiency virus type 1 (SF33 ISOLATE)		2		2		
	11703	Human immunodeficiency virus type 1 (STRAIN UGANDAN / ISOLATE U455)		14		14		
	31678	Human immunodeficiency virus type 1 (WMJ1 isolate)		15		15		
	11705	Human immunodeficiency virus type 1 (WMJ2 ISOLATE)		1		1		
	11683	Human immunodeficiency virus type 1 (Z2/CDC-Z34 ISOLATE)		1		1		
	11678	Human immunodeficiency virus type 1 BH10		19	1	19	1	
	11714	Human immunodeficiency virus type 2 (ISOLATE BEN)		7		7		
	11715	Human immunodeficiency virus type 2 (ISOLATE CAM2)		1		1		
	11713	Human immunodeficiency virus type 2 (ISOLATE D194)		1		1		
	11716	Human immunodeficiency virus type 2 (ISOLATE D205,7)		1		1		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	11717	Human immunodeficiency virus type 2 (ISOLATE GHANA-1)		5		5		
	73484	Human immunodeficiency virus type 2 (isolate KR)		2		2		
	11718	Human immunodeficiency virus type 2 (ISOLATE SBLISY)		2		2		
	162145	Human metapneumovirus	7	22	7	22		
	10566	Human papillomavirus	4	2	4	2		
	334203	Human papillomavirus 1	1	42	1	42		
	337042	Human papillomavirus 18	9	4	9	4		
	337043	Human papillomavirus 2		6		6		
X	333754	Human papillomavirus 6			4		4	
	10580	Human papillomavirus type 11	4	33	9	40	5	7
	10573	Human papillomavirus type 13	1	1	1	1		
	333760	Human papillomavirus type 16	236	324	302	345	66	21
	333761	Human papillomavirus type 18	18	76	20	77	2	1
	10583	Human papillomavirus type 1a	7	7	7	7		
	333751	Human papillomavirus type 2		2		2		
	333762	Human papillomavirus type 26		1		1		
	37112	Human papillomavirus type 29		1		1		
	10614	Human papillomavirus type 3		3		3		
	10585	Human papillomavirus type 31	7	6	7	6		
	333763	Human papillomavirus type 32	1	1	1	1		
	10586	Human papillomavirus type 33	5	8	5	8		
	10587	Human papillomavirus type 35		1		1		
	10588	Human papillomavirus type 39		1		1		
	10617	Human papillomavirus type 4		4		4		
	10615	Human papillomavirus type 40	1	1	1	1		
	10592	Human papillomavirus type 44		1		1		
	10593	Human papillomavirus type 45		5		5		
	10595	Human papillomavirus type 51		1		1		
	10618	Human papillomavirus type 52		4		33		29
	333765	Human papillomavirus type 53		1		1		
	10596	Human papillomavirus type 56		3		3		
	10598	Human papillomavirus type 58		32	1	32	1	
	37115	Human papillomavirus type 59		1		1		
	31552	Human papillomavirus type 6	9	3	11	4	2	1
	45240	Human papillomavirus type 68		1		1		
	10600	Human papillomavirus type 6b	11	24	11	25		1
	10620	Human papillomavirus type 7	1	3	1	3		
	51033	Human papillomavirus type 73		1		1		
	36412	Human parainfluenza 1 virus (strains A1426 / 86-315 / 62M-753)		1		1		
	11217	Human parainfluenza 3 virus (strain NIH 47885)	8		8			
	11212	Human parainfluenza virus 2	10		10			
	11214	Human parainfluenza virus 2 (strain Toshiba)	3		3			
	11216	Human parainfluenza virus 3	2		2			
	12063	Human parechovirus 1	5		5			
X	289365	Human parvovirus 4				3		3
	10798	Human parvovirus B19	93	44	93	44		
	10000438	Human parvovirus B19 genotype 1	1		1			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	12080	Human poliovirus 1	6	1	6	1		
	12081	Human poliovirus 1 Mahoney	47	20	47	22		2
	12082	Human poliovirus 1 strain Sabin	7		7			
	10001028	Human poliovirus 2 (strain MEF-1)	1		1			
	10001040	Human poliovirus 2 (strain Sabin)	2	7	2	7		
	12086	Human poliovirus 3	3	2	5	2	2	
	10001086	Human poliovirus 3 (strain Sabin)	36	1	36	1		
X	270338	Human poliovirus 3 strain Sabin			49		49	
	11250	Human respiratory syncytial virus	15	37	20	69	5	32
	11255	Human respiratory syncytial virus (strain RSB6190)	6		6			
	11256	Human respiratory syncytial virus (strain RSB6256)	10		10			
	11252	Human respiratory syncytial virus (strain RSB642)	1		1			
	11251	Human respiratory syncytial virus (subgroup B / strain 18537)	2	1	2	1		
	208893	Human respiratory syncytial virus A	1	3	1	3		
	10000960	Human respiratory syncytial virus A Mon/3/88	6		6			
	11260	Human respiratory syncytial virus A strain Long	120	16	120	16		
	10001456	Human respiratory syncytial virus A strain RGH	1		1			
	11259	Human respiratory syncytial virus A2	50	109	52	114	2	5
	79692	Human respiratory syncytial virus B1	1		1	25		25
	410078	Human respiratory syncytial virus S2	1		1			
	12131	Human rhinovirus 14	12		13		1	
	12134	Human rhinovirus 1A			19		19	
	12130	Human rhinovirus 2	11		11			
	10000987	Human rhinovirus 2 Vienna	5		5			
	147711	Human rhinovirus A	1		1			
	10950	Human rotavirus (SEROTYPE 2 / STRAIN DS1)	1		1			
	31569	Human rotavirus (serotype 2 / strain RV-5)	1		1			
	10941	Human rotavirus A	13	2	13	2		
	10960	Human rotavirus G4 strain St. Thomas 3	6	1	6	1		
	374507	Human rotavirus G9 isolate F45	7		7			
	10001215	Human rotavirus G9 WI61	1		1			
	408599	Human rotavirus G9P[8]	1		1			
	94432	Human rotavirus MP409	1	1	1	1		
	10952	Human rotavirus strain KU	9		9			
	10957	Human rotavirus strain P	1	4	1	4		
	10958	Human rotavirus strain RRV	1		1			
	10962	Human rotavirus strain WA	10	7	10	7		
	11927	Human T-cell lymphotropic virus type 1 (Caribbean isolate)			5		5	
	10001004	Human T-cell lymphotropic virus type 1 (Caribbean isolate) (Strain HS35)	1		1			
	11928	Human T-cell lymphotropic virus type 1 (isolate MT-2)	1		1			
	11926	Human T-cell lymphotropic virus type 1 (strain ATK)	30	118	30	118		
	39015	Human T-cell lymphotropic virus type 1 (african isolate)			2		2	
	11908	Human T-lymphotropic virus 1	223	162	233	180	10	18
	11909	Human T-lymphotropic virus 2	63	2	63	2		
	77644	IncQ plasmid pIE1120			1		1	
	11120	Infectious bronchitis virus	5		5			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000825	Infectious bronchitis virus Avian strain D207	11		11			
	10001431	Infectious bronchitis virus CK/CH/LDL/97I	1		1			
	633557	Infectious bronchitis virus CK/CH/LHLJ/04V	1		1			
	10995	Infectious bursal disease virus	11		11			
	10997	Infectious bursal disease virus 002-73/AUS	1		1			
	11290	Infectious hematopoietic necrosis virus	8		8			
	11002	Infectious pancreatic necrosis virus	1		1			
	11320	Influenza A virus	39	262	43	309	4	47
	229051	Influenza A virus (A/81/HO)		3		3		
	387139	Influenza A virus (A/Aichi/2/1968(H3N2))	5	10	9	10	4	
	203129	Influenza A virus (A/Aichi/2/1994(H3N2))		1		1		
	553345	Influenza A virus (A/Aichi/72/2007(H3N2))	1		1			
	385576	Influenza A virus (A/Alaska/6/1977(H3N2))		1		1		
	383602	Influenza A virus (A/Anas acuta/Primorje/695/1976(H2N3))		10		10		
X	370810	Influenza A virus (A/Anhui/1/2005(H5N1))			2		2	
	384498	Influenza A virus (A/Ann Arbor/6/1960(H2N2))	1	180	1	180		
	62446	Influenza A virus (A/Argentina/3779/94(H3N2))		1		1		
	385630	Influenza A virus (A/Bangkok/1/1979(H3N2))	1	4	1	4		
	223931	Influenza A virus (A/Bangkok/10/1983(H1N1))		1		1		
	336238	Influenza A virus (A/Bar-headed Goose/Qinghai/61/05(H5N1))		8		8		
	384500	Influenza A virus (A/Beijing/11/1956(H1N1))		22		22		
	518922	Influenza A virus (A/Beijing/262/1995(H1N1))	1		1			
	380950	Influenza A virus (A/Beijing/32/1992(H3N2))		54		54		
	648856	Influenza A virus (A/Beijing/501/2009(H1N1))	1		1			
	304883	Influenza A virus (A/Belfast/53582/2004(H3N?))		2		2		
	282811	Influenza A virus (A/Bilthoven/4791/81(H3N2))		3		3		
X	336092	Influenza A virus (A/black-headed goose/Qinghai/1/2005(H5N1))			2		2	
	88776	Influenza A virus (A/Brevig Mission/1/1918(H1N1))	1		1			
	385587	Influenza A virus (A/budgerigar/Hokkaido/1/1977(H4N6))		4		4		
	641501	Influenza A virus (A/California/04/2009(H1N1))		32	55	47	55	15
	352963	Influenza A virus (A/California/7/2004(H3N2))		1		1		
	387191	Influenza A virus (A/camel/Mongolia/1982(H1N1))		8		8		
	205946	Influenza A virus (A/Chicken/Beijing/1/95(H9N2))		1		1		
	404137	Influenza A virus (A/chicken/Beijing/nl/2002(H9N2))		1		1		
	36418	Influenza A virus (A/chicken/Brescia/1902(H7N7))		1		1		
	342137	Influenza A virus (A/chicken/CA/375TR/2002(H6N2))		1		1		
	196462	Influenza A virus (A/chicken/California/1002a/00(H6N2))		1		1		
	11384	Influenza A virus (A/chicken/FPV/Weybridge(H7N7))		1		1		
	329593	Influenza A virus (A/chicken/Fujian/25/00(H9N2))		5		5		
	197579	Influenza A virus (A/Chicken/Guangdong/11/97(H9N2))		1		1		
	407418	Influenza A virus (A/chicken/Guiyang/2147/2005(H5N1))		1		1		
	435359	Influenza A virus (A/chicken/Hebei/706/2005(H5N1))		1		1		
	357205	Influenza A virus (A/chicken/Hong Kong/3123.1/2002(H5N1))		1		1		
	97348	Influenza A virus (A/Chicken/Hong Kong/G23/97(H9N2))		1		1		
	404150	Influenza A virus (A/chicken/Hubei/wk/1997(H5N1))		2		2		
	404155	Influenza A virus (A/chicken/Hunan/fg/2004(H5N1))		2		2		
	447133	Influenza A virus (A/chicken/Japan/1925(H7N7))	1		1			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	404163	Influenza A virus (A/chicken/Jilin/hg/2002(H5N1))		1		1		
	300750	Influenza A virus (A/chicken/Korea/S1/2003(H9N2))		1		1		
	342221	Influenza A virus (A/chicken/Korea/S4/2003(H9N2))		1		1		
	298713	Influenza A virus (A/chicken/Korea/SNU0091/00(H9N2))		1		1		
	298716	Influenza A virus (A/chicken/Korea/SNU1035C/00(H9N2))		1		1		
	680739	Influenza A virus (A/chicken/Mexico/37821-771/1996(H5N2))		1		1		
	270490	Influenza A virus (A/chicken/Nakorn-Patom/Thailand/CU-K3/2004(H5N1))		1		1		
	215862	Influenza A virus (A/Chicken/Nanchang/2-220/2001(H3N6))		1		1		
	385617	Influenza A virus (A/chicken/Pennsylvania/1370/1983(H5N2))	1		1			
	392810	Influenza A virus (A/chicken/Rostock/8/1934(H7N1))	2	4	2	4		
	402527	Influenza A virus (A/chicken/Scotland/1959(H5N1))		1		1		
	197585	Influenza A virus (A/chicken/Shandong/6/96(H9N2))	1		1			
	264510	Influenza A virus (A/chicken/Thailand/LV1NF/2004(H5N1))		1		1		
	393548	Influenza A virus (A/chicken/Tula/Russia/Oct-5/2005(H5N1))		1		1		
X	768647	Influenza A virus (A/chicken/Uchal/8286/2006(H9N2))					1	1
X	768646	Influenza A virus (A/chicken/Uchal/8293/2006(H9N2))					1	1
	299730	Influenza A virus (A/chicken/Viet Nam/AG-010/2004(H5N1))		1		1		
	380836	Influenza A virus (A/chicken/Vietnam/5/2003(H5N1))		1		1		
	365129	Influenza A virus (A/chicken/Vietnam/DT171/2004(H5N1))		1		1		
	380985	Influenza A virus (A/Chile/1/1983(H1N1))		1		1		
	62541	Influenza A virus (A/Christchurch/2/1988(H3N2))		1		1		
	514193	Influenza A virus (A/CHU/2-524/2005(H3N2))		2		2		
	284168	Influenza A virus (A/Ck/HK/2133.1/2003(H5N1))		1		1		
	354235	Influenza A virus (A/Ck/HK/CSW161/2003(H9N2))		1		1		
	284195	Influenza A virus (A/Ck/YN/115/2004(H5N1))		1		1		
	107493	Influenza A virus (A/Cordoba/3278/96(H3N2))		1		1		
	320306	Influenza A virus (A/crested eagle/Belgium/01/2004(H5N1))	2		2			
	291592	Influenza A virus (A/crow/Kyoto/53/2004(H5N1))	1		1			
	385583	Influenza A virus (A/Denver/1957(H1N1))		2		2		
	88297	Influenza A virus (A/duck/Bavaria/1/1977 (H1N1))		2		2		
X	658578	Influenza A virus (A/duck/Beijing/MG0617/2005(H9N2))					1	1
	383550	Influenza A virus (A/duck/England/1/1956(H11N6))		1		1		
	274829	Influenza A virus (A/duck/Fujian/17/2001(H5N1))		1		1		
	365078	Influenza A virus (A/duck/Guangxi/1586/2004(H5N1))		1		1		
	365080	Influenza A virus (A/duck/Guangxi/1793/2004(H5N1))		1		1		
	395841	Influenza A virus (A/duck/Hokkaido/1130/01(H1N1))		1		1		
	249372	Influenza A virus (A/duck/Hokkaido/13/00(H9N2))	2		2			
	387207	Influenza A virus (A/duck/Hokkaido/8/1980(H3N8))		6		6		
	183783	Influenza A virus (A/duck/Hong Kong/3096/99(H6N2))		1		1		
	176672	Influenza A virus (A/Duck/Hong Kong/ww461/2000(H5N1))		1		1		
	384946	Influenza A virus (A/duck/Hungary/1/1970(H6N2))		1		1		
	370813	Influenza A virus (A/duck/IT/701/2005(H10N7))		1		1		
	311169	Influenza A virus (A/duck/Korea/S10/03(H3N2))		1		1		
	441962	Influenza A virus (A/duck/Mongolia/47/2001(H7N1))		3		3		
	353253	Influenza A virus (A/duck/Novosibirsk/56/2005(H5N1))	6	2	6	2		
	210656	Influenza A virus (A/Duck/Shantou/1881/00(H9N2))		1		1		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	210659	Influenza A virus (A/Duck/Shantou/2088/01(H9N2))		1		1		
	210663	Influenza A virus (A/Duck/Shantou/2134/00(H9N2))		1		1		
	210655	Influenza A virus (A/Duck/Shantou/2144/00(H9N2))		1		1		
	385580	Influenza A virus (A/duck/Ukraine/1/1963(H3N8))	3		3			
	380842	Influenza A virus (A/duck/Vietnam/15/2003(H5N1))		1		1		
	279797	Influenza A virus (A/egret/Hong Kong/757.3/2002(H5N1))		3		3		
	192549	Influenza A virus (A/Egypt/96/2002(H1N2))		1		1		
	380210	Influenza A virus (A/England/333/1980(H1N1))	1	1	1	1		
	198059	Influenza A virus (A/England/627/01(H1N2))		2		2		
	573797	Influenza A virus (A/England/654/2007(H1N1))		1		1		
	387147	Influenza A virus (A/England/878/1969(H3N2))	1	2	1	2		
	137578	Influenza A virus (A/England/939/69 x A/PR/8/34)		2		2		
	135661	Influenza A virus (A/environment/Hong Kong/437-10/99 (H5N1))		1		1		
	680789	Influenza A virus (A/environment/Viet Nam/1203/2004(H5N1))	1		1			
	475493	Influenza A virus (A/equine/California/8560/2002(H3N8))		2		2		
	336794	Influenza A virus (A/equine/Massachusetts/213/2003(H3N8))		1		1		
	387223	Influenza A virus (A/equine/Miami/1963(H3N8))	5		5			
	336800	Influenza A virus (A/equine/New York/1/1999(H3N8))		3		3		
	225089	Influenza A virus (A/equine/NewMarket/D64/79(H3N8))		1		1		
	207401	Influenza A virus (A/finch/Canada/NS1301/2001(H3N8))		2		2		
	367120	Influenza A virus (A/Fort Monmouth/1/1947(H1N1))	1		1			
	380282	Influenza A virus (A/Fort Monmouth/1/1947-mouse adapted(H1N1))		24		24		
	260806	Influenza A virus (A/fowl/Dutch/27(H7N7))	1		1			
	107558	Influenza A virus (A/France/75/97(H3N2))		1		1		
X	62549	Influenza A virus (A/Fukuoka/C29/1985(H3N2))				5	5	
	354228	Influenza A virus (A/Gf/HK/SSP607/2003(H9N2))		1		1		
	93838	Influenza A virus (A/Goose/Guangdong/1/96(H5N1))		3		3		
	165512	Influenza A virus (A/goose/Guangdong/3/1997(H5N1))	3	1	3	1		
	182781	Influenza A virus (A/Goose/Hong Kong/385.3/2000(H5N1))		1		1		
	680799	Influenza A virus (A/goose/Hong Kong/437-6/1999(H5N1))		1		1		
	680803	Influenza A virus (A/goose/Hong Kong/739.2/2002(H5N1))		1		1		
	380330	Influenza A virus (A/goose/Hong Kong/8/1976(H1N1))		2		2		
	402464	Influenza A virus (A/gray teal/Australia/2/1979(H4N4))		1		1		
	387239	Influenza A virus (A/gull/Delaware/475/1986(H2N2))		1		1		
	384499	Influenza A virus (A/gull/Maryland/704/1977(H13N6))		1		1		
	387156	Influenza A virus (A/Harbin/1/1988(H1N2))		11		11		
	303316	Influenza A virus (A/Hatay/2004/(H5N1))	3		3			
	380951	Influenza A virus (A/Hebei/19/1995(H3N2))	1		1			
	462695	Influenza A virus (A/Hiroshima/52/2005(H3))	2		2			
	223947	Influenza A virus (A/Hokkaido/20/89(H3N2))		2		2		
	506350	Influenza A virus (A/Hong Kong/1/1968(H3N2))	1	2	1	2		
	130760	Influenza A virus (A/Hong Kong/1073/99(H9N2))	1		1	25	25	
	130761	Influenza A virus (A/Hong Kong/1074/99(H9N2))		1		1		
	164326	Influenza A virus (A/Hong Kong/1131/1998(H1N1))		1		1		
	130763	Influenza A virus (A/Hong Kong/156/97(H5N1))	1	2	1	26	24	
	231851	Influenza A virus (A/Hong Kong/1774/99(H3N2))		1		1		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	ΔB	ΔT
	317652	Influenza A virus (A/Hong Kong/2/68(H3N2))		3		4		1
	432070	Influenza A virus (A/Hong Kong/213/2003(H5N1))		4		4		
	155218	Influenza A virus (A/Hong Kong/482/97(H5N1))		1	6	1	6	
	88104	Influenza A virus (A/Hong Kong/483/1997(H5N1))	1		1	10		10
	680692	Influenza A virus (A/Hong Kong/485/1997(H5N1))		1		1		
	155222	Influenza A virus (A/Hong Kong/488/97(H5N1))		1		1		
	155225	Influenza A virus (A/Hong Kong/507/97(H5N1))		5		5		
	155226	Influenza A virus (A/Hong Kong/514/97(H5N1))		2		2		
	155227	Influenza A virus (A/Hong Kong/516/97(H5N1))		2		2		
	88103	Influenza A virus (A/Hong Kong/532/1997(H5N1))		1		1		
	499286	Influenza A virus (A/Hong Kong/CUHK13527/2003(H3N2))		1		1		
	400788	Influenza A virus (A/Indonesia/5/2005(H5N1))	1	1	1	2		1
X	400810	Influenza A virus (A/Indonesia/CDC594/2006(H5N1))			1		1	
	400828	Influenza A virus (A/Indonesia/CDC669/2006(H5N1))	1		2		1	
	400830	Influenza A virus (A/Indonesia/CDC699/2006(H5N1))		2		2		
	402194	Influenza A virus (A/Istanbul/CTF/10/2004(H3N2))			1		1	
	387161	Influenza A virus (A/Japan/305/1957(H2N2))		2	28	2	28	
	307819	Influenza A virus (A/Jiangsu/38/2004(H3N2))			1		1	
	203126	Influenza A virus (A/Kamata/14/91(H3N2))		1		1		
	154540	Influenza A virus (A/Kayano/57(H2N2))			1		1	
	384495	Influenza A virus (A/Kiev/59/1979(H1N1))			1		1	
	327310	Influenza A virus (A/Kinmen/645/04(H3N2))			1		1	
	225088	Influenza A virus (A/Kitakyushu/159/93(H3N2))			1		1	
	488241	Influenza A virus (A/Korea/426/1968(H2N2))			1		1	
	436004	Influenza A virus (A/kunke/1/71(H3N2))			1		1	
	393557	Influenza A virus (A/Leningrad/1954/1(H1N1))			4		4	
	393697	Influenza A virus (A/Liaoning/25/2000(H1N1))			1		1	
	62559	Influenza A virus (A/Los Angeles/1987(H3N2))		5		5		
	95888	Influenza A virus (A/mallard duck/PA/10218/84(H5N2))		8		8		
	282124	Influenza A virus (A/mallard/Alberta/127/00(H3N8))			1		1	
	352520	Influenza A virus (A/mallard/Alberta/35/1976(H1N1))			2		2	
	185794	Influenza A virus (A/mallard/NZ/1/97(H5N2))			1		1	
	383586	Influenza A virus (A/Memphis/1/1971(H3N2))		19	11	19	11	
	378139	Influenza A virus (A/Memphis/1/1978(H1N1))			5		5	
	383577	Influenza A virus (A/Memphis/1/1990(H3N2))			1		1	
	79695	Influenza A virus (A/Memphis/1/71H-A/Bellamy/42N)			1		1	
	385640	Influenza A virus (A/Memphis/102/1972(H3N2))			8		8	
X	383574	Influenza A virus (A/Memphis/2/1985(H3N2))				1		1
	228928	Influenza A virus (A/Memphis/31/98(H3N2))		6		6		
	383571	Influenza A virus (A/Memphis/6/1986(H3N2))		4		4		
	480019	Influenza A virus (A/Moscow/10/1999(H3N2))			2		2	
	334590	Influenza A virus (A/Moscow/343/2003(H3N2))			1		1	
	389259	Influenza A virus (A/Nagasaki/N03/2005(H3N2))			1		1	
	62488	Influenza A virus (A/Nanchang/58/1993(H3N2))			1		1	
	132884	Influenza A virus (A/Netherlands/458/98 (H3N2))			1		1	
	132783	Influenza A virus (A/Netherlands/626/89 (H3N2))			1		1	
	132841	Influenza A virus (A/Netherlands/785e/90 (H3N2))			1		1	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	381512	Influenza A virus (A/New Caledonia/20/1999(H1N1))	3	127	3	183		56
	311695	Influenza A virus (A/New York/124/2001(H3N2))		1		1		
	335358	Influenza A virus (A/New York/232/2004(H3N2))		102		102		
	327205	Influenza A virus (A/New York/348/2003(H1N1))		56		115		59
	335313	Influenza A virus (A/New York/364/2004(H3N2))		1		1		
	335333	Influenza A virus (A/New York/384/2005(H3N2))		61		61		
	335337	Influenza A virus (A/New York/388/2005(H3N2))		14		14		
	342508	Influenza A virus (A/New York/444/2001(H1N1))		14		24		10
	364132	Influenza A virus (A/New York/504/1998(H3N2))		1		1		
	62564	Influenza A virus (A/New_York/15/94(H3N2))		1		1		
	62496	Influenza A virus (A/New_York/17/94(H3N2))		1		1		
	370128	Influenza A virus (A/Northern Territory/60/1968(H3N2))		1		1		
	384505	Influenza A virus (A/nt/60/1968(H3N2))		67		67		
	155917	Influenza A virus (A/NWS/33HA-A/tern/Australia/G70C/75NA(H1N9))	1		1			
	382820	Influenza A virus (A/NWS/G70C(H1N9))	1		1			
	62503	Influenza A virus (A/Ohio/3/95(H3N2))		1		1		
	428486	Influenza A virus (A/Oklahoma/309/06(H3N2))		3		3		
	223935	Influenza A virus (A/Okuda/57(H2N2))	1	9	1	9		
	381513	Influenza A virus (A/Panama/2007/1999(H3N2))	10	10	10	14		4
	137885	Influenza A virus (A/parakeet/Chiba/1/97(H9N2))		3		3		
	137886	Influenza A virus (A/parakeet/Narita/92A/98(H9N2))		2		2		
	11448	Influenza A virus (A/parrot/Ulster/73(H7N1))		1		1		
	382825	Influenza A virus (A/Philippines/2/1982(H3N2))	1		1			
	385624	Influenza A virus (A/Port Chalmers/1/1973(H3N2))	7	1	7	1		
	385600	Influenza A virus (A/Puerto Rico/8/1934(Cambridge)(H1N1))	1		1			
	211044	Influenza A virus (A/Puerto Rico/8/1934(H1N1))	22	367	23	408	1	41
	183764	Influenza A virus (A/Puerto Rico/8/34/Mount Sinai(H1N1))	7	87	7	89		2
	216877	Influenza A virus (A/quail/Hong Kong/FY298/00(H9N2))		4		4		
	183778	Influenza A virus (A/quail/Hong Kong/SF550/00(H6N1))		2		2		
	197589	Influenza A virus (A/Quail/Shanghai/8/96(H9N2))		1		1		
	417758	Influenza A virus (A/quail/Shantou/1475/2004(H9N2))	1		1			
	411167	Influenza A virus (A/Queensland/11/2001(H3N2))		1		1		
	286239	Influenza A virus (A/red knot/Delaware/2561/87(H10N5))		1		1		
	382828	Influenza A virus (A/RI/5-/1957(H2N2))		1		1		
	221012	Influenza A virus (A/Rio/6/69(H3N2))		1		1		
	142948	Influenza A virus (A/ruddy turnstone/Delaware/67/1998(H12N4))		1		1		
	385616	Influenza A virus (A/ruddy turnstone/NJ/60/1985(N9))		1		1		
	192720	Influenza A virus (A/Saudi Arabia/2581/2001(H1N2))		1		1		
	192535	Influenza A virus (A/Saudi Arabia/7971/2000(H1N1))		1		1		
	384493	Influenza A virus (A/seal/Mass/1/1980(H7N7))	1	1	1	1		
	62512	Influenza A virus (A/Shangdong/5/94(H3N2))		1		1		
	380948	Influenza A virus (A/Shangdong/9/1993(H3N2))	13		13			
	383568	Influenza A virus (A/Shanghai/11/1987(H3N2))		1		1		
	342207	Influenza A virus (A/shorebird/Delaware/141/2002(H9N9))		1		1		
	342210	Influenza A virus (A/shorebird/Delaware/275/2001(H9N7))		1		1		
	342211	Influenza A virus (A/shorebird/Delaware/277/2000(H9N7))		1		1		

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	62575	Influenza A virus (A/Sichuan/2/1987(H3N2))		4		4		
	382781	Influenza A virus (A/Singapore/1/1957(H2N2))	1		1	17		17
X	742305	Influenza A virus (A/slaty-backed gull/Japan/6KS0185/2006(H4N8))				1		1
	59375	Influenza A virus (A/South Carolina/1/1918(H1N1))	3		3			
	177131	Influenza A virus (A/SW/KS/13481-T/00(H1N2))		1		1		
	177128	Influenza A virus (A/SW/MN/12883/00(H1N2))		2		2		
	177188	Influenza A virus (A/SW/MN/3227/00(H1N2))		1		1		
	382842	Influenza A virus (A/swine/29/1937(H1N1))		2		2		
	336207	Influenza A virus (A/swine/Bakum/1832/00(H1N2))		3		3		
	336205	Influenza A virus (A/swine/Bakum/5/95(H1N1))		2		2		
	256045	Influenza A virus (A/swine/Chiai/77-10/2001(H3N1))		1		1		
	136474	Influenza A virus (A/Swine/Colorado/23619/99(H3N2))		1		1		
	169169	Influenza A virus (A/swine/Cotes d'Armor/1482/1999(H1N1))		1		1		
	158306	Influenza A virus (A/swine/Cotes d'Armor/800/00(H1N2))		1		1		
	522740	Influenza A virus (A/swine/Hannover/1/1981(H1N1))		6		6		
	145306	Influenza A virus (A/swine/Hong Kong/10/98(H9N2))	5		5			
	11498	Influenza A virus (A/swine/Hong Kong/126/82(H3N2))		1		1		
	384483	Influenza A virus (A/swine/Hong Kong/127/1982(H3N2))		1		1		
	173473	Influenza A virus (A/swine/Hong Kong/2106/98(H9N2))		2		2		
	380332	Influenza A virus (A/swine/Hong Kong/273/1994(H1N1))		1		1		
	173477	Influenza A virus (A/swine/Hong Kong/3297/98(H9N2))		3		3		
	380217	Influenza A virus (A/swine/Hong Kong/4/1976(H3N2))		1		1		
	253682	Influenza A virus (A/swine/Hong Kong/5190/99(H3N2))		3		3		
X	991335	Influenza A virus (A/swine/Hong Kong/71/2009(H1N1))				1		1
	384484	Influenza A virus (A/swine/Hong Kong/81/1978(H3N2))		11		11		
	145307	Influenza A virus (A/swine/Hong Kong/9/98(H9N2))	2		2			
	253691	Influenza A virus (A/swine/Hong Kong/9840/01(H3N2))		1		1		
	306061	Influenza A virus (A/swine/DT/Bakum1832/2000(H1N2))		1		1		
	384487	Influenza A virus (A/Swine/Indiana/1726/1988(H1N1))		2		2		
	128982	Influenza A virus (A/Swine/Indiana/9K035/99 (H1N2))		2		2		
	161502	Influenza A virus (A/swine/Italy/1509-6/97(H1N1))		12		12		
	164042	Influenza A virus (A/Swine/Italy/1513-1/98(H1N1))		1		1		
	169166	Influenza A virus (A/swine/Italy/1521/98(H1N2))		2		2		
	170342	Influenza A virus (A/swine/Italy/1654-1/99(H1N2))		1		1		
	383561	Influenza A virus (A/swine/Italy/1850/1977(H3N2))		1		1		
	383531	Influenza A virus (A/swine/Italy/2/1979(H1N1))		3		3		
	147095	Influenza A virus (A/Swine/Italy/25823/94(H3N2))		2		2		
	383566	Influenza A virus (A/swine/Italy/425/1976(H1N1))		1		1		
	383564	Influenza A virus (A/swine/Italy/547/1985(H1N1))		3		3		
	383558	Influenza A virus (A/swine/Italy/809/1989(H3N2))		1		1		
	538555	Influenza A virus (A/swine/Korea/Hongsong2/2004(H1N2))		2		2		
	300748	Influenza A virus (A/swine/Korea/S190/2004(H9N2))		3		3		
	187164	Influenza A virus (A/Swine/Minnesota/55551/2000(H1N2))		1		1		
	426738	Influenza A virus (A/swine/Miyagi/5/2003(H1N2))		2		2		
	186460	Influenza A virus (A/swine/New Jersey/11/1976(H1N1))	1		1			
	515581	Influenza A virus (A/swine/Ohio/24366/2007(H1N1))			1		1	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	83206	Influenza A virus (A/swine/Scotland/410440/94(H1N2))		3		3		
	385644	Influenza A virus (A/swine/Ukkel/1/1984(H3N2))		1		1		
	82372	Influenza A virus (A/Sydney/05/97-like(H3N2))		1		1		
X	587884	Influenza A virus (A/Sydney/5/1997(H3N2))			7		7	
	380213	Influenza A virus (A/Taiwan/1/1986(H1N1))		1		1		
	371082	Influenza A virus (A/Taiwan/2/2006(H1N1))		8		8		
X	560463	Influenza A virus (A/Taiwan/VGHYM0325-06/2002(H3N2))				1		1
	395842	Influenza A virus (A/tern/Australia/1/04(H2N5))		1		1		
	405050	Influenza A virus (A/tern/Australia/1402/2004(H2N5))		1		1		
	384509	Influenza A virus (A/tern/Australia/G70C/1975(H11N9))	10		10			
	444318	Influenza A virus (A/Texas/1/1977(H3N2))	1	13	1	13		
	270945	Influenza A virus (A/Thailand/4(SP-528)/2004(H5N1))		20		20		
	427773	Influenza A virus (A/Thailand/SP83/2004(H5N1))	1		1			
	270484	Influenza A virus (A/tiger/Thailand/CU-LV/2004(H5N1))		2		2		
	322564	Influenza A virus (A/tiger/Thailand/CU-T4/04(H5N1))		6		6		
	322566	Influenza A virus (A/tiger/Thailand/CU-T6/04(H5N1))		1		1		
	225071	Influenza A virus (A/Tokyo/1566/98(H3N2))		1		1		
	342396	Influenza A virus (A/turkey/Canada-Ontario/NS-01839-1/05(H3))		1		1		
	380285	Influenza A virus (A/turkey/Ireland/1378/1983(H5N8))		1		1		
	402489	Influenza A virus (A/turkey/Minnesota/1200/1980(H7N3))		1		1		
	383603	Influenza A virus (A/turkey/Minnesota/833/1980(H4N2))		1		1		
	342197	Influenza A virus (A/turkey/MN/511/78(H9N2))		2		2		
	342145	Influenza A virus (A/turkey/MN/735/79(H6N2))		2		2		
	165420	Influenza A virus (A/Turkey/MO/24093/99(H1N2))		5		5		
	533026	Influenza A virus (A/turkey/Ohio/313053/2004(H3N2))		3		3		
	293054	Influenza A virus (A/turkey/Ontario/6213/66(H5N?))	1		1			
	380301	Influenza A virus (A/turkey/Ontario/7732/1966(H5N9))	5	6	5	6		
	380299	Influenza A virus (A/turkey/Wisconsin/1968(H5N9))		1		1		
	385599	Influenza A virus (A/udorn/1972(H3N2))		1		1		
	381517	Influenza A virus (A/Udorn/307/1972(H3N2))		4		4		
	392811	Influenza A virus (A/Udorn/8/1972(H3N2))	1		1			
	62596	Influenza A virus (A/USSR/26/1985(H3N2))		1		1		
	381516	Influenza A virus (A/USSR/90/1977(H1N1))	11		11			
	370127	Influenza A virus (A/Victoria/1968(H3N2))		1		1		
	392809	Influenza A virus (A/Victoria/3/1975(H3N2))	43	8	43	8		
	284217	Influenza A virus (A/Viet Nam/1194/2004(H5N1))	1	4	1	4		
	284218	Influenza A virus (A/Viet Nam/1203/2004(H5N1))	44	57	55	115	11	58
	299390	Influenza A virus (A/Viet Nam/HN/2004(H5N1))		6		6		
	644788	Influenza A virus (A/Vietnam/1194/2004(H5N1))	1		1			
	357208	Influenza A virus (A/Vietnam/CL26/2004(H5N1))		72		72		
	382832	Influenza A virus (A/VM113-V1(H1N1))	1		1			
	383121	Influenza A virus (A/Waikato/7/2000(H3N2))		2		2		
	191090	Influenza A virus (A/Weiss/1943(H1N1))		1		1		
	383152	Influenza A virus (A/Wellington/22/2001(H3N2))		1		1		
	383231	Influenza A virus (A/Wellington/8/2004(H3N2))		1		2		1
	11484	Influenza A virus (A/whale/Maine/1/84(H13N9))	3		3			
	344598	Influenza A virus (A/whooper swan/Mongolia/6/05(H5N1))		1		1		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	381518	Influenza A virus (A/Wilson-Smith/1933(H1N1))		109		109		
	380346	Influenza A virus (A/Wisconsin/3523/1988(H1N1))	1		1			
	461772	Influenza A virus (A/Wisconsin/43/2006(H3N2))	1		1			
	380978	Influenza A virus (A/Wisconsin/4755/1994(H1N1))		6		6		
X	393902	Influenza A virus (A/Wisconsin/67/2005(H3N2))				4	4	
	382835	Influenza A virus (A/WSN/1933(H1N1))	5	3	5	3		
	63106	Influenza A virus (A/Wuhan/359/1995(H3N2))	5		5			
	480024	Influenza A virus (A/Wyoming/03/2003(H3N2))		5		7	2	
	432094	Influenza A virus (A/Wyoming/3/2003-X-147(H3N2))		1		1		
X	430417	Influenza A virus (A/Wyoming/3e5/2003(H3))			1		1	
	132504	Influenza A virus (A/X-31(H3N2))	77	173	77	173		
X	518968	Influenza A virus (A/X-31B(Puerto Rico/8/1934-Aichi/2/1968)(H3N2))			1		1	
	380905	Influenza A virus (A/X-47(H3N2))	3	2	3	2		
X	577543	Influenza A virus (A/Xinjiang/1/2006(H5N1))			4		4	
	327311	Influenza A virus (A/Yilan/515/03(H3N2))		1		1		
	255681	Influenza A virus (A/Yokohama/22/2002(H1N2))		1		1		
	11408	Influenza A virus (STRAIN A/EQUINE/NEW MARKET/76)		1		1		
	55532	Influenza A virus (strain A/SW/Quebec/1192/1986)		1		1		
	168278	Influenza A virus (swine/Finistere/127/99(H3N2))		4		4		
	41857	Influenza A virus H3N2	1	38	1	38		
	10000865	Influenza A virus H3N2 (A/Kiev/301/94)	3		3			
	10000550	Influenza A virus H3N2 (A/Netherlands/9/03 (H3N2))		1		1		
	10000474	Influenza A virus H3N2 (A/Resvir-9 (H3N2))		10		10		
	415166	Influenza A virus(A/swine/Henan/2/2004(H9N2))		1		1		
	415167	Influenza A virus(A/swine/Henan/3/2004(H9N2))		2		2		
	415169	Influenza A virus(A/swine/Henan/5/2004(H9N2))		1		1		
	415172	Influenza A virus(A/swine/Henan/8/2004(H9N2))		2		2		
	415176	Influenza A virus(A/swine/Shandong/NY/2003(H9N2))		3		3		
	415177	Influenza A virus(A/swine/Shandong/fZC/2003(H9N2))		7		7		
	11520	Influenza B virus	2	6	3	6	1	
	11521	Influenza B virus (B/Ann Arbor/1/1986)		3		3		
	107404	Influenza B virus (B/Beijing/184/93)		1		1		
	107406	Influenza B virus (B/Chiba/447/98)		1		1		
	206203	Influenza B virus (B/Hong Kong/330/2001)		16		23	7	
	224964	Influenza B virus (B/Johannesburg/5/99)	1		1			
	184816	Influenza B virus (B/Kadoma/122/99)	2		2			
	256080	Influenza B virus (B/Kobe/1/2003)	1		1			
	504664	Influenza B virus (B/Kobe/113/2005)	1		1			
	504666	Influenza B virus (B/Kobe/115/2005-T1)	1		1			
	503386	Influenza B virus (B/Kobe/3/2004)	1		1			
	504662	Influenza B virus (B/Kobe/39/2005)	1		1			
	504660	Influenza B virus (B/Kobe/67/2005)	1		1			
	171425	Influenza B virus (B/Kobe/87/2001)	1		1			
	107412	Influenza B virus (B/Lee/40)	5	3	5	3		
	11541	Influenza B virus (B/Oregon/5/80)	16		16			
	150127	Influenza B virus (B/Osaka/983/97-V3)	1		1			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	335812	Influenza B virus (B/Shanghai/361/2002)	1		1			
	1077587	Influenza B virus (B/Victoria/2/1987)	2	1	2	1		
	11531	Influenza B virus (STRAIN B/HONG KONG/8/73)		1		1		
	11532	Influenza B virus (STRAIN B/HT/84)		1		1		
	11552	Influenza C virus		1		1		
	11553	Influenza C virus (C/Ann Arbor/1/50)	9		9			
	197911	Influenzavirus A		6		6		
	9725	Inia geoffrensis		1		1		
	55635	Inula helenium		1		1		
	42097	Isla Vista virus	1	2	1	2		
	261204	Itapua hantavirus		10		10		
X	6945	Ixodes scapularis			10		10	
	11072	Japanese encephalitis virus	19	18	20	20	1	2
	10000444	Japanese encephalitis virus CH2195LA	1		1			
	10000445	Japanese encephalitis virus JaOH0566	1		1			
	11075	Japanese encephalitis virus strain JAOARS982	4	4	4	4		
	11076	Japanese encephalitis virus strain Nakayama	2	2	2	2		
	11073	Japanese encephalitis virus strain SA-14	1	1	1	1		
X	10001648	Japanese encephalitis virus strain SA-14 -14-2			2		2	
	10001335	Japanese encephalitis virus Vellore P20778	1	1	1	1		
	10632	JC polyomavirus	1	5	1	5		
X	10001762	JC polyomavirus strain MAD1				1		1
X	16719	Juglans nigra			1		1	
	51240	Juglans regia	27		32		5	
	11619	Junin virus	3	871	3	871		
X	10001614	Junin virus strain MC2				1		1
	13101	Juniperus ashei	13		13			
	453927	Juniperus formosana	1		1			
	430511	Juquitiba virus		2		2		
	42894	Khabarovsk virus		1		1		
	10638	Kilham polyomavirus		1		1		
	573	Klebsiella pneumoniae	21	6	23	6	2	
	484021	Klebsiella pneumoniae subsp. pneumoniae NTUH-K2044		1		1		
	11077	Kunjin virus	3	1	3	1		
	11078	Kunjin virus (STRAIN MRM61C)		2		2		
	11577	La Crosse virus	2	1	2	1		
	11578	La Crosse virus L74		2		2		
	8753	Lachesis muta muta	21		21			
	300015	Lactate dehydrogenase elevating virus C	1		1			
	300016	Lactate dehydrogenase elevating virus Plagemann	1		1			
	11048	Lactate dehydrogenase-elevating virus	14		14			
	1585	Lactobacillus delbrueckii subsp. bulgaricus	1		1			
	1358	Lactococcus lactis		2		2		
X	100641	Lactococcus lactis phage p2			2		2	
X	9518	Lagothrix			1		1	
X	9519	Lagothrix lagotricha			1		1	
	61172	Laguna Negra virus		11		11		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	11269	Lake Victoria marburgvirus	1	70	1	70		
X	378830	Lake Victoria marburgvirus - Angola2005			4		4	
	33727	Lake Victoria marburgvirus - Musoke	3	81	3	81		
	33728	Lake Victoria marburgvirus - Popp	1	14	1	14		
	378809	Lake Victoria marburgvirus - Ravn		32		32		
	11085	Langat virus			1		1	
X	3325	Larix				2		2
	11620	Lassa virus	4	633	4	633		
	11621	Lassa virus GA391			45		45	
	11622	Lassa virus Josiah			379		379	
	6925	Latrodectus tredecimguttatus			1		1	
	85223	Laurus nobilis			1		1	
	69245	Lechiguanas virus			5		5	
	446	Legionella pneumophila			1		1	
	272624	Legionella pneumophila subsp. pneumophila str. Philadelphia 1	1		1			
	218308	Lehmannia valentiana	1		1			
	5658	Leishmania			1		1	
	5667	Leishmania aethiopica			16		16	
	5659	Leishmania amazonensis				2	10	8
	5660	Leishmania braziliensis			6		6	
X	420245	Leishmania braziliensis MHOM/BR/75/M2904				3		3
	44271	Leishmania chagasi	2		3		1	
	5661	Leishmania donovani		9	38	14	38	5
	99875	Leishmania donovani donovani	1		1			
	10000341	Leishmania donovani donovani 1S2D	1		1			
	5671	Leishmania infantum	93	1	94	1	1	
X	435258	Leishmania infantum JPCM5				15		15
	10000345	Leishmania infantum LEM 75	14		14			
	5664	Leishmania major	13	119	16	119	3	
	347515	Leishmania major strain Friedlin			14	23	14	23
	5665	Leishmania mexicana	1	1	2	1	1	
	5679	Leishmania panamensis	3	6	3	6		
	5682	Leishmania pifanoi			20		20	
	11049	Lelystad virus	26	12	66	12	40	
X	9447	Lemur catta				1		1
X	3864	Lens culinaris				19		19
	36936	Lepidoglyphus destructor	5	10	5	10		
	173	Leptospira interrogans	4	4	4	4		
	44275	Leptospira interrogans serovar Copenhageni	2		2			
	267671	Leptospira interrogans serovar Copenhageni str. Fiocruz L1-130	11		11			
	57678	Leptospira interrogans serovar Lai	2	2	10	10	8	8
	189518	Leptospira interrogans serovar Lai str. 56601	1		1			
	10000814	Leptospira interrogans serovar Lai str. HY-1	1		1			
	44276	Leptospira interrogans serovar Pomona			3		3	
	10000847	Leptospira sp. Akiyami A AUT10	1		1			
X	6850	Limulus polyphemus					1	1
	1642	Listeria innocua	2	3	2	3		

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	1638	Listeria ivanovii	1	1	1	1		
	1639	Listeria monocytogenes	18	84	18	87		3
	393133	Listeria monocytogenes 10403S		4		4		
	10000308	Listeria monocytogenes ATCC 35967		1		1		
	10000309	Listeria monocytogenes ATCC 43251		3		3		
	169963	Listeria monocytogenes EGD-e	5	57	5	57		
	393128	Listeria monocytogenes F6900		1		1		
	393117	Listeria monocytogenes FSL J1-194		1		1		
	393124	Listeria monocytogenes FSL N3-165		2		2		
	393126	Listeria monocytogenes FSL R2-561		1		1		
	552536	Listeria monocytogenes HCC23		2		2		
	401650	Listeria monocytogenes HPB2262		3		3		
	393130	Listeria monocytogenes J0161		4		4		
	267409	Listeria monocytogenes serotype 1/2a str. F6854		3		3		
	568819	Listeria monocytogenes serotype 4b str. CLIP 80459		4		4		
	265669	Listeria monocytogenes serotype 4b str. F2365		6		6		
	267410	Listeria monocytogenes serotype 4b str. H7858		23		23		
	386043	Listeria welshimeri serovar 6b str. SLCC5334		2		3		1
	55601	Listonella anguillarum	1		1			
	6299	Litomosoides carinii	3		3			
	217686	Little cherry virus 1		1		1		
	4522	Lolium perenne	36	81	36	81		
	36386	Louping ill virus (strain 31)		1		1		
	58218	Loxosceles intermedia		1		1		
	11623	Lymphocytic choriomeningitis virus	2	364	2	368		4
	11624	Lymphocytic choriomeningitis virus (strain Armstrong)		1142		1143		1
	10000496	Lymphocytic choriomeningitis virus (strain Armstrong) (clone 3)		1		1		
	10000487	Lymphocytic choriomeningitis virus (strain Armstrong) (clone 4)	1		1			
	10000497	Lymphocytic choriomeningitis virus (strain Armstrong) (clone 5)	1		1			
	10000488	Lymphocytic choriomeningitis virus (strain Armstrong) (clone 53b)		45		45		
	11625	Lymphocytic choriomeningitis virus (strain Pasteur)		5		5		
	11626	Lymphocytic choriomeningitis virus (strain Traub)		3		3		
	11627	Lymphocytic choriomeningitis virus (strain WE)		69		69		
	10000494	Lymphocytic choriomeningitis virus (strain WE) variant 8.7		1		1		
	10000495	Lymphocytic choriomeningitis virus (strain WE) WE CL1.2		1		1		
	10000490	Lymphocytic choriomeningitis virus A22.2b		1		1		
	10000491	Lymphocytic choriomeningitis virus Docile		2		2		
	9541	Macaca fascicularis	1	3	1	3		
	9544	Macaca mulatta		1	1	2	1	1
	10373	Macaca mulatta cytomegalovirus		44		47		3
	9548	Macaca radiata	14	1	14	1		
	10325	Macacine herpesvirus 1	1		1			
	47929	Macacine herpesvirus 3		68		68		
	45455	Macacine herpesvirus 4		18		18		
	11628	Machupo virus		784		784		
X	10001615	Machupo virus strain Carvallo				1		1
X	9322	Macropus sp.				1		1

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	ΔB	ΔT
	272627	Magnetospirillum magnetotacticum MS-1		3		3		
	76777	Malassezia sympodialis	1		1			
	3750	Malus x domestica	27	1	27	1		
	40674	Mammalia	2		2			
	351073	Mammalian orthoreovirus		1		1		
	7130	Manduca sexta		3		3		
	29780	Mangifera indica	1		1			
	45201	Mannheimia haemolytica serotype 1	82		82			
	221988	Mannheimia succiniciproducens MBEL55E		2		2		
	186537	Marburgvirus		2		2		
	270374	Marinobacter sp. ELB17		1		1		
	38020	marmosets	2		3		1	
	11234	Measles virus	63	37	63	37		
	10000462	Measles virus CAM/RB		1		1		
	11235	Measles virus strain Edmonston	167	203	167	210	7	
	70146	Measles virus strain Edmonston-B		13		13		
	70149	Measles virus strain Edmonston-Zagreb	1		1			
	11236	Measles virus strain Halle		34		34		
	132487	Measles virus strain Schwarz	1	1	1	1		
X	55429	Megathura crenulata			1		1	
	9103	Meleagris gallopavo	2		3		1	
	152219	Menangle virus	2		2			
	12107	Mengo virus	5	13	5	13		
	10036	Mesocricetus auratus	31		31			
X	2190	Methanocaldococcus jannaschii			2		2	
	243232	Methanocaldococcus jannaschii DSM 2661		1		1		
	187420	Methanothermobacter thermautrophicus str. Delta H		1		1		
	420662	Methylibium petroleiphilum PM1		1		1		
	10793	Mink enteritis virus strain Abashiri	1		1			
	467144	Modified Vaccinia Ankara virus		51		52		1
	11801	Moloney murine leukemia virus		5		5		
	10244	Monkeypox virus	5		5			
X	13616	Monodelphis domestica				4		4
	264732	Moarella thermoacetica ATCC 39073		1		1		
	300180	Mopeia Lassa reassortant 29		3		3		
	11629	Mopeia virus		12		12		
	480	Moraxella catarrhalis	10		10			
	10001556	Moraxella catarrhalis 26404	1		1			
X	10001849	Moraxella catarrhalis serotype A			3		3	
X	10001831	Moraxella catarrhalis serotype B			1		1	
X	10001851	Moraxella catarrhalis serotype C			1		1	
X	582	Morganella morganii			1		1	
	11757	Mouse mammary tumor virus		10		12		2
	11161	Mumps virus	3		3			
	11169	Mumps virus (STRAIN KILHAM)	1		1			
	11173	Mumps virus (STRAIN SBL-1)	3		3			
	10366	Murid herpesvirus 1		41	2	45	2	4

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000411	Murid herpesvirus 1 deltaMS94.5		2		2		
	10000412	Murid herpesvirus 1 Isolate G4		1		1		
	10000413	Murid herpesvirus 1 Isolate K6		1		1		
	33708	Murid herpesvirus 4	1	52	1	52		
	10000536	Murid herpesvirus 4 G2.4		3		3		
	10000537	Murid herpesvirus 4 WUMS		2		2		
	10530	Murine adenovirus 1	1	2	1	2		
	69156	Murine cytomegalovirus (strain K181)	2	11	2	11		
	10367	Murine cytomegalovirus (strain Smith)		30		31		1
	10001396	Murine cytomegalovirus (strain Smith) MW97.01		5		5		
	35275	Murine endogenous retrovirus		11		11		
	11138	Murine hepatitis virus	3	15	3	31		16
	12760	Murine hepatitis virus strain 4		5		5		
	11142	Murine hepatitis virus strain A59	26	4	26	4		
	11144	Murine hepatitis virus strain JHM		8	15	25	15	17
	11786	Murine leukemia virus		7	1	12	1	5
	10001207	Murine leukemia virus LP-BM5		1		1		
	223997	Murine norovirus 1	2		2			
	10634	Murine polyomavirus		3	25	3	25	
	10636	Murine polyomavirus strain A2		3		3		
	28327	Murine rotavirus		3		3		
	70865	Murine rotavirus EDIM		27		27		
	11812	Murine sarcoma virus 3611		4		4		
	44561	Murine type C retrovirus		1		1		
	11079	Murray Valley encephalitis virus		12	7	12	7	
	301478	Murray valley encephalitis virus (strain MVE-1-51)		11	10	11	10	
	10090	Mus musculus		443	1824	512	2513	69 689
X	10001019	Mus musculus B10.D2					1	1
	10000000	Mus musculus BALB/c		2		2		
X	10000055	Mus musculus DBA/2					1	1
	10092	Mus musculus domesticus		1		2		1
X	57486	Mus musculus molossinus					1	1
	10095	Mus sp.		1		1		
	4641	Musa acuminata		50	1	50	1	
	214697	Musa acuminata AAA Group		1		1		
X	9666	Mustela lutreola					1	1
	1763	Mycobacterium		1	15	4	15	3
	1764	Mycobacterium avium		6	12	6	12	
	243243	Mycobacterium avium 104			10		10	
	10000313	Mycobacterium avium serovar 1		1		1		
	10000314	Mycobacterium avium serovar 2		1		1		
	10000316	Mycobacterium avium serovar 25		1		1		
	10000317	Mycobacterium avium serovar 26		1		1		
	10000318	Mycobacterium avium serovar 4		2		2		
	10000319	Mycobacterium avium serovar 8		1	1	1	1	
	10000320	Mycobacterium avium serovar 9		1		1		
	1770	Mycobacterium avium subsp. paratuberculosis		2	4	25	13	23 9

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	262316	Mycobacterium avium subsp. paratuberculosis K-10	2		3	25	1	25
	10000328	Mycobacterium avium subsp. paratuberculosis Strain Ben		1		1		
	1765	Mycobacterium bovis	47	125	47	125		
	233413	Mycobacterium bovis AF2122/97		49		49		
	10000322	Mycobacterium bovis AN5	9	28	9	28		
	33892	Mycobacterium bovis BCG	11	147	11	147		
	410289	Mycobacterium bovis BCG str. Pasteur 1173P2	1	88	1	88		
	10000323	Mycobacterium bovis T/91/1378		6		6		
	670516	Mycobacterium chelonae group	1		1			
	1766	Mycobacterium fortuitum		1		1		
	144549	Mycobacterium fortuitum subsp. fortuitum			1		1	
	10000331	Mycobacterium gastri W471	1		1			
	350054	Mycobacterium gilvum PYR-GCK		4		4		
	1778	Mycobacterium gordoneae	1		1			
	1767	Mycobacterium intracellulare			1		1	
	487521	Mycobacterium intracellulare ATCC 13950	1		1			
	1768	Mycobacterium kansasii	9	8	9	8		
	557599	Mycobacterium kansasii ATCC 12478	1		1			
	10000325	Mycobacterium kansasii Subspecies IV			3		3	
	10000326	Mycobacterium kansasii Subspecies V			2		2	
	1769	Mycobacterium leprae	118	364	119	365	1	1
	272631	Mycobacterium leprae TN		3		3		
	525368	Mycobacterium parascrofulaceum ATCC BAA-614			1		1	
	43304	Mycobacterium peregrinum	2		2			
	1771	Mycobacterium phlei			1		1	
	1783	Mycobacterium scrofulaceum	4		4			
	1772	Mycobacterium smegmatis			1		1	
	1785	Mycobacterium sp.			2		2	
	164757	Mycobacterium sp. JLS			1		1	
	189918	Mycobacterium sp. KMS			1		1	
X	912594	Mycobacterium sp. M05					1	1
X	164756	Mycobacterium sp. MCS					1	1
	1773	Mycobacterium tuberculosis	475	1068	476	1171	1	103
	10000329	Mycobacterium tuberculosis 103	1		1			
	348776	Mycobacterium tuberculosis C			67		67	
	83331	Mycobacterium tuberculosis CDC1551			22		22	
	10000330	Mycobacterium tuberculosis Erdman	15	19	15	19		
	336982	Mycobacterium tuberculosis F11			13		13	
	419947	Mycobacterium tuberculosis H37Ra			56		56	
	83332	Mycobacterium tuberculosis H37Rv	53	393	53	670		277
	395095	Mycobacterium tuberculosis str. Haarlem			88		88	
	182785	Mycobacterium tuberculosis subsp. tuberculosis			1		1	
	1809	Mycobacterium ulcerans			7		7	
	362242	Mycobacterium ulcerans Agy99			1		1	
X	350058	Mycobacterium vanbaalenii PYR-1					1	1
	347257	Mycoplasma agalactiae PG2	3		3			
	28903	Mycoplasma bovis			21		21	

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10001075	Mycoplasma gallisepticum strain S6	1		1			
	2097	Mycoplasma genitalium		1		1		
	243273	Mycoplasma genitalium G37	7		8		1	
	2099	Mycoplasma hyopneumoniae	2		2			
	295358	Mycoplasma hyopneumoniae 232	21		21			
	754503	Mycoplasma hyopneumoniae 7422	1		1			
	262722	Mycoplasma hyopneumoniae 7448	1		1			
	28227	Mycoplasma penetrans	34		34			
	2104	Mycoplasma pneumoniae	9	2	12	2	3	
X	722438	Mycoplasma pneumoniae FH			2		2	
	10000332	Mycoplasma pneumoniae FH	1		1			
	272634	Mycoplasma pneumoniae M129	9		9			
	13618	Myrmecia pilosula	2		2			
X	246197	Myxococcus xanthus DK 1622				1		1
	10273	Myxoma virus		3		3		
	8656	Naja atra	7		7			
	35670	Naja naja	3		3			
	8654	Naja nigricollis	3	2	3	2		
	8657	Naja oxiana	4		4			
	8658	Naja pallida	1	1	1	1		
	51031	Necator americanus	2		2			
	367400	Neembucu hantavirus		4		4		
	485	Neisseria gonorrhoeae	21	11	23	11	2	
	10001558	Neisseria gonorrhoeae 15253	1		1			
	10000863	Neisseria gonorrhoeae 4505	1		1			
	528354	Neisseria gonorrhoeae MS11	8		8			
	10001077	Neisseria gonorrhoeae SU89	1		1			
	10001078	Neisseria gonorrhoeae SU96	3		3			
	487	Neisseria meningitidis	39	22	58	22	19	
	272831	Neisseria meningitidis FAM18	1		1			
	10001560	Neisseria meningitidis M982B	2		2			
	122586	Neisseria meningitidis MC58	12		13		1	
	65699	Neisseria meningitidis serogroup A	1		5		4	
	10001051	Neisseria meningitidis serogroup A Strain 8659	1		1			
	491	Neisseria meningitidis serogroup B	36	1	39	1	3	
	10000843	Neisseria meningitidis serogroup B H44/76	74	22	74	22		
	10001003	Neisseria meningitidis serogroup B CU385	2		2			
	10001050	Neisseria meningitidis serogroup B Strain 7967	1		1			
	10000979	Neisseria meningitidis serogroup B Strain 8047	4		4			
	10000972	Neisseria meningitidis serogroup B Strain B16.B6	1		1			
	10001162	Neisseria meningitidis serogroup B Strain M1239	2		2			
	10001049	Neisseria meningitidis serogroup B Strain S3446	1		1			
X	135720	Neisseria meningitidis serogroup C			3		3	
	10001044	Neisseria meningitidis serogroup C MC51	1		1			
X	10001783	Neisseria meningitidis serogroup C strain C11			1	1	1	1
X	10001797	Neisseria meningitidis serogroup C strain MC19			1		1	
X	10001713	Neisseria meningitidis serogroup W-135			1		1	

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
X	648194	<i>Neisseria meningitidis</i> serogroup Y			3		3	
X	10001524	<i>Neisseria meningitidis</i> strain 3006			1		1	
	29176	<i>Neospora caninum</i>	2	2	2	17		15
X	572307	<i>Neospora caninum</i> Liverpool				1		1
	452646	<i>Neovison vison</i>			1		1	
	5141	<i>Neurospora crassa</i>	6	3	6	3		
	11176	Newcastle disease virus	14	3	14	3		
	11177	Newcastle disease virus (STRAIN AUSTRALIA-VICTORIA/32)	4		4			
	10001138	Newcastle disease virus (strain Eaves)	1		1			
	10001032	Newcastle disease virus (strain La Sota)	1		1			
	10001140	Newcastle disease virus (strain WA2116)	1		1			
	351071	Newcastle disease virus AF2240	1		1			
	11178	Newcastle disease virus strain Beaudette C/45	12		12			
	11180	Newcastle disease virus strain D26/76	4		4			
	11186	Newcastle disease virus strain Queensland/66	4		4			
	4097	<i>Nicotiana tabacum</i>	1		1			
	121791	Nipah virus	5		5			
	314278	<i>Nitrococcus mobilis</i> Nb-231			1		1	
X	37329	<i>Nocardia farcinica</i>					1	1
	142786	Norovirus	2	1	2	1		
	122928	Norovirus genogroup 1	1		1			
	10001484	Norovirus genogroup 1 GI.12	1		1			
	10001116	Norovirus genogroup 1 isolates 96-908	4		4			
	122929	Norovirus genogroup 2	2		2			
X	10001606	Norovirus genogroup 2 Hu/NoV/Farmington Hills/2002/USA					2	2
	10000829	Norovirus genogroup 2 Mexico type strain 36	3		3			
	10000560	Norovirus genogroup 3 Bo/Jena/1980/DE	1		1			
	10001485	Norovirus genogroup 3 GIII.1	1		1			
	647514	Norovirus genogroup GI.1	1		1			
	647515	Norovirus genogroup GI.2	1		1			
	647519	Norovirus genogroup GI.5	1		1			
	647521	Norovirus genogroup GI.7	1		1			
	499191	Norovirus genogroup GII.1	1		1			
	520963	Norovirus genogroup GII.11	1		1			
	520964	Norovirus genogroup GII.18	1		1			
	490039	Norovirus genogroup GII.2	1		1			
	489821	Norovirus genogroup GII.4	1		1			
	508775	Norovirus genogroup GII.9	1		1			
X	524364	Norovirus Hu/1968/US					1	1
	588533	Norovirus Hu/GII/GZ-1/2008/CHN	1		1			
	150080	Norovirus isolates	1		1			
	63737	<i>Nostoc punctiforme</i> PCC 73102			1		1	
	8663	<i>Notechis scutatus</i>	2		2			
	8996	<i>Numida meleagris</i>	1		1			
	4146	<i>Olea europaea</i>	65	14	70	19	5	5
	42764	Oliveros virus			1		1	
	6282	<i>Onchocerca volvulus</i>	3	39	3	39		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
X	8018	Oncorhynchus keta				6		6
X	8022	Oncorhynchus mykiss			1		1	
	69247	Oran virus		2		2		
	9733	Orcinus orca		1		1		
	784	Orientia tsutsugamushi	86		86			
	10000761	Orientia tsutsugamushi Karp	1		1			
	357244	Orientia tsutsugamushi str. Boryong	2	2	2	2		
	334380	Orientia tsutsugamushi str. Ikeda		1		1		
X	9258	Ornithorhynchus anatinus				1		1
	9986	Oryctolagus cuniculus	15	7	38	7	23	
	39947	Oryza sativa Japonica Group	5	1	5	1		
	28869	Ovine respiratory syncytial virus	1		1			
	9940	Ovis aries	80	3	81	3	1	
	8667	Oxyuranus scutellatus scutellatus	3		3			
	9598	Pan troglodytes	6	18	7	21	1	3
	188763	Panine herpesvirus 2		2		2		
	3469	Papaver somniferum	1		1			
X	9555	Papio anubis			1		1	
	61183	Papio sp.	1		1			
	121759	Paracoccidioides brasiliensis	4	14	4	14		
	10000566	Paracoccidioides brasiliensis B339		8		8		
	502780	Paracoccidioides brasiliensis Pb18	1		1			
	266	Paracoccus denitrificans	1		3		2	
	318586	Paracoccus denitrificans PD1222		2		2		
	11207	Parainfluenza virus 5	1	1	1	1		
X	8255	Paralichthys olivaceus			1		1	
	45222	Parana virus		1		1		
	33127	Parietaria judaica	61	2	61	2		
	13187	Parietaria officinalis	2		2			
	747	Pasteurella multocida		10		10		
	272843	Pasteurella multocida subsp. multocida str. Pm70		4		4		
	10000759	Pasteurella multocida X-73	2		2			
	1254	Pediococcus acidilactici	1		1			
	133894	Penaeus	2		2			
X	6687	Penaeus monodon			10		10	
	5076	Penicillium chrysogenum	45		45			
	69248	Pergamino virus		1		1		
	6978	Periplaneta americana	9		9			
	31604	Peste-des-petits-ruminants virus	9	1	9	1		
	10001020	Peste-des-petits-ruminants virus (strain Nigeria 75/1)		1		1		
	3885	Phaseolus vulgaris	3	1	3	1		
	9057	Phasianus colchicus colchicus	1		1			
	15957	Phleum pratense	49	717	49	717		
	10000463	Phocine distemper virus 2558/Han 88	5		5			
	9742	Phocoena phocoena		1		1		
	314292	Photobacterium angustum S14		1		1		
	659	Photobacterium phosphoreum		1		1		

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	72539	Physalis mottle virus	2		2			
	9755	Physeter catodon	1	28	1	29		1
X	4787	Phytophthora infestans			2		2	
	11630	Pichinde virus			8		8	
X	10001618	Pichinde virus strain Munchique					1	1
	3352	Pinus taeda	4		4			
	60876	Pixuna virus			1		1	
	2439	Plasmid ColB2	1		1			
	2465	Plasmid F	1		1			
	141833	Plasmid pIPO2T			2		2	
	28399	Plasmid R100			1		1	
	5820	Plasmodium	4	5	4	5		
	5821	Plasmodium berghei	14	45	14	45		
	10000356	Plasmodium berghei NK65	2	2	2	2		
	5823	Plasmodium berghei str. ANKA	6		6	5		5
	5824	Plasmodium brasiliandum	2		2			
	5825	Plasmodium chabaudi	4	4	4	4		
	10000357	Plasmodium chabaudi adami DS	2	37	2	37		
X	31271	Plasmodium chabaudi chabaudi					2	2
	5827	Plasmodium cynomolgi	2		2			
	5833	Plasmodium falciparum	573	695	616	753	43	58
	10000358	Plasmodium falciparum 366			1		1	
	36329	Plasmodium falciparum 3D7	144	199	144	199		
	57266	Plasmodium falciparum 7G8	40	50	40	50		
	10000363	Plasmodium falciparum Brazil-608	1	1	1	1		
	5835	Plasmodium falciparum CAMP/Malaysia	36	3	36	3		
	5836	Plasmodium falciparum CDC/Honduras	1		1			
	10000364	Plasmodium falciparum Clone PNG3			1		1	
	5837	Plasmodium falciparum FC27/Papua New Guinea	40	45	42	63	2	18
	10000366	Plasmodium falciparum FCB-2	1		1			
	5838	Plasmodium falciparum FCR-3/Gambia	8		8			
	10000371	Plasmodium falciparum Indochina I/CDC	32		32			
	5848	Plasmodium falciparum isolate WELLCOME	26	53	26	53		
	10000373	Plasmodium falciparum ItG2G1			1		1	
	5839	Plasmodium falciparum K1	18	19	18	19		
	5840	Plasmodium falciparum LE5			2		2	
	5841	Plasmodium falciparum Mad20/Papua New Guinea	8	47	8	47		
	5843	Plasmodium falciparum NF54	14	33	14	33		
	5842	Plasmodium falciparum NF7/Ghana	5		5			
	57270	Plasmodium falciparum Palo Alto/Uganda	14		14			
	5834	Plasmodium falciparum RO-33	8	1	8	1		
	10000375	Plasmodium falciparum RO71	1	1	1	1		
	5846	Plasmodium falciparum T4/Thailand	25		25			
	10000816	Plasmodium falciparum T9/96	1	1	1	1		
	10000376	Plasmodium falciparum UF-5	2		2			
	5857	Plasmodium fragile			4		4	
	5850	Plasmodium knowlesi	2	6	2	6		

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	5851	Plasmodium knowlesi strain H	7	7	7	7		
	5852	Plasmodium knowlesi strain Nuri		3		3		
	5858	Plasmodium malariae	1		1			
	5854	Plasmodium reichenowi		3		3		
	35085	Plasmodium simiovale	1		1			
	5859	Plasmodium simium	2		2			
	31272	Plasmodium sp.	1		1			
	5855	Plasmodium vivax	57	148	83	150	26	2
	10000378	Plasmodium vivax NK		2		2		
	126793	Plasmodium vivax Sal-1	3	1	10	1	7	
	31273	Plasmodium vivax strain Belem	6	34	6	34		
	10000862	Plasmodium vivax VK247	1		1			
	27990	Plasmodium vivax-like sp.	2		2			
	5861	Plasmodium yoelii	14	36	17	38	3	2
	73239	Plasmodium yoelii yoelii	22	28	22	30		2
	10000555	Plasmodium yoelii yoelii 265BY		1		1		
	352914	Plasmodium yoelii yoelii str. 17XNL	6	1	6	1		
	10000381	Plasmodium yoelii yoelii YM	1	5	1	5		
X	9723	Platanistidae				1		1
	103448	Pleistophora sp. LS		1		1		
	703	Plesiomonas shigelloides		1		1		
	12211	Plum pox virus	1		1			
	12213	Plum pox virus (isolate NAT)			1		1	
	10001100	Plum pox virus (strain W)	6		6			
	4754	Pneumocystis carinii	2	1	2	1		
	263815	Pneumocystis murina	3		3			
	270473	Pneumonia virus of mice J3666			6		6	
	4545	Poa pratensis	34	18	34	18		
	4479	Poaceae		1		1		
	365044	Polaromonas naphthalenivorans CJ2		1		1		
	12088	Poliovirus type 3 (strains P3/LEON/37 AND P3/LEON 12A[1]B)	4	15	4	15		
	80956	Pomacentrus moluccensis		1		1		
	9601	Pongo abelii		1		1		
	9600	Pongo pygmaeus		2		2		
	46221	Porcine circovirus		49		49		
	133704	Porcine circovirus 1	5		5			
	85708	Porcine circovirus 2	15		26		11	
	10001239	Porcine circovirus strain ISU31	7		7			
X	61673	Porcine endogenous retrovirus			2	11	2	11
	194958	Porcine endogenous retrovirus A	2		2			
X	194959	Porcine endogenous retrovirus B			1		1	
	28295	Porcine epidemic diarrhea virus	1		1			
	229032	Porcine epidemic diarrhea virus (strain CV777)	4		4			
	10796	Porcine parvovirus	37		37			
	28344	Porcine reproductive and respiratory syndrome virus	62	3	72	6	10	3
	10001586	Porcine reproductive and respiratory syndrome virus 07V063	3		3			
	10001587	Porcine reproductive and respiratory syndrome virus 08V204	2		2			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
X	10001800	Porcine reproductive and respiratory syndrome virus HuN4				4		4
X	10001771	Porcine reproductive and respiratory syndrome virus HuN4-F112				1		1
	10000969	Porcine respiratory and reproductive syndrome virus 111/92	9		9			
	10000529	Porcine respiratory and reproductive syndrome virus CH-1a	6		6	1		1
	10000859	Porcine respiratory and reproductive syndrome virus JA142	1		1			
	10000864	Porcine respiratory and reproductive syndrome virus MD-001	1		2		1	
	10000888	Porcine respiratory and reproductive syndrome virus Olot/91	3		3			
	10919	Porcine rotavirus (STRAIN YM)	2	1	2	1		
	101350	Porcine rotavirus strain A253	2		2			
	10917	Porcine rotavirus strain Gottfried	2		2			
	53179	Porcine rubulavirus	3		3			
	11150	Porcine transmissible gastroenteritis coronavirus strain FS772/70	2		2			
X	10001798	Porcine transmissible gastroenteritis coronavirus strain Pur46-MAD				4		4
	11151	Porcine transmissible gastroenteritis coronavirus strain Purdue	14		14			
	837	Porphyromonas gingivalis	72	18	74	20	2	2
	10001079	Porphyromonas gingivalis 381	71	55	71	55		
	10001081	Porphyromonas gingivalis HG66	2		2			
	10001223	Porphyromonas gingivalis OMZ 409	23		23			
	242619	Porphyromonas gingivalis W83	2		2			
	37128	Potato mop-top virus	8		8			
	12216	Potato virus Y	1		1			
	10001152	Potato virus Y strain D	6		6			
	11083	Powassan virus		2		2		
X	93058	Prochlorococcus marinus str. MIT 9202				1		1
X	765103	Propionibacterium acnes HL030PA1					1	1
	1752	Propionibacterium freudenreichii subsp. shermanii		1		1		
	11603	Prospect Hill virus	1	2	1	2		
X	1224	Proteobacteria				3		3
	583	Proteus	1		2		1	
	584	Proteus mirabilis	6		6			
	10001006	Proteus mirabilis CFT322	1		1			
	529507	Proteus mirabilis HI4320	1		1			
	10001498	Proteus mirabilis O23	1		1			
X	10001490	Proteus mirabilis O24				1		1
X	10001491	Proteus mirabilis O29				1		1
	10001500	Proteus mirabilis O43	1		1			
	10001499	Proteus mirabilis O6	1		1			
	102862	Proteus penneri	1		1			
X	10001836	Proteus penneri 14 (O59)				2		2
X	10001837	Proteus penneri 15 (O52)				2		2
X	10001835	Proteus penneri 7 (O61)				2		2
X	10001581	Proteus penneri 8 (O67)				1		1
	10001501	Proteus penneri ATCC 33519	1		1			
	10001489	Proteus vulgaris Strain 5/43	1		1			
	88086	Protobothrops elegans	7		7			
X	10001514	Providencia stuartii O33				1		1

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
X	10001588	Providencia stuartii O4			1		1	
	300559	PRRSV VR2332	18		22		4	
	36596	Prunus armeniaca	4		4			
	42229	Prunus avium	3	1	3	1		
	3758	Prunus domestica	4		4			
X	3755	Prunus dulcis			18		18	
	3760	Prunus persica	17	49	17	51		2
	8671	Pseudechis porphyriacus	3		3			
	342610	Pseudoalteromonas atlantica T6c			1		1	
X	135621	Pseudomonadaceae			1		1	
	287	Pseudomonas aeruginosa	65	50	72	50	7	
	350704	Pseudomonas aeruginosa C3719			2		2	
	10001057	Pseudomonas aeruginosa CD4	1		1			
	10000822	Pseudomonas aeruginosa Immunotype 3	1		1			
	10000723	Pseudomonas aeruginosa Immunotype 4	4		4			
	10001058	Pseudomonas aeruginosa K122-4	1		1			
	10000817	Pseudomonas aeruginosa KB7	2		2			
	10000818	Pseudomonas aeruginosa P1	1		1			
	388272	Pseudomonas aeruginosa PACS2			4		4	
	10000725	Pseudomonas aeruginosa PAK	7	3	7	3		
	10000815	Pseudomonas aeruginosa PAO	2	2	2	2		
	208964	Pseudomonas aeruginosa PAO1	1	1	1	1		
	10001519	Pseudomonas aeruginosa serotype O11	1		1			
	208963	Pseudomonas aeruginosa UCBPP-PA14			20		20	
	237609	Pseudomonas alkylphenolia			1		1	
	294	Pseudomonas fluorescens			4		4	
	10879	Pseudomonas phage phi6	7		7			
	303	Pseudomonas putida	1	8	1	8		
	351746	Pseudomonas putida F1			4		4	
	76869	Pseudomonas putida GB-1			1		1	
	306	Pseudomonas sp.			1		1	
	74138	Pseudomonas sp. DJ-12			1		1	
	71238	Pseudomonas sp. G-179			1		1	
	159091	Pseudomonas sp. KIE171			1		1	
	91465	Pseudomonas sp. MIS38			1		1	
	150396	Pseudomonas sp. MT-1			1		1	
X	192087	Pseudomonas syringae pv. atrofaciens			4		4	
X	10001690	Pseudomonas syringae pv. atrofaciens str. IMV 4394			1		1	
X	10001688	Pseudomonas syringae pv. atrofaciens str. IMV 7836			1		1	
X	10001689	Pseudomonas syringae pv. atrofaciens str. IMV K-1025			1		1	
X	129138	Pseudomonas syringae pv. morsprunorum			2		2	
X	10001700	Pseudomonas syringae pv. morsprunorum str. CFBP 1650			1		1	
X	10001698	Pseudomonas syringae pv. morsprunorum str. GSPB 883			1		1	
X	319	Pseudomonas syringae pv. phaseolicola			1		1	
	264730	Pseudomonas syringae pv. phaseolicola 1448A			1		1	
X	10001697	Pseudomonas syringae pv. phaseolicola str. IMV 120a			1		1	
X	10001693	Pseudomonas syringae pv. tagetis str. ICMP 6370			1		1	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	29442	Pseudomonas tolaasii		1		1		
	11604	Puumala virus	32	19	32	19		
	11605	Puumala virus (STRAIN HALLNAS B1)		1		1		
	10000485	Puumala virus (STRAIN HALLNAS B1) Vranica/Hallnas	4		4			
	39002	Puumala virus (strain sotkamo/v-2969/81)	196		196			
	10001238	Puumala virus (strain Umea/hu)	1		1			
	10000483	Puumala virus CG18-20	4		4			
	10000484	Puumala virus Kazan	25	7	25	7		
	272844	Pyrococcus abyssi GE5		1		1		
	10000507	Rabbit hemorrhagic disease virus Olot/89	1		1			
	122291	Rabbit oral papillomavirus	2		2			
	32606	Rabbitpox virus		2		2		
	11292	Rabies virus	9	13	10	13	1	
	11293	Rabies virus AVO1		4		4		
	10000467	Rabies virus CVS	14		14			
	11294	Rabies virus CVS-11	1		1			
	11295	Rabies virus ERA	5	27	5	27		
	10000470	Rabies virus Flury LEP		1		1		
	11296	Rabies virus HEP-FLURY	7	1	7	1		
	11298	Rabies virus Nishigahara RCEH	1		1			
	37132	Rabies virus Ontario fox	3		3			
	10000471	Rabies virus RC-HL	4		4			
	103929	Rabies virus strain Pasteur vaccin	1	1	2	1	1	
X	3726	Raphanus sativus			1		1	
	10114	Rattus	2	1	12	1	10	
	10116	Rattus norvegicus	169	377	204	453	35	76
X	10001133	Rattus norvegicus DA				3		3
X	10000662	Rattus norvegicus Lewis				1		1
	10001412	Rattus norvegicus Wistar-Furth		7		11		4
	48483	Reclinomonas americana		1		1		
	1646	Renibacterium salmoninarum	12		12			
	10891	Reovirus sp.		2		2		
	12814	Respiratory syncytial virus	3	6	3	6		
	186539	Reston ebolavirus		6		6		
	129003	Reston ebolavirus - Reston	2	27	2	27		
	386032	Reston ebolavirus - Reston (1989)		1		1		
	103930	Rhesus cytomegalovirus strain 68-1		5		5		
	10969	Rhesus rotavirus	8	1	8	1		
	60189	Rhipicephalus decoloratus	5		5			
	1063	Rhodobacter sphaeroides		1		1		
	43767	Rhodococcus equi	18		18			
	1833	Rhodococcus erythropolis		1		1		
	1828	Rhodococcus fascians		1		1		
	316056	Rhodopseudomonas palustris BisB18		1		1		
	160061	Ricinus		1		1		
	3988	Ricinus communis	9	3	31	3	22	
	35788	Rickettsia africae		1		1		

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	293614	Rickettsia akari str. Hartford		1		1		
	787	Rickettsia australis		1		1		
	391896	Rickettsia bellii OSU 85-389		3		3		
	336407	Rickettsia bellii RML369-C		7		7		
	788	Rickettsia canadensis		1		1		
	781	Rickettsia conorii		13		13		
	272944	Rickettsia conorii str. Malish 7		5		5		
	42862	Rickettsia felis		1		1		
	315456	Rickettsia felis URRWXCal2		6		6		
	35791	Rickettsia massiliae		1		1		
	416276	Rickettsia massiliae MTU5		1		1		
	782	Rickettsia prowazekii		21		21		
	272947	Rickettsia prowazekii str. Madrid E		5		5		
	783	Rickettsia rickettsii		1		1		
	452659	Rickettsia rickettsii str. Iowa		1		1		
	392021	Rickettsia rickettsii str. 'Sheila Smith'		1		1		
	35793	Rickettsia sibirica		4		4		
	272951	Rickettsia sibirica 246		15		15		
	785	Rickettsia typhi		3		3		
	257363	Rickettsia typhi str. Wilmington		5		5		
	11588	Rift Valley fever virus	4	2	4	2		
	11589	Rift valley fever virus (STRAIN ZH-548 M12)		2		2		
	10000482	Rift Valley fever virus ZH501	2		2			
	11241	Rinderpest virus	2	2	2	2		
	11243	Rinderpest virus (strain L)	6		6			
	36409	Rinderpest virus (strain RBOK)	33	5	33	5		
	10000465	Rinderpest virus LATC	2		2			
	46920	Rio Mamore virus	1	1	1	1		
	37207	Rio Segundo virus	1		1			
	313596	Robiginitalea biformata HTCC2501		1		1		
	1	root	1	5	1	5		
	314262	Roseobacter sp. MED193		1		1		
	11029	Ross River virus		1		1		
	11032	Ross river virus (STRAIN T48)	3		3			
	10912	Rotavirus		1		1		
	10930	Rotavirus A bovine/B223/G10	2		2			
	72132	Rotavirus G1	1	1	1	1		
	73036	Rotavirus G3		1		1		
	10001216	Rotavirus G3 strain RV-3	1		1			
	11886	Rous sarcoma virus	4	4	4	4		
	11041	Rubella virus	77	96	77	96		
	11043	Rubella virus (strain M33)	3	11	3	11		
	11045	Rubella virus (strain THERIEN)	20	35	20	35		
	11044	Rubella virus (vaccine strain RA27/3)	2	6	2	6		
	159479	Saaremaa virus		9		9		
	45709	Sabia virus		874		874		
	64284	Saboya virus		1		1		

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	4932	<i>Saccharomyces cerevisiae</i>	16	9	22	10	6	1
	545124	<i>Saccharomyces cerevisiae AWRI1631</i>		2		2		
	285006	<i>Saccharomyces cerevisiae RM11-1a</i>		2		2		
X	9491	<i>Saguinus imperator</i>			1		1	
X	9488	<i>Saguinus mystax</i>			1		1	
X	9520	<i>Saimiri</i>			1		1	
X	9521	<i>Saimiri sciureus</i>			1		1	
	10381	<i>Saimiriine herpesvirus 2</i>		3		3		
	8030	<i>Salmo salar</i>	1		1			
	590	<i>Salmonella</i>		3		3		
	28901	<i>Salmonella enterica</i>		52		52		
	59203	<i>Salmonella enterica subsp. arizonae</i>		1		1		
	41514	<i>Salmonella enterica subsp. arizonae serovar 62:z4,z23:--</i>		4		4		
	119912	<i>Salmonella enterica subsp. enterica serovar Choleraesuis</i>		2		2		
	321314	<i>Salmonella enterica subsp. enterica serovar Choleraesuis str. SC-B67</i>		5		5		
	98360	<i>Salmonella enterica subsp. enterica serovar Dublin</i>		2		2		
	149539	<i>Salmonella enterica subsp. enterica serovar Enteritidis</i>		2		2		
X	10001492	<i>Salmonella enterica subsp. enterica serovar Enteritidis SH1262</i>			3		3	
	29477	<i>Salmonella enterica subsp. enterica serovar Essen</i>	1		1			
	10001569	<i>Salmonella enterica subsp. enterica serovar Gallinarum/pullorum str. 11</i>		1		1		
	10001570	<i>Salmonella enterica subsp. enterica serovar Gallinarum/pullorum str. 77</i>		1		1		
	286783	<i>Salmonella enterica subsp. enterica serovar Indiana</i>		1		1		
	10000554	<i>Salmonella enterica subsp. enterica serovar Minnesota R595</i>	2		2			
	596	<i>Salmonella enterica subsp. enterica serovar Muenchen</i>	1		1			
X	423368	<i>Salmonella enterica subsp. enterica serovar Newport str. SL254</i>				1		1
	54388	<i>Salmonella enterica subsp. enterica serovar Paratyphi A</i>		1		1		
	554290	<i>Salmonella enterica subsp. enterica serovar Paratyphi A str. AKU_12601</i>		2		2		
	295319	<i>Salmonella enterica subsp. enterica serovar Paratyphi A str. ATCC 9150</i>		3		3		
	10001709	<i>Salmonella enterica subsp. enterica serovar Paratyphi B strain SPB7</i>		5		8		3
	605	<i>Salmonella enterica subsp. enterica serovar Pullorum</i>		1		1		
X	439847	<i>Salmonella enterica subsp. enterica serovar Saintpaul str. SARA29</i>				1		1
	90370	<i>Salmonella enterica subsp. enterica serovar Typhi</i>	10	111	10	111		
	497977	<i>Salmonella enterica subsp. enterica serovar Typhi str. 404ty</i>		1		1		
	220341	<i>Salmonella enterica subsp. enterica serovar Typhi str. CT18</i>		6		6		
	209261	<i>Salmonella enterica subsp. enterica serovar Typhi str. Ty2</i>		1		1		
	90371	<i>Salmonella enterica subsp. enterica serovar Typhimurium</i>	14	66	15	66	1	
	99287	<i>Salmonella enterica subsp. enterica serovar Typhimurium str. LT2</i>		30		30		
	48409	<i>Salmonella enterica subsp. enterica serovar Virchow</i>		1		1		
	59205	<i>Salmonella enterica subsp. houtenae</i>		1		1		
	59202	<i>Salmonella enterica subsp. salamae</i>		1		1		
	10001511	<i>Salmonella 'group A'</i>	1		1			
X	10001722	<i>Salmonella 'group D'</i>			1		1	
	599	<i>Salmonella sp.</i>	1		1			
	72590	<i>Salmonella sp. 'group B'</i>	4		5		1	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10001526	Salmonella thompson C1 strain IS40	1		1			
	10000739	Salmonella typhi 620Ty	1		1			
	10000740	Salmonella typhi Ty21a		6		6		
X	85569	Salmonella typhimurium DT104			1		1	
	10000738	Salmonella typhimurium PL5 (O9,12)	1		1			
	10000742	Salmonella typhimurium SH 4809	3		4		1	
	10000743	Salmonella typhimurium SL3261		4		4		
X	8015	Salmonidae			1		1	
	358400	Sangassou virus		6		6		
X	234603	Sapovirus Mc114				1		1
	11607	Sapporo rat virus	1	4	1	4		
	82659	Sapporo virus-Manchester		1		1		
	7386	Sarcophaga peregrina		1		1		
	227859	SARS coronavirus	154	224	155	240	1	16
	228407	SARS coronavirus BJ01	66	28	66	28		
	229992	SARS coronavirus Frankfurt 1	6	26	6	26		
	627442	SARS coronavirus P2	1		1			
X	284672	SARS coronavirus TJF				14		14
	227984	SARS coronavirus Tor2	171	1965	171	1965		
	228330	SARS coronavirus Urbani	22	51	22	52		1
X	6181	Schistosoma			3		3	
	6184	Schistosoma bovis	2		2			
	6182	Schistosoma japonicum	36	12	43	20	7	8
	6183	Schistosoma mansoni	41	44	70	44	29	
	10000385	Schistosoma mansoni Puerto Rico	17	7	18	7	1	
	5334	Schizophyllum commune		1		1		
	4550	Secale cereale		51		51		
X	58866	Secale strictum				1		1
	11033	Semliki forest virus	36	5	36	5		
	11191	Sendai virus	1	9	1	9		
	11194	Sendai virus (strain Enders)	7	11	7	11		
	11196	Sendai virus (strain Harris)	2		2			
	302272	Sendai virus (strain Ohita)	1		1			
	11198	Sendai virus (Z)		1		1		
	11608	Seoul virus		2		2		
	12557	Seoul virus 80-39		1		1		
	11610	Seoul virus SR11	1		1			
	44026	Sepik virus		1		1		
	8570	Serpentes	4		4			
	615	Serratia marcescens		3	1	3	1	
	399741	Serratia proteamaculans 568		1		1		
	4182	Sesamum indicum	11		11			
	325240	Shewanella baltica OS155		2		2		
	319224	Shewanella putrefaciens CN-32		1		1		
	351745	Shewanella sp. W3-18-1		1		1		
	621	Shigella boydii		2		2		
	344609	Shigella boydii CDC 3083-94		17		17		

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	300268	Shigella boydii Sb227		4		4		
	622	Shigella dysenteriae	5	2	5	2		
	358708	Shigella dysenteriae 1012		1		1		
	300267	Shigella dysenteriae Sd197		4		4		
	10000748	Shigella dysenteriae serotype 1	3		3			
	10000749	Shigella dysenteriae serotype 1 114Sd	1		1			
	623	Shigella flexneri	76	10	76	10		
	591020	Shigella flexneri 2002017		1		1		
	42897	Shigella flexneri 2a	31		31			
	198215	Shigella flexneri 2a str. 2457T		2		2		
	198214	Shigella flexneri 2a str. 301		3		3		
	10000750	Shigella flexneri 2b	1		1			
	424717	Shigella flexneri 3a	2		2			
	373384	Shigella flexneri 5 str. 8401		19		21		2
	424718	Shigella flexneri 5a	2		2			
	10000752	Shigella flexneri 5b	1		1			
	10000754	Shigella flexneri X	1		1			
	424720	Shigella flexneri Y	6		8		2	
	624	Shigella sonnei		1		1		
	300269	Shigella sonnei Ss046		9		9		
	92652	Shrimp white spot syndrome virus	3		3			
	11723	Simian immunodeficiency virus		154		154		
	11711	Simian immunodeficiency virus - mac		1		1		
	10000501	Simian immunodeficiency virus - mac - mac 239		279		279		
	10000502	Simian immunodeficiency virus - mac - mac 32H		7		7		
	10000503	Simian immunodeficiency virus - mac - mac BK28		3		3		
	10000504	Simian immunodeficiency virus - mac - mac F965		1		1		
	31682	Simian immunodeficiency virus - mac1A11		8		8		
	224206	Simian immunodeficiency virus - mon		1		1		
	10000506	Simian immunodeficiency virus - sm - sm PT573		1		1		
	31683	Simian immunodeficiency virus - stm		3		3		
	11737	Simian immunodeficiency virus (F236/SMH4 ISOLATE) (SOOTY MANGABEY)		7		7		
	11735	Simian immunodeficiency virus (K6W ISOLATE)		72		72		
	11736	Simian immunodeficiency virus (K78 ISOLATE)		13		13		
	11733	Simian immunodeficiency virus (MM142-83 ISOLATE)		50		50		
	11734	Simian immunodeficiency virus (MM251 ISOLATE)		1		1		
	160753	Simian immunodeficiency virus 17E-Fr		2		2		
	11942	Simian retrovirus 1	1		1			
X	444186	Simian rotavirus A strain TUCH					5	5
	10923	Simian rotavirus A/SA11	8	5	8	5		
	37137	Simian rotavirus A/SA11-both	20	2	20	2		
	10633	Simian virus 40	14	42	14	42		
X	10001763	Simian virus 40 strain 776					1	1
	31608	Simian virus 5 (isolate canine/CPI+)	1		1			
	57667	Simian-Human immunodeficiency virus			1		1	
	37705	Sin Nombre virus	1	29	1	29		

NEW 2011	ORGANISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000544	Sin Nombre virus NM H10	4		4			
	3728	Sinapis alba	2		2			
	11034	Sindbis virus	9		9			
	366394	Sinorhizobium medicae WSM419		1		1		
	382	Sinorhizobium meliloti		1		1		
	266834	Sinorhizobium meliloti 1021		2		2		
	254355	Small ruminant lentivirus	1		1			
	10001307	Small ruminant lentivirus strain It-561	1		1			
	10001308	Small ruminant lentivirus strain It-Pi1	1		1			
	11780	Snyder-Theilen feline sarcoma virus	1		1			
	28375	Soil-borne wheat mosaic virus	1		1			
	4081	Solanum lycopersicum	3		3			
	11307	Sonchus yellow net virus		1		1		
	286542	Soochong virus-2		1		1		
	11984	Southampton virus	1		1			
	58024	Spermatophyta	1		1			
X	13687	Sphingomonas					1	1
	185949	Sphingomonas aurantiaca		1		1		
	2133	Spiroplasma citri		1		1		
	240426	Squirrel poxvirus		1		1		
	11080	St. Louis encephalitis virus	2		2	1		1
	11081	St. Louis encephalitis virus (strain MS1-7)	7		7			
	1279	Staphylococcus	1		1			
	1280	Staphylococcus aureus	75	35	84	35	9	
X	553583	Staphylococcus aureus A9635					1	1
X	10001662	Staphylococcus aureus Cowan 1					2	2
	93062	Staphylococcus aureus subsp. aureus COL	17	1	17	1		
	548470	Staphylococcus aureus subsp. aureus MN8	11		11			
	282458	Staphylococcus aureus subsp. aureus MRSA252	40		40			
	158879	Staphylococcus aureus subsp. aureus N315		4		4		
	93061	Staphylococcus aureus subsp. aureus NCTC 8325		1	4	1	4	
	1301	Streptococcus	2		2			
	1311	Streptococcus agalactiae	1		5		4	
X	342613	Streptococcus agalactiae 18RS21					2	2
	208435	Streptococcus agalactiae 2603V/R		1		1		
X	342617	Streptococcus agalactiae CJB111					2	2
X	342615	Streptococcus agalactiae H36B					1	1
	211110	Streptococcus agalactiae NEM316		1		1		
X	355315	Streptococcus agalactiae serogroup Ia					1	1
X	216466	Streptococcus agalactiae serogroup V					1	1
X	10001663	Streptococcus anginosus K214-2K					4	4
	1317	Streptococcus downei	2	1	2	1		
	119602	Streptococcus dysgalactiae subsp. equisimilis	21		21			
X	10001676	Streptococcus dysgalactiae subsp. equisimilis ATCC 12388					2	2
X	10001641	Streptococcus dysgalactiae subsp. equisimilis D181					1	1
	1336	Streptococcus equi	22	14	22	14		
	1309	Streptococcus mutans	140	87	141	88	1	1

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000974	Streptococcus mutans GS-5		14		14		
	10000773	Streptococcus mutans MT 8148	40	12	40	12		
X	857099	Streptococcus mutans OMZ175			2	1	2	1
	10000813	Streptococcus mutans SJ	1	1	1	1		
	1303	Streptococcus oralis	12		12			
	1313	Streptococcus pneumoniae	11	3	20	6	9	3
X	216600	Streptococcus pneumoniae 23F			5		5	
X	10001644	Streptococcus pneumoniae CCUG 1378			1		1	
X	10001645	Streptococcus pneumoniae CSR-SCS-2			1		1	
	373153	Streptococcus pneumoniae D39		2		52		50
	170187	Streptococcus pneumoniae TIGR4		2		2		
X	10001651	Streptococcus pneumoniae type 14			17		17	
X	10001731	Streptococcus pneumoniae type 2			1		1	
X	10001638	Streptococcus pneumoniae type 27			2		2	
X	10001792	Streptococcus pneumoniae type 3			1		1	
X	10001646	Streptococcus pneumoniae type 37			2		2	
X	10001686	Streptococcus pneumoniae type 6A			2		2	
X	10001687	Streptococcus pneumoniae type 6B			5		5	
X	10001730	Streptococcus pneumoniae type 6C			1		1	
	1314	Streptococcus pyogenes	105	103	122	115	17	12
	10000775	Streptococcus pyogenes 156	1		1			
	10000776	Streptococcus pyogenes 88/25	1		1			
	10000777	Streptococcus pyogenes 88/30	1		1			
	10000778	Streptococcus pyogenes 88/544	1		1			
	10000779	Streptococcus pyogenes 90/85	1		1			
	10000781	Streptococcus pyogenes BSA10	3		3			
	160490	Streptococcus pyogenes M1 GAS	12	1	13	1	1	
	286636	Streptococcus pyogenes MGAS10394			1		1	
	10000782	Streptococcus pyogenes NS1	1		1			
	10000783	Streptococcus pyogenes NS14	1		1			
	10000784	Streptococcus pyogenes NS27	1		1			
	10000785	Streptococcus pyogenes NS5	1		1			
	10000786	Streptococcus pyogenes serotype M11	2		2			
	342023	Streptococcus pyogenes serotype M12	3	1	3	1		
	10000780	Streptococcus pyogenes serotype M12 A374	1		1			
	10000787	Streptococcus pyogenes serotype M13	1		1			
	301451	Streptococcus pyogenes serotype M18	1		1			
	404330	Streptococcus pyogenes serotype M2	2		2			
	10000788	Streptococcus pyogenes serotype M22	1		1			
	10000789	Streptococcus pyogenes serotype M24	6	2	6	2		
	301448	Streptococcus pyogenes serotype M3	1		1			
	10000542	Streptococcus pyogenes serotype M3 D58	2		4		2	
	10000790	Streptococcus pyogenes serotype M30	1		1			
	404331	Streptococcus pyogenes serotype M4	2		2			
	10000791	Streptococcus pyogenes serotype M41	1		1			
	301452	Streptococcus pyogenes serotype M49	1		1			
	301449	Streptococcus pyogenes serotype M5	56	57	56	57		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000792	Streptococcus pyogenes serotype M52	1		1			
	10000793	Streptococcus pyogenes serotype M54	1		1			
	10000794	Streptococcus pyogenes serotype M55	1		1			
	10000795	Streptococcus pyogenes serotype M57	1		1			
	301450	Streptococcus pyogenes serotype M6	9	7	9	7		
	10000824	Streptococcus pyogenes serotype M6 strain D471	4		4			
	10000796	Streptococcus pyogenes serotype M60	1		1			
	10000797	Streptococcus pyogenes serotype M75	1		1			
	10000798	Streptococcus pyogenes serotype M8	1		1			
	410069	Streptococcus pyogenes serotype M80	1		1			
	160491	Streptococcus pyogenes str. Manfredo	3	34	3	34		
	1305	Streptococcus sanguinis			1	1		
	10001439	Streptococcus sanguinis strain BD113-20			6	6		
	246202	Streptococcus sobrinus 6715	4	4	4	4		
X	1324	Streptococcus sp. G148			14	5	14	5
	36470	Streptococcus sp. 'group A'	11		12		1	
X	1319	Streptococcus sp. 'group B'			1		1	
	1307	Streptococcus suis	1		1			
	1349	Streptococcus uberis	5		8		3	
	1902	Streptomyces coelicolor		2		2		
	100226	Streptomyces coelicolor A3(2)		1		1		
	1946	Streptomyces kasugaensis		1		1		
X	1916	Streptomyces lividans			7		7	
	80859	Streptomyces ribosidificus		1		1		
	465541	Streptomyces sp. Mg1		1		1		
	35297	Striped Jack nervous necrosis virus	1		1			
X	8801	Struthio camelus			2		2	
	7726	Styela plicata	6		6			
	186540	Sudan ebolavirus		261	2	262	2	1
	128948	Sudan ebolavirus - Boniface (1976)		1		1		
	128949	Sudan ebolavirus - Maleo (1979)		30		30		
	386033	Sudan ebolavirus - Uganda (2000)		6		6		
	10345	Suid herpesvirus 1	2	2	2	2		
	10349	Suid herpesvirus 1 (strain NIA-3)	4		4			
	33703	Suid herpesvirus 1 strain Kaplan	3		4		1	
	9823	Sus scrofa	55	26	105	27	50	1
	9825	Sus scrofa domesticus		4		4		
	10000187	Sus scrofa Landrace X Large White	1		1			
X	10001097	Sus scrofa Yorkshire			1		1	
	12075	Swine vesicular disease virus	1		1			
	12076	Swine vesicular disease virus (STRAIN H/3 '76)	5		5			
	12077	Swine vesicular disease virus (STRAIN UKG/27/72)	3		3			
	10000809	Swine vesicular disease virus ITL/1/66	1		1			
	10000842	Swine vesicular disease virus NET/1/92	1		1			
	10001002	Swine vesicular disease virus SPA/1/93	16		16			
	10276	Swinepox virus			1		1	
	32049	Synechococcus sp. PCC 7002			1		1	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	ΔB	ΔT
	1148	Synechocystis sp. PCC 6803		2		2		
	32630	synthetic construct		6		14		8
	215169	Synthetic plasmid pMOL98		1		1		
	11631	Tacaribe virus		106		106		
	31616	Tacaribe virus strain V7		1		1		
	6207	Taenia crassiceps	11	1	11	1		
	10000802	Taenia crassiceps Strain ORF	3	3	3	3		
X	6203	Taenia ovis			8		8	
	6206	Taenia saginata	5		6		1	
	6204	Taenia solium	8	4	8	4		
X	59729	Taenioptygia guttata				1		1
	127999	Tanacetum parthenium		1		1		
	425088	Tanganya virus		1		1		
X	630277	Tarsius larriang				1		1
	28871	Taterapox virus		2		4		2
X	10001712	Taylorella asinigenitalis ATCC 700933				1		1
X	743973	Taylorella equigenitalis ATCC 35865				1		1
	99883	Tetraodon nigroviridis		1		1		
	5874	Theileria annulata		1		1		
X	353154	Theileria annulata strain Ankara				4		4
	5875	Theileria parva	28		28	1		1
	333668	Theileria parva strain Muguga	14	15	14	15		
	10000848	Theileria sergenti Type B1			1		1	
	10000849	Theileria sergenti Type B2		2		2		
	10000850	Theileria sergenti Type C			5		5	
	10000851	Theileria sergenti Type I			1		1	
	12124	Theiler's encephalomyelitis virus			18		18	
	12125	Theiler's encephalomyelitis virus (STRAIN BEAN 8386)	16	52	16	52		
	12126	Theiler's encephalomyelitis virus (STRAIN DA)	3	2	3	2		
	10000855	Theiler's murine encephalomyelitis virus (strain BeAn 8386) (variant M2)			1		1	
	204711	Theilovirus			9		10	1
	360549	Themiste hennahi	1		1			
	10479	Thermoproteus tenax virus 1		1		1		
	271	Thermus aquaticus		1		1		
	274	Thermus thermophilus			1	1	1	1
	13286	Theromyzon tessulatum		1		1		
X	4601	Thinopyrum bessarabicum					1	1
	11084	Tick-borne encephalitis virus	14	2	14	2		
	11087	Tick-borne encephalitis virus (STRAIN SOFJIN)	6		6			
	10000449	Tick-borne encephalitis virus (WESTERN SUBTYPE) - Neudoerfl	10		10			
	6887	Tityus serrulatus		92		92		
	223337	Tobacco leaf curl Zimbabwe virus			1		1	
	12242	Tobacco mosaic virus	36	13	36	13		
	10001210	Tobacco mosaic virus (strain Ni568)		1		1		
	10001209	Tobacco mosaic virus (strain PM5)		1		1		
	12243	Tobacco mosaic virus (vulgare)		1		1		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	12246	Tobacco mosaic virus strain Dahlemense	2		2			
	12146	Tomato bushy stunt virus (STRAIN BS-3)	3		3			
	83192	Topografov virus	1		1			
	7787	Torpedo californica	137	61	148	75	11	14
	7788	Torpedo marmorata	3	3	3	3		
	68887	Torque teno virus	5		5			
X	6265	Toxocara canis			3		3	
	5811	Toxoplasma gondii	12	38	13	59	1	21
	10000353	Toxoplasma gondii 76K	5	5	5	5		
	10000354	Toxoplasma gondii BK	1	1	1	1		
	507601	Toxoplasma gondii GT1			1		1	
	508771	Toxoplasma gondii ME49			1	7		6
	383379	Toxoplasma gondii RH	5	19	5	19		
	11149	Transmissible gastroenteritis virus	9		11		2	
	10001154	Transmissible gastroenteritis virus MAD88			1		1	
	158	Treponema denticola			1		1	
	160	Treponema pallidum	5	2	6	2	1	
	10001021	Treponema pallidum subsp. pallidum (strain Chicago)	19		19			
	243276	Treponema pallidum subsp. pallidum str. Nichols	204	9	277	9	73	
	6334	Trichinella spiralis	2	1	7	2	5	1
	203124	Trichodesmium erythraeum IMS101			2		2	
	5722	Trichomonas vaginalis	2		2			
X	81847	Trichophyton quinckeanum			1		1	
	5551	Trichophyton rubrum	2	27	2	27		
	3677	Trichosanthes kirilowii	1		1			
	5554	Trichosporon cutaneum	1		1			
	9337	Trichosurus vulpecula		45		45		
	88087	Trimeresurus flavoviridis	3		3			
	4565	Triticum aestivum	284	244	435	291	151	47
	4567	Triticum durum			1		1	
	279889	Triticum spelta var. arduini			4		4	
	5691	Trypanosoma brucei	7	6	7	6		
	5702	Trypanosoma brucei brucei	2		5		3	
	31286	Trypanosoma brucei rhodesiense			9		9	
	5693	Trypanosoma cruzi	112	324	114	356	2	32
	10000347	Trypanosoma cruzi Dm28c	1		2		1	
X	10000348	Trypanosoma cruzi G			1		1	
	353153	Trypanosoma cruzi strain CL Brener	2		2			
X	10000351	Trypanosoma cruzi Y			1		1	
	37133	Tula virus	1	9	1	9		
	37347	Tupaia belangeri			1		1	
	63673	Turbo cornutus	2		2			
X	11152	Turkey coronavirus			1		1	
	10001158	unclassified Poxviridae Mule deer poxvirus			1		1	
X	32644	unidentified					2	2
	11309	unidentified influenza virus			12		12	
	237631	Ustilago maydis 521			1		1	

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10245	Vaccinia virus		418		432		14
	332193	Vaccinia Virus Acambis 3000 MVA		2		2		
	126794	Vaccinia virus Ankara		22		22		
	100001027	Vaccinia virus Connaught	1		1			
	10249	Vaccinia virus Copenhagen	31	511	31	549		38
	502057	Vaccinia virus GLV-1h68		1		2		1
	10251	Vaccinia virus IHD-J	1		1			
	10248	Vaccinia virus LC16M8		4		4		
	31531	Vaccinia virus L-IPV		8		8		
	10000388	Vaccinia virus NYCBH - Dryvax		29		29		
	10253	Vaccinia virus Tian Tan		15		15		
X	696871	Vaccinia virus Western Reserve				4		4
	10254	Vaccinia virus WR	25	5333	26	5508	1	175
	10247	Vaccinia virus WR 65-16		4		4		
	12870	Variola major virus		16		16		
	10000390	Variola major virus India-1967		1		1		
X	53258	Variola minor virus				93		93
	10255	Variola virus		223		228		5
X	587200	Variola virus human/India/Ind3/1967				1		1
	11036	Venezuelan equine encephalitis virus		1		1		
	36382	Venezuelan equine encephalitis virus (strain 3880)		1		1		
	11037	Venezuelan equine encephalitis virus (strain TC-83)	22		22			
	11038	Venezuelan equine encephalitis virus (strain Trinidad donkey)	15		15			
	7742	Vertebrata	8		8			
	11277	Vesicular stomatitis Indiana virus	6	7	6	7		
	11278	Vesicular stomatitis Indiana virus strain Glasgow		1		1		
	11279	Vesicular stomatitis Indiana virus strain Mudd-Summers	1		1			
	11285	Vesicular stomatitis Indiana virus strain San Juan		1		1		
	11280	Vesicular stomatitis New Jersey virus		1		1		
	11276	Vesicular stomatitis virus		6		7		1
	7444	Vespa basalis	1		1			
	7453	Vespula maculifrons	1		1			
	7454	Vespula vulgaris		36	2	38	2	2
	314288	Vibrio alginolyticus 12G01		3		3		
	666	Vibrio cholerae	34	90	38	90	4	
	412966	Vibrio cholerae 1587		1		1		
	412614	Vibrio cholerae 2740-80		28		28		
	44104	Vibrio cholerae 569B	37		37			
	404974	Vibrio cholerae AM-19226		1		1		
	417400	Vibrio cholerae B33		1		1		
	412967	Vibrio cholerae MAK 757		5		5		
	345072	Vibrio cholerae MO10		1		1		
	417399	Vibrio cholerae NCTC 8457		1		1		
	127906	Vibrio cholerae O1	9		9			
	686	Vibrio cholerae O1 biovar El Tor	3	1	3	1		
	243277	Vibrio cholerae O1 biovar El Tor str. N16961		1		1		
	10000567	Vibrio cholerae O1 serotype Inaba	1		1			

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	Δ B	Δ T
	10000568	Vibrio cholerae O1 serotype Ogawa	5		5			
	345073	Vibrio cholerae O395		4		4		
	345074	Vibrio cholerae RC385		1		1		
	345075	Vibrio cholerae V51		1		1		
	345076	Vibrio cholerae V52		31		31		
	670	Vibrio parahaemolyticus		57		57		
	563773	Vibrio parahaemolyticus AN-5034		3		3		
	419109	Vibrio parahaemolyticus AQ3810		31		32	1	
	627611	Vibrio parahaemolyticus K5030		12		12		
	223926	Vibrio parahaemolyticus RIMD 2210633	2	16	2	16		
	70203	Vibrio phage fs1		1		1		
	150340	Vibrio sp. Ex25		9		9		
	314291	Vibrio splendidus 12B01		2		2		
	575788	Vibrio splendidus LGP32		1		1		
	672	Vibrio vulnificus	1	66	1	66		
	216895	Vibrio vulnificus CMCP6		49		50	1	
	196600	Vibrio vulnificus YJ016		55		56	1	
	8704	Vipera ammodytes	1		1			
	11288	Viral hemorrhagic septicemia virus (STRAIN 07-71)	11	1	12	1	1	
	3972	Viscum album	17		17			
	11743	Visna lentivirus (strain 1514 / clone LV1-1KS1)	4		4			
	11742	Visna lentivirus (strain 1514)	1		1			
	11741	Visna/maedi virus	5	7	5	7		
	12750	Visna/maedi virus EV1	1		1			
	36374	Visna/maedi virus EV1 KV1772	2		2			
	29760	Vitis vinifera	1		1			
	74537	Vladivostok virus	1		1			
	9627	Vulpes vulpes	1		1			
	148360	Watermelon mosaic virus 2 (isolate USA)	2		2			
	43141	Watermelon silver mottle virus	3		3			
	11082	West Nile virus	17	339	24	347	7	8
	10000447	West Nile virus 3000.0259	2		2			
	10000971	West Nile virus NY-99	11	19	11	19		
	449278	West Nile virus SPU116/89		1		1		
	10001047	West Nile virus strain 2741		32		32		
	307044	West Nile virus strain 385-99	4	12	4	12		
X	10001879	West Nile virus strain 68856				2	2	
X	10001649	West Nile virus strain 956				1	1	
	406269	West Nile virus strain PTRoxo		12		12		
	11039	Western equine encephalomyelitis virus		1		1		
	46919	Whitewater Arroyo virus		344		344		
X	10001617	Whitewater Arroyo virus strain AV9310135					1	1
	66077	Wolbachia sp. wMel		1		1		
	35269	Woodchuck hepatitis virus	5	2	5	2		
	10430	Woodchuck hepatitis virus 1	3		3			
	341946	Woodchuck hepatitis virus 2	4		4			
	10433	Woodchuck hepatitis virus 8		34		34		

NEW 2011	ORGAN- ISM ID	SPECIES/STRAIN	B-10	T-10	B-11	T-11	ΔB	ΔT
X	6293	<i>Wuchereria bancrofti</i>			10	7	10	7
	280	<i>Xanthobacter autotrophicus</i>		1		1		
	78245	<i>Xanthobacter autotrophicus</i> Py2		1		1		
	8364	<i>Xenopus (Silurana) tropicalis</i>		2		2		
	8355	<i>Xenopus laevis</i>		2		2		
	132475	Yaba-like disease virus		3		3		
	11089	Yellow fever virus		235		235		
	11090	Yellow fever virus 17D		145		220		75
	617102	Yellow fever virus 17D/Tiantan	4		4	2		2
	31641	Yellow fever virus 1899/81		21		21		
	407141	Yellow fever virus isolate Ethiopia/Couma/1961		1		2		1
	407134	Yellow fever virus strain Ghana/Asibi/1927		5		5		
	349968	<i>Yersinia bercovieri</i> ATCC 43970		5		5		
	630	<i>Yersinia enterocolitica</i>	5	23	6	26	1	3
	34054	<i>Yersinia enterocolitica</i> (type O:8)		1		1		
	393305	<i>Yersinia enterocolitica</i> subsp. <i>enterocolitica</i> 8081		15		16		1
	349966	<i>Yersinia frederiksenii</i> ATCC 33641		1		1		
	28152	<i>Yersinia kristensenii</i>		1		1		
	349967	<i>Yersinia mollenkampii</i> ATCC 43969		3		3		
	632	<i>Yersinia pestis</i>	15	134	15	140		6
	10000757	<i>Yersinia pestis</i> 195/P	5		5			
	349746	<i>Yersinia pestis</i> Angola		3		3		
	360102	<i>Yersinia pestis</i> Antiqua		29		34		5
	412420	<i>Yersinia pestis</i> CA88-4125		21		21		
	214092	<i>Yersinia pestis</i> CO92	1	19	4	19	3	
	375450	<i>Yersinia pestis</i> FV-1		2		2		
	187410	<i>Yersinia pestis</i> KIM 10		8		10		2
	10000756	<i>Yersinia pestis</i> KIM 5	21		21			
	377628	<i>Yersinia pestis</i> Nepal516		110		110		
	386656	<i>Yersinia pestis</i> Pestoides F		1		1		
	633	<i>Yersinia pseudotuberculosis</i>		1		1		
	349747	<i>Yersinia pseudotuberculosis</i> IP 31758		7		7		
	10001504	<i>Yokenella regensburgei</i> PCM 2476	1		1			
	10001505	<i>Yokenella regensburgei</i> PCM 2477	1		1			
	186538	Zaire ebolavirus	2	811	4	811	2	
	129000	Zaire ebolavirus - Eckron (Zaire, 1976)		12		12		
	128947	Zaire ebolavirus - Gabon (1994-1997)		18		18		
	128952	Zaire ebolavirus - Mayinga (Zaire, 1976)	11	13	11	13		
	128951	Zaire ebolavirus - Zaire (1995)		1		1		
	4577	<i>Zea mays</i>	2		2			
	34245	<i>Zinnia violacea</i>		1		1		
	157914	<i>Ziziphus mauritiana</i>	4		4			

2 Website Features

There were three releases of the IEDB external website during 2011. IEDB 2.6 was released March 29, IEDB 2.7 was released on July 28, and IEDB 2.8 was released on 8 December 2011. In addition, a new version of the Analysis Resource was introduced on August 11 (Version 2.5), followed by two minor releases in October. The features introduced since the last Annual Compendium include:

- Added new assay finder with tree display and selection features to MHC Binding and MHC Ligand Elution Advanced search pages.
- Added Pubmed Export link on Reference List page.
- Added full csv exports of assays, epitopes, references and source organisms to Database Export page.
- Added status bar to csv searches to show export progress.
- Added new assay finder with tree display and selection features.
- Updated molecule finder to add “lazy loading” capability to improve performance.
- Updated home page search so that linear peptide substring searches also match substrings within input sequence itself.
- Added “Go To Records That Start With” input box on search results pages to allow jumping to records starting with input character.
- Added “Items per page” select box on search result pages to change the number of records displayed per page.
- Optimized loading performance of News panel.
- New Immune Mediated Disease Association search added to Home Page which includes the new Disease Finder.
- Peptide MHC Binding Motif diagrams on MHC Allele Information pages now support diagrams for multiple lengths.
- Auto-complete functionality has been added to epitope and assay advanced search pages.
- Naming format has been updated for HLA alleles.
- Video Tutorials link added to Support Menu on Home Page.
- MHC class I and class II prediction interfaces updated
 - IEDB-recommended option added to the list of methods. This will automatically select the recommended method of prediction for a given allele.
 - HLA nomenclature updated to reflect 2010 standard
 - Class I: added ability to upload list of alleles and lengths for prediction
 - Class I: added checkbox to limit selection to only frequently occurring alleles
- netMHCpan updated to version 2.0
 - new species added (cow)
 - new alleles added to existing species (human, chimpanzee, gorilla, macaque, pig)
- netMHCIIpan update to version 2.3
- RESTful interface added for class I and II predictions ([see Zendesk topic](#))
- Downloadable tools have been updated to reflect the current version of the class I and class II prediction tools
- MHC processing tool:
 - The "IEDB recommended" option for the processing tool is now exclusively netMHCpan

The IEDB website functionality can be divided into five categories—Browse, Search, Tools, Support, and More IEDB, which largely correspond to the pull-down menus at the top of the home page. The subsections that follow describe the website features within these categories.

The reader will find it helpful to keep in mind how data are stored in the IEDB. Each item contained in the IEDB consists of a reference (article or submission) containing information about one or more epitopes and associated binding or response information. The same epitope can exist in multiple references.

2.1 Home Page

The IEDB Home Page is the default screen displayed when users enter the IEDB system. Besides providing a general description of the IEDB project, the home page displays system level status and notification of scheduled updates or maintenance. As one can see in Figure 2-1, the page is divided into three columns that contain a basic search capability, introductory information, Summary Metrics of the data, available Resources, and project-related News. As users browse the IEDB system, they can return to the home page anytime by clicking *Home* on the far left of the main menu bar.

Summary Metrics are displayed in the center column of the screen. These numbers are intended to be a gauge of the volume of data available in the system. The Summary Metrics provide the number of epitopes (peptidic and non-peptidic), assays (T cell, B cell, MHC ligand elution, and MHC binding), epitope source organisms, restricting MHC alleles, and references. Clicking on the “See all Metrics” brings up a Summary Metrics page that shows the positive, negative, and total (all) count for epitopes and assays, and the counts for epitope source organism, host organism, restricting MHC allele, and references. Further detail is revealed when the user clicks on the counts.

The screenshot shows the IEDB 2.5 Home page with the following sections:

- Search:** Includes fields for Epitope Structure (Any, Linear Peptide, Discontinuous Peptide, Non-Peptidic), Epitope Source (Source Organism, Source Antigen), Immune Mediated Disease Association (Disease Name), Immune Recognition Context (checkboxes for B Cell Response, T Cell Response, MHC Binding, MHC Ligand Elution), Host Organism, MHC Restriction, and MHC Class. It also features a "Experimental New Feature" button and a yellow star icon.
- Welcome!**: A red box highlights "Swine Flu Analysis: The IEDB has performed an analysis of swine flu epitopes. Click [here](#) for details."
- Tools:** A blue circular icon with an 'i' provides access to various tools.
- Support:** Includes links for Keyword Search and Search.
- More IEDB:** Includes links for Home, Browse, and Search.
- Summary Metrics:** A table showing the count of various data types:

Summary Metric	Count
Peptidic Epitopes	87081
Non-Peptidic Epitopes	1622
T Cell Assays	175874
B Cell Assays	137614
MHC Ligand Elution Assays	4166
MHC Binding Assays	209113
Epitope Source Organisms	2857
Restricting MHC Alleles	603
References	13592

 A link "See all Metrics" is provided at the bottom of the table.
- Resources:** A list of resources including T Cell Epitope Prediction, B Cell Epitope Prediction, Epitope Analysis Tools, Database Export, IEDB Ontology, Data Field Descriptions, and Video Tutorials. An icon of crossed wrenches is shown.
- News:** A list of news items including Newsletters, Publications, Upcoming Events, Meta-Analyses, Compendia, and Release Notes.

At the bottom, there are links for Provide Feedback, Help Request, and Solutions Center. A note states: "Supported by a contract from the National Institute of Allergy and Infectious Diseases, a component of the National Institutes of Health in the Department of Health and Human Services". The page was last updated on December 13, 2011.

Figure 2-1 IEDB 2.5 Home page

The rightmost column has links to a variety of resources, including epitope prediction and analysis tools, database export, the IEDB ontology, and documentation describing data fields. These resources can also be accessed via the pull-down menus on the page. The News panel shows six categories – Newsletters, Publications, Upcoming Events, Meta-analyses, Compendia, and Release Notes. Each category can be expanded to show its linkable content, as shown in the figure for Newsletters.

2.2 Browse

The IEDB allows users to browse for records in three different ways – by MHC allele, by source species, and by the new 3D structure.

2.2.1 Browse Records by MHC Allele

All users can find records associated with a specific MHC allele by browsing records by allele. To browse records by allele, the user selects *Browse by MHC Allele* under the *Browse* heading on the main menu. The interface for the Browse by MHC Allele is a tree structure that makes it easy for users to find and investigate information on specific MHC alleles. As Figure 2-2 shows, the tree structure expands (and collapses) so users can drill down on species, MHC type, and allele to find the number of records in the IEDB for their MHC allele of interest. This number serves as a link that will display the records associated with the selected allele.

The screenshot shows a tree-based interface for browsing MHC alleles. The root node is 'rhesus macaque (Macaca mulatta) (4721 structure(s)*).'. Under this node, there is a folder 'Class I (4614 structure(s)*)' which contains several MHC class I alleles: Mamu-A*01 (1972 structure(s)*), Mamu-A*02 (595 structure(s)*), Mamu-A*08 (1 structure(s)*), Mamu-A*11 (913 structure(s)*), Mamu-B*01 (630 structure(s)*), Mamu-B*03 (32 structure(s)*), Mamu-B*04 (9 structure(s)*), Mamu-B*08 (10 structure(s)*), and Mamu-B*17 (1360 structure(s)*). There is also a folder 'Class II (108 structure(s)*)' and a node for 'sheep (Ovis aries) (8 structure(s)*)'.

* Indicates the number of distinct molecular structures tested in the context of the selected group of MHC molecules.

Figure 2-2 Browse by MHC Allele interface

2.2.2 Browse Records by Source Organism

Users can find records associated with a specific epitope source species by browsing records by source organism. To do this, the user accesses the *Browse by Source Organism* page via the *Browse* pull-down menu. The interface for the Browse by Source Organism is a tree structure that expands (and collapses) so users can drill down on species as Figure 2-3 shows. Each entry in the tree indicates the number of distinct molecular structures tested from the selected group of source organisms. This number serves as a link that will display the records associated with the selected source organism. As one mouses over an entry, a

descriptive balloon appears. As seen in the figure, “biota” appears to describe “cellular organisms”. The user can also search for names. For example, a search for “human”, as shown in Figure 2-4, generates a table of responses for the term and corresponding synonyms. If the user clicks on [Details], Source Organism Information is displayed. The page for the first result, Homo sapiens, is displayed in Figure 2-5, and includes the NCBI taxonomy identifier numbers and information on epitope structure, relevant literature and submission references, source antigens, and assays. If the user clicks on [Highlight] the tree expands and highlights the location. In the case of “Homo sapiens”, the tree expands to over 20 levels. Clicking on the number structures displays the same Source Organism Information as seen in Figure 2-5.

Browse By Source Organism

Search

- Species
 - Viruses (63586 structure(s)*)
 - unclassified phages (3 structure(s)*)
 - dsDNA viruses, no RNA stage (24272 structure(s)*)
 - dsRNA viruses (305 structure(s)*)
 - ssRNA viruses (32651 structure(s)*)
 - Deltavirus (247 structure(s)*)
 - ssDNA viruses (604 structure(s)*)
 - Retro-transcribing viruses (5507 structure(s)*)
 - other sequences (13 structure(s)*)
 - artificial sequences (7 structure(s)*)
 - plasmids (6 structure(s)*)
 - cellular organisms (43672 structure(s)*)
 - Bacteria (17037 structure(s)*)
 - Archaea (6 structure(s)*)
 - Eukaryota (26631 structure(s)*)

* Indicates the number of distinct molecular structures tested from the selected group of source organisms.

Figure 2-3 Browse by Source Organism interface

Browse By Source Organism

human

Search Results

438 item(s) found, displaying 1 to 5 (Click the column headers to adjust the sorting)

[« previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) ... [87](#) [88](#) [next »](#) [Go To »](#) [1](#)

Organism Name	Matched Value
Homo sapiens (ID:9606) [Details] [Highlight]	Genbank common name: human
Human respiratory syncytial virus (ID:11250) [Details] [Highlight]	Synonym: human RSV
Human rotavirus A (ID:10941) [Details] [Highlight]	Scientific name: Human rotavirus A
Rotavirus G4 (ID:35336) [Details] [Highlight]	Synonym: Human rotavirus 4
Rotavirus G9 (ID:42567) [Details] [Highlight]	Synonym: Human rotavirus 9

438 item(s) found, displaying 1 to 5

[« previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) ... [87](#) [88](#) [next »](#) [Go To »](#) [1](#)

[+ Species](#)

Figure 2-4 Using the search feature on the Browse by Source Organism page

Source Organism Information

Source Organism

Source Organism:	Homo sapiens
Source NCBI Taxonomy ID:	9606
Parent NCBI Taxonomy ID:	9605

5805 item(s) found, displaying 1 to 25 (Click the column headers to adjust the sorting)

[« previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) ... [232](#) [233](#) [next »](#) [Go To »](#) [1](#)

Export all results: [compact](#) | [full](#)

Epitope ID ↑	Structure	Source Antigen	Source Organism
10	AAAAAIFVI	MHC class I related protein A	Homo sapiens
11	AAAAALDKKQRNFDFKILA	Myosin-7	Homo sapiens
129	AAEYWNSQKEVLER	HLA class II histocompatibility antigen, DQ	Homo sapiens
155	AAGIGILTV	Melanoma antigen recognized by T-cells 1	Homo sapiens
156	AAGIGILTVI	Melanoma antigen recognized by T-cells 1	Homo sapiens
157	AAGIGILTVLGVVL	Melanoma antigen recognized by T-cells 1	Homo sapiens
309	AAMMAEELKKEQDTSAHL	Myosin-7	Homo sapiens
316	AANDPIFVV	L-dopachrome tautomerase precursor	Homo sapiens
363	AAPLILSRI	Prostate-specific antigen precursor	Homo sapiens
368	AAPPVAPA	Cellular tumor antigen p53	Homo sapiens

Figure 2-5 Source Organism Information page

2.2.3 Browse by 3D Structure

All users can find records associated with a curated 3D structure by using *Browse by 3D Structure* found under the *Browse* heading on the main menu. The interface for the Browse by 3D Structure is a tree structure that makes it easy for users to find and investigate information on B cell, T cell, and MHC binding structures. As seen in Figure 2-6, the tree structure expands (and collapses) so users can drill down on species, MHC type, and/or allele to find the number of records in the IEDB for their structure of interest. This entry serves as a link that will display the records associated with the selected structure.

Browse By 3D Structure

The B Cell, T Cell, and MHC Binding trees below are organized by the organism that is the source of the antibody, T Cell, and MHC molecule, respectively.

-  **B Cell (142 structure(s)*)**
 -  **Camelus dromedarius (3 structure(s)*)**
 -  **Cricetinae gen. sp. (2 structure(s)*)**
 -  **Cricetulus griseus (1 structure(s)*)**
 -  **Ginglymostoma cirratum (1 structure(s)*)**
 -  **Homo sapiens (18 structure(s)*)**
 -  **Lama glama (1 structure(s)*)**
 -  **Mus musculus (116 structure(s)*)**
 -  **unidentified (1 structure(s)*)**
-  **T Cell (28 structure(s)*)**
 -  **Homo sapiens (16 structure(s)*)**
 -  **Class I (12 structure(s)*)**
 -  **Class II (4 structure(s)*)**
 -  **DR (4 structure(s)*)**
 -  **HLA-DR1 (3 structure(s)*)**
 -  **HLA-DR4 (1 structure(s)*)**
 -  **HLA-DRA*0101/DRB5*0101 (1 structure(s)*)**
 -  **Mus musculus (12 structure(s)*)**
 -  **MHC Binding (158 structure(s)*)**
 -  **Gallus gallus (2 structure(s)*)**
 -  **Homo sapiens (94 structure(s)*)**
 -  **Mus musculus (60 structure(s)*)**
 -  **Rattus norvegicus (3 structure(s)*)**

* Indicates the number of distinct molecular structures.

Figure 2-6 Browse by 3D Structure interface

2.3 Query

In addition to the Browse functions, there are several other ways users can find information in the IEDB. A keyword search is available on the menu bar on each page. A family of advanced query-by-example searches can be accessed on the Search pull-down menu and consist of “B Cell Search”, “T Cell Search”, “MHC Binding Search”, “Ligand Elution Search”, “Epitope Search”, and “Identifier Search”. This group of queries will be referred to as Detailed Searches in this document. A simplified search that is especially designed for the needs of most immunologists appears on the home page. This document will refer to this particular query as the Simple Search. All of these methods return results in a common format, as described in Section 2.3.4. These methods are elaborated in the subsections below.

2.3.1 Perform a Keyword Search

The keyword search allows users to locate records in the database using a keyword, identifier, or sequence. Wild card characters '*' and '?' can be used in the search field. The '*' character will match zero or more characters and the '?' character will match exactly one character. Additionally, the operators 'AND', 'OR', and 'NOT' can be utilized. A logical 'OR' is the default option. These three logical operators can be upper or lowercase. The keyword search is case insensitive, so "ABC" is the same as "abc". Parentheses can be used to refine searches. For example, "(dengue AND malaria) NOT nucleo*" is a legal search.

To perform a search, users enter criteria such as a keyword, identifier, or sequence into the text box in the upper right corner of each page next to the "Search" button (Figure 2-1). They then click the Search button and view the Search Result Summary, which is described in Section 2.3.4.

In addition to using the search function from the menu bar, users can submit searches via a properly constructed URL. The example below will perform a search using the URL for records that contain 'dengue'. This would return the equivalent of typing 'dengue' in the search option on the menu bar and clicking the Search button.

http://www.iedb.org/counts_keyword.php?keyword_search_query_term=dengue

http://www.iedb.org/counts_keyword.php?keyword_search_query_term=dengue

Search

Epitope Structure

Any
 Linear Peptide: Exact Matches
 Discontinuous Peptide
 Non-Peptidic: Molecule Finder

Epitope Source

Source Organism: Organism Finder
Source Antigen: Molecule Finder

Immune Mediated Disease Association

Disease Name: Disease Finder

Immune Recognition Context

B Cell Response
 T Cell Response
 MHC Binding
 MHC Ligand Elution

Host Organism: Organism Finder

MHC Restriction: Allele Finder

MHC Class:

Search Clear

Help With Common Queries?

Figure 2-7 Home page Simple Search

2.3.2 Perform a Home Page Search

The search feature available on the left-hand portion of the home page (Figure 2-7) is designed to simplify the search process for many commonly asked queries by immunologists. It allows greater control in the search than available in the keyword search and is less involved than the Advanced queries. The user specifies the epitope structure with radio button selections for *Any*, *Linear Peptide*, *Discontinuous Peptide*, and *Non-Peptidic*. The user can prescribe a linear peptide sequence and the type of search to be performed on it. When specifying a linear sequence, a window appears in which the user must enter the sequence and press "Apply". The user can prescribe the type of search desired - an exact match to the entered sequence, a substring search where epitopes are found that contain the sequence within its overall structure, or a homologous peptides at sequence at identity levels of 70%, 80%, or 90% as determined by BLAST. The user can specify a non-peptidic structure with the Molecule Finder.

In 2011, the functionality of the linear peptide substring search was augmented. In addition to finding peptides in the database that contain the specified amino acid sequence, the updated substring search also finds epitopes within the input sequence itself. For example, when the sequence AELLVALENQHTIDL is submitted for a substring search, the query results, shown in Figure 2-8, yields five peptide sequences. Three of them (the second, third, and fifth) contain the input sequence. The two others (the first and fourth) are substrings of the input sequence that are also epitopes contained in the IEDB.

The screenshot shows a search interface titled 'Epitope'. At the top, there are buttons for 'Cluster' and '80% Identity' with a dropdown arrow, and a help icon. Below this, a message says '5 item(s) found, displaying 1 to 5 (Click the column headers to adjust the sorting)'. There is an 'Export all results' button with a 'full' link. The main area is a table with the following data:

Epitope ID ↑	Structure	Source Antigen	Source Organism
1055	AELLVALEN	Hemagglutinin	Influenza A virus (A/Memphis/102/1972(H3N2))
1056	AELLVALENQHTIDL	Hemagglutinin precursor	Influenza A virus (A/X-31(H3N2))
50489	QDLEYV рEDTKIDLWSYNAELLVALENQHTIDLTD	Hemagglutinin precursor	H3N2 subtype Influenza A virus (A/Hong Kong(H3N2))
124806	VALENQHTI	Hemagglutinin	Influenza A virus (A/swine/Hong Kong/81/1978(H3N2))
130384	YNAELLVALENQHTIDL	hemagglutinin	Influenza A virus (A/New York/384/2005(H3N2))

Below the table, another message says '5 item(s) found, displaying 1 to 5 (Click the column headers to adjust the sorting)'.

Figure 2-8 Query results for a substring search performed on the input sequence AELLVALENQHTIDL

An autocomplete feature is available for the Molecule, Organism, and Allele Finders. For example, as one types “hem” in the Source Antigen field in the Epitope Source section, several choices start to appear in a list below the text field, including “hemolysin”, “hemK protein”, and “hemagglutinin”. The user can click on a selection from the list or can continue typing to further narrow down choices. Likewise, a user may type “human” or “homo” to select “homo sapiens” in the Host Organism field. The list of matches includes scientific names and synonyms. These actions enable users to quickly specify their search parameters without using the finders. The autocomplete applies wherever the input field has “Enter Search” in grey. Use of the autocomplete circumvents the need to use the finders.

If the user decides not to use the autocomplete feature for a search field, they will need to use the finders. The epitope source can be prescribed for the source organism and source antigen by using the organism finder (Section 2.3.5.5) and molecule finder (Section 2.3.5.4), respectively. The molecule finder for the epitope source is again different from the non-peptidic molecule mentioned above and the molecule finders available on the Advanced Query pages. This finder has tree structures for non-peptidic molecules and peptidic molecules. They are described further in Section 2.3.5.4. The user can decide whether to include B cell responses, T cell responses, MHC binding, and/or MHC ligand elution results in the search (at least one must be checked). The host organism, the MHC restriction, and the MHC class can also be specified with the help of the organism finder and the allele finder (Section 2.3.5.1). The fields using finders will allow multiple selections as search criteria. In these cases the selections are treated as a set. Records will be considered a match if they include at least one of the selected values in the set. The search is executed by selecting the Search button and query results can be viewed on the Search Result Summary page, which is described in Section 2.3.4.

A new feature introduced in 2011 is the Immune Mediated Disease Association search that was added as an experimental feature on the IEDB home page search and in the Advanced Search pages. It is available

on the home page search interface between the *Epitope Source* and the *Immune Recognition Context* field partitions. The Disease Finder is described in Section 2.3.5.3.

Finally, a link to “Help with Common Queries” is located at the bottom of the Search panel. This links to a series of 16 questions that have been useful in preparing the epitope meta-analyses conducted and published by LIAI. More information about the Common Queries is available in Section 2.5.6.

2.3.3 Advanced query

The Advanced queries are based on a standard Query by Example (QBE) approach, which is a method of forming queries where a user can enter conditions for each data field they want included in the query. The Advanced queries allow users to define example criteria for each field in the system. As there are over 300 fields, the Advanced queries are both powerful and comprehensive.

The fully expanded input screen for the Epitope Search is shown in Figure 2-9. The user can search on several reference criteria, such as author name, article title, the IEDB Reference ID, keywords in the reference abstract, year, author affiliation, and reference type. References are either published literature articles that have been curated by the IEDB curation staff or data submitted directly by researchers. Users can also specify search criteria for the epitope, such as epitope type (e.g. peptide from protein, carbohydrate), source molecule and organism, and various reference details. Further explanation of the search terms can be found in the Curation Manual. This query type returns T cell, B cell, MHC binding, and MHC ligand elution data.

In 2011, auto-complete functionality was added to the epitope and assay advanced search pages. In addition, new Assay Finders were introduced for the Advanced T Cell, MHC Binding, and MHC Ligand Elution search pages. These are described in further detail in Section 2.3.5.2.

Epitope Search

Reference

Author
 Title

Reference Details

Reference ID
 Abstract
 Affiliations
 Date (Year) Equal To
 Reference Type Journal Article Submission Any

Epitope

Type
 Source Molecule
 Source Organism

Epitope Reference Details

Epitope Structure Defines
 Evidence Code for Epitope Source Antigen
 Epitope Name
 Reference Start Position Equal To
 Reference End Position Equal To
 Reference Region
 Comments
 Location of Data in Reference

Epitope Related Object

Related Object
 Type
 Source Molecule
 Source Organism

Figure 2-9 Epitope Search input screen

There are five other Advanced queries that can be used to select search criteria for references, epitopes, and assays. These five are B Cell Search, T Cell Search, MHC Binding Search, MHC Ligand Elution Search, and Identifier Search. As an example, the B Cell Search input screen is shown in Figure 2-10. As is the case for all four assay search input screens, the Reference and Epitope criteria fields are listed first, followed by the fields specific for each assay type.

B Cell Search

Reference

Epitope

Type

Source Molecule

Source Organism

Epitope Reference Details

Epitope Related Object

Immunization

Host Organism

Host Details

1st In Vivo Process may or may not MUST MUST NOT be present in search results.

1st Immunogen may or may not MUST MUST NOT be present in search results.

2nd In Vivo Process may or may not MUST MUST NOT be present in search results.

2nd Immunogen may or may not MUST MUST NOT be present in search results.

Immunization Comments

Adoptive Transfer may or may not MUST MUST NOT be present in search results.

B Cell Assay

Qualitative Measurement

Positive
Positive-Low
...
Negative

Assay Type

Measurement Details

Assayed Antibody

Antigen

3D Structure of Complex

Assay Reference Details

Figure 2-10 B Cell Search input screen

The B cell response assay category captures B cell-mediated immunity information and describes antibody responses related to the epitope/antigen. In a B cell response, B lymphocytes (a type of white blood cell) produce proteins called antibodies that bind to antigens. Antibodies are present on the surface

IEDB Identifiers

Epitope ID

Reference ID

Submission ID

Assay ID

External Identifiers

PubMed ID

PDB ID

ChEBI ID CHEBI:

Search **Clear**

Figure 2-11 Identifier Search input screen

the cell surface has been taken up and processed internally for presentation by the antigen presenting cell, where as for the latter, antigen in solution is bound to MHC molecules on the surface of the antigen presenting cells.

The Identifier Search input screen is shown in Figure 2-12. If user know the epitope, reference, submission, or assay identifier they are seeking, they can enter that information into one of the four IEDB Identifiers fields. Users can also look for information based on the PubMed ID of a reference or the PDB ID of a structure by using the External Identifiers fields.

2.3.4 Search Results Summary

The Search Results Summary page displays the results of all the different queries. An example is displayed in Figure 2-13, which was generated with the Home page Simple Search for the linear sequence substring "AAA" for human and mouse host organisms. The Search Results Summary allows the user to quickly assess the results of their search and drill down the level of detail that is of interest. Search Parameters are displayed on the Search Result Summary page, along with the ability to revise the search criteria. Clicking on the “Revise Search” button will take the user back to the original search form, either the home page for the Simple Search or to the appropriate Detailed Search form.

The number of peptidic and non-peptidic epitopes are displayed in the topmost table on the Result Summary. Because the IEDB captures both positive and negative assay responses, some “epitopes” lack a positive binding value and therefore are not actually epitopes; the number of these molecular structures is indicated in the Negative column of the table. The user can click on the number in the Positive and All columns to view all the results for that category, as seen in **Error! Reference source not found.** for the positive peptidic epitopes. The columns displayed include the number of corresponding epitope, source antigen, and source species.

on B lymphocytes and are also secreted. Once an antibody binds an antigen, the bound antigen molecule can be engulfed by phagocytes and broken into fragments.

The T Cell Response assay category captures T cell-mediated immunity information where the MHC molecule/antigen complex is recognized by T cells in the context of presentation by an antigen presenting cell.

The MHC Binding assay category captures details relating to the in vitro interaction of the epitope with specific MHC molecules along with available Epitope-MHC complex structure details. In other words, assays in this category assess the epitope's binding capacity to the MHC molecule.

The MHC Ligand Elution assay category captures data related to epitopes that are naturally processed and presented on the surface of an antigen presenting cell. The MHC Ligand Elution category differs from the MHC Binding category in that for the former, antigen bound to the MHC molecule on

Search Result Summary			
Search Parameters:			
<ul style="list-style-type: none"> Structure Type equals Linear peptide Linear Peptide contains AAA Host Organism is Homo sapiens or Host Organism is Mus musculus 			
Revise Search			
Epitopes	Positive*	Negative**	All
Peptidic	522	565	1087
Non-Peptidic	0	0	0
Assays	Positive	Negative	All
T Cell Response	709	1161	1870
B Cell Response	460	391	851
MHC Ligand Elution	42	0	42
MHC Binding	0	0	0
Summary			
Epitope Source Organism		138	
Host Organism		105	
Restricting MHC Allele		88	
References		445	

* At least one positive measurement.
** Only negative measurements.

Figure 2-12 Sample of Search Result Summary

program, such as Microsoft Word or Notepad.

The user can cluster query results by the sequence identity of the epitope structure. Clustering has been implemented to simplify query results, especially since the amount of data returned in many queries has grown as the amount of data in the IEDB has grown. As an example, if the user would query for all Vaccinia virus epitopes they would get a list of over 10,000 records. If they then hit the ‘Cluster’ button, the epitopes would be grouped according to their sequence identity and the user would end up with a ‘cleaned up’ view of the results.

An algorithm for grouping the sequences has been developed and tested with several IEDB data sets. It groups related sequences based on sequence identity and allows the user to specify the sequence identity threshold from 70%-100%. As an example, at 85% identity, 7,512 Vaccinia virus epitopes form 2,528 clusters. This drastically reduces the number of results displayed to the user and should result in more efficient navigation. In terms of sorting the clusters of epitopes so that the most relevant ones are displayed first, bioinformaticians at LIAI have developed a metric called the ‘evidence score’. This metric takes into account the number of references, number of positive assays, and total number of assays for each epitope. It is used initially to seed the clusters and is summed over all of the epitopes in the cluster to get the ‘cluster score’ (CScore). Clusters are then sorted by the CScore in a descending order by default.

Figure 2-13 shows the initial results page without any clustering. The user can select from four levels of sequence identity for the clustering, 70, 80, 90, or 100%, with 80% being the default (see Figure). Users can sort on each column in the table. If the column is alphanumeric in nature, and not strictly numeric as is the case for Epitope ID, a field labeled “Go To Records That Start With” appears to the right of field that specifies the number of items per page. The user can input a single character and the display will

As Figure 2-13 and subsequent figures show, comma separated values (CSV) file exports are available on-demand from all list pages and list tabs throughout the site, except for the patent list, which is only provided in PDF format. The CSV file exports are generated in two formats, a compact format that only contains the data presented in the list the user is viewing, and a full record format that contains all of the data associated with the records in the list the user is viewing. On some results pages, only the full format is available. The CSV format can be easily manipulated using a spreadsheet program, such as Microsoft Excel, or edited with a word processing

jump to the first occurrence of that character starting a string in that column. An example of a peptide sequence starting with the letter “D” is shown in Figure 2-14.

Clustering is initiated when the user clicks the *Cluster* button. Figure 2-15 shows clustering by 80% sequence identity. A description of the epitope clustering algorithm and additional screen shots of the clustered results can be found in the IEDB Solutions Center under the *Tutorials and Reference Materials* folder (<http://iedb.zendesk.com/entries/306422-jedb-epitope-clustering-help>). Help can also be reached by clicking on the ‘?’ icon to the right of the % Identify button.

The second table in Figure 2-13 summarizes the positive and negative assay responses for the four general assay types. The user can drill down on any of these values to see the corresponding epitopes. The detail page for the positive T Cell Responses of this search is displayed in Figure 2-16.

The third table lists the number of epitope source organisms, host organisms, restricting MHC alleles, and references resulting from the input search criteria. As before, the user can drill down on the values in the table to find more detail related to each category, as seen in Figure 2-18, Figure 2-19, Figure 2-20, and Figure 2-21.

As introduced in 2011, users can specify the number of items on a result page from a pull-down list of four values – 10, 25, 50, and 100. On other result pages, users can also jump to pages that feature results starting with a specified character, as seen in Figure 2-18, Figure 2-19, and Figure 2-20.

The screenshot shows a search results page titled "Epitope". At the top, there are buttons for "Cluster" and "80% Identity" with a help icon. Below that, a message says "522 item(s) found, displaying 1 to 10 (Click the column headers to adjust the sorting)". There is a navigation bar with links for "previous", page numbers (1, 2, 3, 4, 5, 6, 7, 8, 9, ..., 52, 53), "next", "Go To", and a dropdown for "Items per page" set to 10. Below the navigation is an "Export all results" link with options for "full" or "grid". The main content is a table with columns: "Epitope ID", "Structure", "Source Antigen", and "Source Organism". The table contains 10 rows of data, each with a blue link for the epitope ID. The data is as follows:

Epitope ID	Structure	Source Antigen	Source Organism
10	AAAAAIFVI	MHC class I related protein A	Homo sapiens
11	AAAAALDKKQRNFKDILA	MYH7 protein (1 more)	Homo sapiens
19	AAAALKAGLVLVFPQPAPIAV	CONSERVED HYPOTHETICAL ALANINE RICH PROTEIN (1 more)	Mycobacterium tuberculosis (1 more)
33	AAAGAVVGGGLGGYMLG	Major prion protein precursor	Mus musculus
34	AAAGDK	B13 antigen	Trypanosoma cruzi
35	AAAGFASKTPANQAISMIDG	Phosphate-binding protein pstS 1 precursor	Mycobacterium tuberculosis
36	AAAGFMVLQDINCFRPHGVSAAQEKISFGKSSQCREAVGT	Glycoprotein 4	Lelystad virus
46	AAALEQLLGQTADVA	hypothetical protein ML1057	Mycobacterium leprae (1 more)
49	AAALPGKCGV	Non-specific lipid-transfer protein 1 (2 more)	Prunus persica
52	AAANTSDSQKE		

Figure 2-13 Screen generated by drilling down on the positive epitope hyperlink in the Search Result Summary

Epitope									
Cluster	80% Identity	?							
522 item(s) found, displaying 91 to 100 (Click the column headers to adjust the sorting)									
« previous 1 2 ... 7 8 9 10 11 12 13 ... 52 53 next » Go To » 10 Items per page: 10 » Go To Records That Start With » D									
Export all results: [x] (full)									
Epitope ID	Structure ↑	Source Antigen	Source Organism						
5717	AYAATVAAAPEVKYAVFEAA	Pollen allergen Lol p VA precursor	Lolium perenne						
79770	CGIAAKLGAAS	pertussis toxin S4 subunit precursor (gtg start codon)	Bordetella pertussis						
79771	CGIAAKLGAAASSPDAHVPFCFGKD	pertussis toxin S4 subunit precursor (gtg start codon) (1 more)	Bordetella pertussis (1 more)						
154291	CLDELRGAAASAAFVVASGS	Probable phosphofructokinase PfkB (PHOSPHOHEXOKINASE)	Mycobacterium tuberculosis H37Rv						
6657	CMKKDDQIAAMVLRGMAKDGFALK								
103840	DAEKPAESGGSQPPRAARK	Glutamate decarboxylase 2	Homo sapiens						
7512	DAGDHRAAA								
144875	DALRLARRIAAL	hypothetical protein	Mycobacterium tuberculosis H37Rv						
7584	DALRRAAAKLGIRTRFKRVERV	50S ribosomal protein L16	Chlamydia trachomatis						
97235	DAPKTFSMGAKPTGSAAANYTTAVDRPNPA	major Outer membrane protein	Chlamydia pneumoniae						

Figure 2-14 Epitope results sorted by sequence in the Structure column, showing the first sequence starting with a “D” as specified in the “Go To Records That Start With” field in the upper right.

Epitope Clusters										
Cluster	80% Identity	?								
Expand/Collapse All										
331 clusters identified at 80% sequence identity, displaying 1 to 25										
< previous [1 2 3 4 5 6 7 8 9 ... 13 14 next » Go To » 1]										
Export all results: <input checked="" type="checkbox"/> (full)										
Cluster	CScore	Count	Epitope	EScore	Source Antigen	Source Organism				
[1] MTEQQWNFAGIEAAASAIQGNVTI	3776	10	MTEQQWNFAGIEAAASAIQG (And More)	1550	6 kDa early secretory antigenic target	Mycobacterium tuberculosis (AND 2 more)				
[2] WNKPSPKPKTNLKHVAGAAAAGAVVGGGLGGYMLG	2485	12	WNKPSPKPKTNLKHVAGAAAAGAVVGGGLGGY (And More)	674	Major prion protein precursor (AND 1 more)	Mus musculus (AND 3 more)				
[3] GDKPPPFQAAAGDKPPP	2420	18	KPPPFQAAAGDKPP (And More)	387	B13 antigen (AND 2 more)	Trypanosoma cruzi (AND 1 more)				
[4] AFASRGHNHVSPTHYVPESDAARVIAILSSL	2199	17	SPTHYVPESDAAR (And More)	290	Genome polyprotein (AND 3 more)	Hepatitis C virus subtype 1a (AND 4 more)				
[5] GDKPSLFGQAAAGDKLSLF	1811	14	KPSLFGQAAAGDKLS (And More)	233	B13 antigen (AND 2 more)	Trypanosoma cruzi (AND 1 more)				
[6] WNFAGIEAAASAIQGNVTISIHSLDEGKQS	1644	8	IEAAASAIQGNVTISIHSLLD (And More)	383	6 kDa early secretory antigenic target	Mycobacterium tuberculosis				
[7] CMKKDDQIAAMVLRGMAKDQFALKD	1534	9	MKKDDQIAAMVLRGMAKDQFALK (And More)	480	vls recombination cassette Vls10 (AND 5 more)	Borrelia burgdorferi (AND 3 more)				
[8] MALWMRLLPLLLALLALWGPDPAAAFVNQHLCGS	1393	7	ALWGPDPAAA (And More)	611	proinsulin precursor (AND 2 more)	Homo sapiens				
[9] LDEGKQSLTKLAAAWGGSGSEAYQGVQ	1391	6	EGKQSLTKLAAAWGGSGSEA (And More)	495	6 kDa early secretory antigenic target	Mycobacterium tuberculosis (AND 1 more)				
[10] SLKGAAAALGIGTDSVI	1371	4	KKGAAAALGIGTDSVI (And More)	738	Glutamate decarboxylase 2 (AND 2 more)	Homo sapiens (AND 1 more)				
[11] AKFVAANTLKAAA	1287	3	AKFVAANTLKAAA (And More)	899	N/A	N/A				
[12] ...TTEEQKLIEDINAGFKAAALAAAAGVPPADKYKTFEAA...-1223	5	5	NAGFKAAALAAAAGVP (And More)	583	Group V allergen Phl p 5.0103 precursor (AND 4 more)	Phleum pratense (AND 3 more)				
[13] AAGKATTEEQKLIEDINVGFKAAVAAAASVPA	1216	4	INVGFKAAVAAAASV (And More)	720	Group V allergen Phl p 5.0203 precursor (AND 2 more)	Phleum pratense (AND 1 more)				

Figure 2-15 Query results for clustering at 80% sequence identity

T Cell Response Assays								
709 item(s) found, displaying 1 to 25 (Click the column headers to adjust the sorting)								
« previous 1 2 3 4 5 6 7 8 9 ... 28 29 next » Go To » 1 Items per page: 25 ▼								
Export all results: compact full								
ID ↑	Reference	Epitope	Host	Immunization	Assay Antigen	Antigen Epitope Relation	MHC Restriction	Assay Description
2061	Yolanda López-Vidal; Arch Med Res 2004	MTEQQWNFAGIEAAAS 6 kDa early secretory antigenic target (1-16) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism)	MTEQQWNFAGIEAAAS 6 kDa early secretory antigenic target (1-16) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	3H-thymidine cell proliferation Positive
2064	Yolanda López-Vidal; Arch Med Res 2004	MTEQQWNFAGIEAAAS 6 kDa early secretory antigenic target (1-16) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism) followed by restimulation in vitro	MTEQQWNFAGIEAAAS 6 kDa early secretory antigenic target (1-16) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	ELISA cytokine release IL-4 Positive
2139	Yolanda López-Vidal; Arch Med Res 2004	AAASAIQGNVTSIHSL 6 kDa early secretory antigenic target (13-28) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism)	AAASAIQGNVTSIHSL 6 kDa early secretory antigenic target (13-28) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	3H-thymidine cell proliferation Positive
2142	Yolanda López-Vidal; Arch Med Res 2004	AAASAIQGNVTSIHSL 6 kDa early secretory antigenic target (13-28) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism) followed by restimulation in vitro	AAASAIQGNVTSIHSL 6 kDa early secretory antigenic target (13-28) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	ELISA cytokine release IL-4 Positive
2153	Yolanda López-Vidal; Arch Med Res 2004	LDEGKQSLTKLAAAWG 6 kDa early secretory antigenic target (29-44) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism)	LDEGKQSLTKLAAAWG 6 kDa early secretory antigenic target (29-44) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	3H-thymidine cell proliferation Positive
2156	Yolanda López-Vidal; Arch Med Res 2004	LDEGKQSLTKLAAAWG 6 kDa early secretory antigenic target (29-44) Mycobacterium tuberculosis	Homo sapiens	Infectious disease via exposure to Mycobacterium tuberculosis (Source Organism) followed by restimulation in vitro	LDEGKQSLTKLAAAWG 6 kDa early secretory antigenic target (29-44) Mycobacterium tuberculosis	Epitope	HLA-Class II, allele undetermined	ELISA cytokine release IL-4 Positive

Figure 2-16 Screen generated by drilling down on the positive T cell assay hyperlink in the Search Result Summary

Source Organism								
138 item(s) found, displaying 1 to 10 (Click the column headers to adjust the sorting)								
« previous 1 2 3 4 5 6 7 8 9 ... 13 14 next » Go To » 1 Items per page: 10 ▼ Go To Records That Start With <input type="text"/>								
Export all results: compact full								
Source Organism ↑								
Acanthamoeba castellanii								
Adeno-associated virus								
Adeno-associated virus - 2								
African swine fever virus BA71V								
Aspergillus fumigatus								
Bacillus amyloliquefaciens								
Bacillus lentinus								
Bacillus licheniformis								
Blattella germanica								
Bordetella pertussis								

Figure 2-17 Screen generated by drilling down on the Epitope Source Organism link in the Search Result Summary

Host Organism

105 item(s) found, displaying 71 to 80 (Click the column headers to adjust the sorting)

« previous 1 2 3 4 5 6 7 8 9 10 11 next » Go To » 8 Items per page: 10 Go To Records That Start With »

Export all results: (compact | full)

Host Organism ↑
Mus musculus FVB/N Prp null
Mus musculus GAD specific TCR
Mus musculus HBV(adr) transgenic BALB/c
Mus musculus HLA-A*0201 Tg
Mus musculus HLA-A*0201/Db-human b2m Tg (HHD)
Mus musculus HLA-A*0201/Kb Tg
Mus musculus HLA-A2 Tg
Mus musculus HLA-A2.1/Db Tg
Mus musculus HLA-A24 Tg
Mus musculus HLA-B*0702 Tg

Figure 2-18 Screen generated by drilling down on the Host Organism link in the Search Result Summary

Restricting MHC Allele

88 item(s) found, displaying 1 to 10 (Click the column headers to adjust the sorting)

« previous 1 2 3 4 5 6 7 8 9 next » Go To » 1 Items per page: 10 Go To Records That Start With »

Export all results: (compact | full)

MHC Allele ↑	Class	Organism	Synonyms	Restriction Level	Haplotype	Locus	Serotype	Molecule
Class I, allele undetermined	I	organism (all species)		CLASS				
Class II, allele undetermined	II	organism (all species)		CLASS				
H-2-a class I	I	mouse (Mus musculus)		HAPLOTYPE	H-2-a			
H-2-b class I	I	mouse (Mus musculus)		HAPLOTYPE	H-2-b			
H-2-b class II	II	mouse (Mus musculus)		HAPLOTYPE	H-2-b			
H-2-d class I	I	mouse (Mus musculus)		HAPLOTYPE	H-2-d			
H-2-d class II	II	mouse (Mus musculus)		HAPLOTYPE	H-2-d			
H-2-Db	I	mouse (Mus musculus)		COMPLETE MOLECULE	H-2-b	D		Db
H-2-Dd	I	mouse (Mus musculus)		COMPLETE MOLECULE	H-2-d	D		Dd
H-2-g7 class I	I	mouse (Mus musculus)		HAPLOTYPE	H-2-g7			

Figure 2-19 Screen generated by drilling down on the Restricting MHC Allele link in the Search Result Summary

Reference List

Sort By: Date Sort Order: Descending [Submit](#)

445 item(s) found, displaying 1 to 10 (Click the column headers to adjust the sorting)

[**< previous**](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) ... [44](#) [45](#) [**next >**](#) [Go To](#) [1](#) Items per page: [10](#)

Export all results: [compact](#) | [full](#) [Pubmed Export](#)

[Marina Perez-Gordo; Jing Lin; Ludmilla Bardina; Carlos Pastor-Vargas; Barbara Cases; Fernando Vivanco; Javier Cuesta-Herranz; Hugh A Sampson](#)
Epitope mapping of atlantic salmon major allergen by Peptide microarray immunoassay.
Int Arch Allergy Immunol. ; 157(1423-0097):31-40
PMID: [21894026](#)

[M Carmen Thomas; Ana Fernández-Villegas; Bartolomé Carrilero; Concepción Marañoñ; Daniel Saura; Oscar Noya; Manuel Segovia; Belkisoyl Alarcón de Noya; Carlos Alonso; Manuel Carlos López](#)
Characterization of an Immunodominant Antigenic Epitope from Trypanosoma cruzi as a Biomarker of Chronic Chagas' Disease Pathology.
Clin Vaccine Immunol. ; 19(1556-679X):167-73
PMID: [22155766](#)

[Hua Cong; Ernest J Mui; William H Witola; John Sidney; Jeff Alexander; Alessandro Sette; Ajesh Maewal; Kamal El Bissati; Ying Zhou; Yasuhiro Suzuki; Daniel Lee; Stuart Woods; Caroline Sommerville; Fiona L Henriquez; Craig W Roberts; Rima McLeod](#)
Toxoplasma gondii HLA-B*0702-restricted GRA7(20-28) peptide with adjuvants and a universal helper T cell epitope elicits CD8(+) T cells producing interferon- γ and reduces parasite burden in HLA-B*0702 mice.
Hum Immunol. ; 73(1879-1166):1-10
PMID: [22027386](#)

[Tathagat Dutta Ray; Lisa A Lewis; Sunita Gulati; Peter A Rice; Sanjay Ram](#)
Novel blocking human IgG directed against the pentapeptide repeat motifs of Neisseria meningitidis Lip/H.8 and Laz lipoproteins.
J Immunol. ; 186(1550-6606):4881-94
PMID: [21402895](#)

[Xu'ai Lin; Aihua Sun; Ping Ruan; Zhe Zhang; Jie Yan](#)
Characterization of conserved combined T and B cell epitopes in Leptospira interrogans major outer membrane proteins OmpL1 and LipL41.
BMC Microbiol. ; 11(1471-2180):21
PMID: [21269437](#)

[Ruth Simmons; Colin Sharp; Stuart Sims; Henrik Kloverpris; Philip Goulder; Peter Simmonds; Paul Bowness; Paul Klenerman](#)
High frequency, sustained T cell responses to PARV4 suggest viral persistence in vivo.
J Infect Dis. ; 203(1537-6613):1378-87
PMID: [21502079](#)

[Christina Bade-Döding; Alex Theodossis; Stephanie Gras; Lars Kjer-Nielsen; Britta Eiz-Vesper; Axel Seltsam; Trevor Huyton; Jamie Rossjohn; James McCluskey; Rainer Blasczyk](#)
The impact of human leukocyte antigen (HLA) micropolymorphism on ligand specificity within the HLA-B*41 allotypic family.
Haematologica. ; 96(1592-8721):110-8
PMID: [20934997](#)

Figure 2-20 Screen generated by drilling down on the reference hyperlink in the Search Result Summary

When users click on the number of references on the Search Results Summary screen, the system will display the Reference List, as seen in Figure 2-19. This list will display all the references that matched the user's search criteria. Enough information is listed to identify each reference uniquely, including authors, article title, year, PubMed ID, and journal name. To view all the information related to a given reference, click the highlighted author line. The list can be sorted by date, author, PubMed ID, and title in ascending or descending order. Clicking on the PubMed identifier will open the PubMed citation in a new window.

2.3.4.1 Peptide MHC Binding Motif Displays

A display of peptide MHC binding motif diagrams and amino acid binding charts for a subset of MHC allele records appears on the MHC Allele Information page. This page can be reached from the Restricting MHC Allele page shown in Figure 2-20. Clicking on H-2-K_b in the left MHC Allele column in the 22nd row, the user is brought to its MHC Allele Information page (Figure 2-21)). As can be seen by the tabs in the binding motif display, the Peptide MHC Binding Motif diagrams on MHC Allele Information pages now support diagrams for multiple lengths.




Figure 2-21 Sample MHC Allele Information page with Peptide MHC Binding Motif diagram for H-2_Db. Note the link to the corresponding Amino Acid Binding Chart on the bottom right of the diagram

The Peptide MHC Binding Motif diagram summarizes the results of the amino acid binding for each position, which is shown in Figure 2-23. The amino acids are color-coded for each position, where green indicates the residue is preferred for binding, purple indicates it is deleterious for binding, and white indicates the residue is tolerated at that position. The motif diagram shows which residues are preferred and tolerated at the anchor positions, and which residues are preferred and deleterious at the non-anchor positions.

The residue preference is calculated from the SMM prediction matrix, which is described in Section 2.4.1.1. The following steps are taken in determining the residue preference at each position:

For anchor position:

1. determine the best value of this position from corresponding column of the SMM matrix
2. if a residue's value in this column of the SMM matrix is within 3 fold of the best value, designate this residue as preferred
3. if a residue's value in this column of the SMM matrix is within 10 fold of the best value, designate this residue as tolerated
4. The remaining residues are designated as deleterious

H-2-K_b Motif Amino Acid Binding Chart

AMINO ACID	PEPTIDE BINDING MOTIF POSITION							
	1	2	3	4	5	6	7	8
A	-0.18	-0.13	0.344	0.032	0.188	-0.43	-0.05	0.191
C	0.138	0.286	-0.03	0.105	-0.05	-0.01	0.239	0.142
D	0.531	0.371	0.442	0.227	0.348	0.385	0.293	0.168
E	0.537	0.388	0.330	0.081	0.211	0.298	0.268	0.008
F	-0.14	-0.20	-0.94	-0.05	-1.11	-0.16	-0.15	-0.02
G	0.277	-0.14	0.328	0.234	0.364	-0.03	-0.05	0.129
H	0.289	0.051	0.009	-0.00	-0.34	-0.01	-0.17	0.385
I	-0.76	-0.45	-0.26	-0.07	0.200	-0.00	0.456	-0.32
K	-0.07	0.332	0.384	0.006	0.433	0.179	0.126	0.004
L	-0.08	0.150	-0.24	-0.11	-0.05	0.027	0.047	-1.03
M	-0.39	-0.14	-0.19	-0.13	-0.12	-0.10	-0.06	-0.55
N	0.357	-0.31	0.145	-0.00	0.223	0.044	-0.43	0.018
P	0.781	0.254	0.228	0.246	0.336	0.027	-0.41	0.290
Q	0.215	0.049	0.188	-0.08	0.195	0.113	-0.12	0.151
R	-0.08	0.499	0.073	-0.20	0.250	-0.04	-0.26	0.216
S	-0.31	-0.65	0.477	-0.07	0.233	-0.15	-0.06	0.124
T	-0.26	-0.41	0.275	-0.04	0.211	-0.01	0.059	0.172
V	-0.66	-0.23	0.033	-0.08	0.001	-0.07	0.254	-0.48
W	-0.06	0.099	-0.55	-0.04	-0.43	0.133	0.242	0.081
Y	-0.07	0.229	-1.01	-0.00	-1.06	-0.14	-0.16	0.337

(ROW HEADER) Indicates anchor positions.

(MATRIX BODY) Indicates that the residue is a preferred residue at that position.

Indicates that the residue is a deleterious residue at that position.

Indicates that the residue is a tolerated residue at that position.

Figure 2-22 Amino acid binding matrix for MHC allele H-2-Db

Type = X-Ray Crystallography.

For non-anchor position:

1. determine the median value of this position from corresponding column of the SMM matrix

2. if a residue's value in this column of the SMM matrix is within 3 fold of the median value, designate this residue as tolerated

3. if a residue's value in this column of the SMM matrix is above 3 fold of the median value, designate this residue as preferred

4. if a residue's value in this column of the SMM matrix is below 3 fold of the median value, designate this residue as deleterious

2.3.4.2 Accessing the EpitopeViewer

The EpitopeViewer is an application for three dimensional viewing of receptor-antigen interactions that can be accessed from the Assay List screens. The EpitopeViewer can be used with all assays that have receptor-antigen interaction data available. It is not available for epitopes and assays, and when it is available, a link is provided in the leftmost ID column, as illustrated by the “View 3D Structure” in Figure 2-23. The 23 B cell response assays shown are a result of using the B Cell Search for Epitope Source Organism = Influenza A and Assay

B Cell Response Assays							
23 item(s) found, displaying 1 to 23 (Click the column headers to adjust the sorting)							
Export all results: compact full							
B Cell ID ↑	Reference	Epitope	Host	Immunization	Assay Antigen	Antigen Epitope Relation	Assay Description
3298 View 3D Structure	R L Malby; Structure 1994	P330, N331, D332, P333, T334, Y342, G344, N345, I3... Neuraminidase Influenza A virus (A/whale/Maine /1/84(H1N9))	Mus musculus	Administration in vivo with Influenza A/tern/Australia /G70C/75 (H1N9) neuraminidase gene (Taxonomic Sibling)	Neuraminidase Neuraminidase Influenza A virus (A/whale/Maine /1/84(H1N9))	Source Antigen	X-Ray Crystallography Characterization of Ab binding Positive
14182 View 3D Structure	M E Churchill; J Mol Biol 1994	DVPDYASL Hemagglutinin precursor (118-125) Influenza A virus (A/Victoria /3/1975(H3N2))	Mus musculus	The immunization procedure is unknown	PYDVPDYASLRS Hemagglutinin precursor (116-127) Influenza A virus (A/Victoria /3/1975(H3N2))	Fragment of Source Antigen	X-Ray Crystallography Characterization of Ab binding Positive
14243 View 3D Structure	U Schulze-Gahmen; J Mol Biol 1993	DVPDYASL Hemagglutinin precursor (118-124) Influenza A virus (A/Victoria /3/1975(H3N2))	Mus musculus	The immunization procedure is unknown	DVPDYASL Hemagglutinin precursor (118-125) Influenza A virus (A/Victoria /3/1975(H3N2))	Fragment of Source Antigen	X-Ray Crystallography Characterization of Ab binding Positive
14757 View 3D Structure	D Fleury; Proteins 2000	K66, L75, D76, I78, D79, P90, H91, V94, F95, R106.... Hemagglutinin Influenza A virus (A/X-31(H3N2))	Mus musculus	Administration in vivo with Influenza A virus (A/X-31(H3N2)) (Source Organism)	QDLPGNDNSTATLCL GHHAVPNGLVKTIT DDQIEVTNATELVQS SSTGK... Hemagglutinin (17-521) Influenza A virus (A/X-31(H3N2))	Fragment of Source Antigen	X-Ray Crystallography Characterization of Ab binding Positive
14758 View 3D Structure	D Fleury; Proteins 2000	G65, K66, L75, D76, I78, D79, P90, H91, V94, F95, ... Hemagglutinin Influenza A virus (A/X-31(H3N2))	Mus musculus	Administration in vivo with Influenza A virus (A/X-31(H3N2)) (Source Organism)	QDLPGNDNSTATLCL GHHAVPNGLVKTIT DDQIEVTNATELVQS SSTGK... Hemagglutinin (17-521) Influenza A virus (A/X-31(H3N2))	Fragment of Source Antigen	X-Ray Crystallography Characterization of Ab binding Positive
14759 View 3D Structure	T Bizebard; Nature 1995	T147, G150, S152, S161, W169, T171, K172, S173, G1... Hemagglutinin precursor Influenza A virus (A/Aichi /2/1968(H3N2))	Mus musculus	The immunization procedure is unknown	Hemagglutinin precursor (-99--99) Influenza A virus (A/Aichi /2/1968(H3N2))	Fragment of Source Antigen	X-Ray Crystallography Characterization of Ab binding Positive

Figure 2-23 B Cell Response screen with Epitope Viewer links in the leftmost column

2.3.4.3 Result Tabs

As users drill down on hyperlinks to further explore the results of a query, they will find the information organized by tabs. As seen in Figure 2-24 for Epitope ID 67436, there are 16 source organisms listed from 47 references. There is also assay information for MHC binding, B cells, T cells, and MHC ligand elution. The Links tab contains links to relevant tools in the Analysis Resource. Links can also appear to the Bioinformatics Resource Centers (BRC).

Epitope Information				
Distinct Epitope				
Epitope ID:	67436			
Linear Sequence:	TYQRTRALV			
Source Antigen:	Nucleoprotein (10 more)			
Source Organism:	Influenza A virus (A/Puerto Rico/8/34(H1N1)) (8 more)			
Source (16) Reference (47) MHC Binding (20) B Cell Assay (2) T Cell Assay (92) MHC Ligand Elution (6) Links (3)				
16 item(s) found, displaying 1 to 16 (Click the column headers to adjust the sorting)				
Export all results: compact full				
Source Accession ↑	Source Antigen	Source Organism	3D Structure Homologs	
118864386	nucleocapsid protein	Influenza A virus	2 PDB hits	
13274623	nucleocapsid protein	Influenza A virus	2 PDB hits	
139029	Nucleoprotein	Influenza A virus (A/Anas acuta/Primorje/695/1976(H2N3))	2 PDB hits	
139029	Nucleoprotein	Influenza A virus	2 PDB hits	
139085	Nucleoprotein	Influenza A virus	2 PDB hits	
324710	nucleoprotein	Influenza A virus	2 PDB hits	
61250058	Nucleoprotein	Influenza A virus (A/Port Chalmers/1/1973(H3N2))	2 PDB hits	
73666582	nucleocapsid protein	Influenza A virus (A/Memphis/1/71H-A/Bellamy/42N)	2 PDB hits	
82010653	Nucleocapsid protein	Influenza A virus (A/England/939/69 x A/PR/8/34)	2 PDB hits	
8486130	nucleocapsid protein	Influenza A virus (A/Puerto Rico/8/34(H1N1))	2 PDB hits	
P03466	Nucleoprotein	Influenza A virus	2 PDB hits	
P03466	Nucleoprotein	Influenza A virus (A/Puerto Rico/8/34(H1N1))	2 PDB hits	
P03466	Nucleoprotein	Influenza A virus (A/Japan/305/1957(H2N2))	2 PDB hits	
P03466	Nucleoprotein	unidentified influenza virus	2 PDB hits	
P03466	Nucleoprotein	Influenza A virus (A/Memphis/1/71H-A/Bellamy/42N)	2 PDB hits	
P03467	Nucleoprotein	Influenza A virus (A/nt/60/1968(H3N2))	2 PDB hits	

Figure 2-24 Many results pages have information organized into tabs

2.3.5 Finders Overview

Several finders (Allele, Assay, Disease, Molecule, and Organism) are available to help facilitate selections and control vocabulary usage (improves result outputs). At times the potential list of selections can be quite extensive, and the finders help users make selections from large lists. The finders can be utilized when performing all queries except the keyword query. Multiple selections can be made when utilizing finders during a query.

2.3.5.1 Allele Finder

The MHC Allele Finder facilitates the selection of one or more MHC alleles. Initially the Allele Finder lists all alleles ordered by allele name. The Allele Finder allows the user to find alleles by organism, class {I, II, non-classical}, and allele in the Find box (Figure 2-25). After the user supplies their search criteria and clicks the Search button, the system will filter the list of MHC alleles using the organism, class, and allele provided. The allele finder uses wild card characters by default on both ends of criteria entered into the allele field. The system then returns any alleles that contain the value in the name field and match the class selected.

Find:

Organism:

Class:

Allele:

Figure 2-25 Find form on the Allele Finder

2.3.5.2 Assay Finder

The Assay Finder is used to facilitate the selection of one or more assay types and lists all assay types in the selected assay category. The Assay Finder was redesigned in 2011 for T Cell, MHC Ligand Elution, and MHC Binding assays, as found on their respective Advanced Search pages. These three versions of the Assay Finder organize and display assays in a tree structure, as seen in Figure 2-26 for the T Cell assays.

Assay Finder

Current Selection

- IL-10 release by ELISA

Find

Method/Technique:

Name:

8 item(s) found, displaying 1 to 5 (Click the column headers to adjust the sorting)

Name	Obi Id	Method/Technique
IL-10 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_1110156	ELISA
IL-12 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_1110160	ELISA
IL-13 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_1110159	ELISA
IL-15 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_0001283	ELISA
IL-17 release by ELISA [Highlight in Tree] [Select]	http://purl.obolibrary.org/obo/OBI_1110162	ELISA


Tcell Assay Tree

- + T cell epitope assay
 - + cytokine release
 - + chemokine (C-C motif) ligand 1 (TCA-3) release
 - + chemokine (C-C motif) ligand 4 (MIP-1 β) release
 - + chemokine (C-X-C motif) ligand 9 (MIC) release
 - + GM-CSF release
 - + IFNb release
 - + IFNg release
 - IL-10 release
 - IL-10 release by bioassay
 - IL-10 release by cytometric bead array
 - IL-10 release by ELISA
 - IL-10 release by ELISPOT
 - IL-10 release by TCS

Figure 2-26 Assay Finder on the T Cell Advanced Search page. Assays are displayed in a tree structure and users can find displays by their method/technique and by the characters with which the assay name starts.

The Assay Finder for the B Cell Advanced Search page will be revised to have a similar tree structure

during 2012. In its current incarnation, it allows the user to find assay by method or technique, by what it measures, and/or units in the Find box (Figure 2-27). After the user supplies their search criteria and clicks the Search button, the system filters the list of assay types using the selections provided in the Find box.



The image shows a search interface titled "Find:" with three input fields: "Method/Technique:", "Measurement of:", and "Units:". Below the fields are two buttons: "Search" and "Reset".

Figure 2-27 Search form on the Assay Type Finder

2.3.5.3 Disease Finder

This query feature partition allows users to select a disease association based on the host disease state or status as captured in curation. Its functionality is similar to that of the molecule finder in that diseases are organized into a browsable tree structure. Upon the selection of host disease state/status, the system provides the user with a hierarchical *Disease Tree* that organizes the data at the highest level according to the five disease categories (Allergy, Autoimmunity, Infectious Disease, Transplant-related Disease and Allo-reactivity, and Additional Diseases by category) and then by the anatomical location of the disease (e.g. respiratory tract, gastrointestinal tract). In this way the user can either type in the disease name or synonym (including ICD10 codes) of interest, or navigate the Disease Tree by disease manifestation and physical location to see what is available. A node for healthy subjects is also included. In the future, there are plans to implement the ability for the user to search for disease association by the epitope source antigen that has been computationally associated with a specified disease. Currently, Disease Association is functional for Allergy and Autoimmunity. Its functionality will be expanded in the future to include transplant-related diseases and an improved categorization of allergic diseases. Infectious disease searches are well accommodated by the Source Organism Finder.

Figure 2-28 shows the Disease Tree with diabetes highlighted. DOID refers to the Disease Ontology identifier. The DTREE designates an IEDB-specific identifier that will be updated later with a DOID number when the Disease Ontology incorporates the terms. A mouse-over balloon provides additional information on each node of the tree, as shown in the figure.




Figure 2-28 The disease finder within the Immune Mediated Disease Association section of the Home Page search with diabetes highlighted

2.3.5.4 Molecule Finder

There are three versions of the Molecule Finder. The two newest version can be found in the Home Page Search (Section 2.3.2), and the third version can be found on the Advanced search pages. The Molecule Finder is used to facilitate the selection of source antigens, immunogens, and epitopes. Records in the Source Finder come from GenPept, GenBank, ChEBI, Swiss-Prot, and IEDB curators.

The Molecule Finder on the Home Page Search is designed to include two parallel trees, one for non-peptides and the other for protein molecules. The first contains the structures curated by the Chemical Entities of Biological Interest (ChEBI) database. An example is shown in Figure 2-30.




Figure 2-29 Example of the non-peptidic branch of the Molecule Finder tree showing the branches before and after penicillin. Notice the pop-up balloon adding information for each entry

The development team determined that the most logical way to group the proteins was by organism. In order to accomplish this, the NCBI species was determined for each of the proteins in the database. For viruses and bacteria, this involved traversing the NCBI taxonomy from the sub-species (strain) level up to the species level. For each species, a set of reference proteins was selected from the NCBI protein database based upon the availability of a complete genome for the species. All proteins for each species were BLASTed against the reference protein set to determine their homologs. These data were used to build the protein tree in a way that mirrors a pruned version of the NCBI taxonomy. The result is a coherent tree that is divided along major taxonomic categories and is quickly traversed with proteins

grouped logically below each species. The ability to perform a free text search was maintained and is enhanced by the ability to see where the protein is placed in the tree. It is now possible, for example, to select all Influenza A haemagglutinin (HA) proteins by selecting one node of the tree rather than individually clicking on the 100+ different HA proteins in the database. This can be seen in Figure 2-31.




Figure 2-30 Example of the protein tree as found in the Source Antigen Molecule Finder on the IEDB home page

The Molecule Finder on the Advanced Search pages remains the same as before. It has a comprehensive and flexible search form, and even includes the Organism Finder. Due to the large volume of possible selections, the Molecule Finder initially won't display any selections. Users need to perform a search to narrow the list down. In the example shown in Figure 2-31, the user has entered search criteria for Influenza A Nucleoproteins that were curated from the Swiss-Prot database. The search on these criteria resulted in a list of five matching sources, and the user can select their desired sources from the list by click on *Select* in the far left column.

Find:

Molecule Accession:	<input type="text"/>	Database:	Swiss-Prot
Chemical Type:	Protein		
Sequence:	<input type="text"/>		
Molecule Name:	np		
Source Organism:	<input type="text"/> Influenza A virus		<input type="button" value="Organism Finder"/>
<input type="button" value="Search"/>			

5 items found, displaying all items.

Page 1

Options	Molecule Accession	Database	Molecule Names	Organism Name	Chemical Type	Structure	Position
Select	A0ZT74	Swiss-Prot	Nucleoprotein; NP	Influenza A virus (A/Tern /Australia /1363/2004(H2N5))	Protein		
Select	P03466	Swiss-Prot	Nucleoprotein; NP	Influenza A virus (A/Puerto Rico/8/34(H1N1))	Protein		
Select	P03467	Swiss-Prot	Nucleoprotein; NP	Influenza A virus (A/nt/60 /1968(H3N2))	Protein		
Select	P22435	Swiss-Prot	Nucleoprotein; NP	Influenza A virus (A/Hong Kong/1/1968(H3N2))	Protein		
Select	Q08041	Swiss-Prot	Nucleoprotein; NP	Influenza A virus (A/Memphis /101/1972(H3N2))	Protein		

Figure 2-31 Molecule Finder Search form and resulting source list

2.3.5.5 Organism Finder

The organism finder is used to facilitate the selection of a species or virus from the NCBI Taxonomy Database. Common selections are displayed initially to speed the selection of the usual suspects, as seen in Figure 2-32. To view the entire NCBI taxonomy data set click *NCBI Taxonomy Tree* in the accordion slider. The Common Selection bar will move down to reveal the taxonomy tree. An Allergen tree has also been provided. The Allergen tree consists of species from the NCBI taxonomy, but is organized to help allergists locate common allergen selections more easily. To use the Allergen tree click the Allergen Tree heading in the accordion slider. The Allergen tree displays only nodes reference by curated data. In addition, all nodes in the Allergen tree are selectable.

NCBI Taxonomy Tree
Allergen Tree
Common Selections
Bacillus anthracis
Clostridium tetani
Dermatophagoides pteronyssinus(European house dust mite)
Hepatitis B virus
Hepatitis B virus subtype ADW
Hepatitis B virus subtype ADW2
Hepatitis B virus subtype AYW
Hepatitis C virus
Hepatitis C virus (isolate 1)
Hepatitis C virus subtype 1a
Hepatitis C virus subtype 1b
Homo sapiens(human)
Human herpesvirus 1(Herpes simplex virus type 1)

Figure 2-32 Common selections in Organism finder

The Organism finder will allow the user to find species using their name or taxonomy identifier (assigned by NCBI). When the user performs a search, the system will display the first match then allow the user to move forward and backward through the matching records using Next and Previous buttons as in Figure 2-33. When the user provides a name, any species name or synonym that contains the name provided will be considered a match. Search results will always appear in the NCBI Taxonomy tree, not the Allergen Tree or Common Selections.

The selections in the organism finder are displayed in a tree (Figure 2-33). The taxonomy identifier is displayed next to each node of the tree in square brackets. For example, the taxonomy identifier for the selection of Dengue Virus 2 in the example below is 11060. To see the synonyms for a selection, users can place their computer mouse over the scientific name.




Figure 2-33 NCBI Taxonomy Tree

2.4 Tools

The Tools pull-down menu access the IEDB Analysis Resource and has three items – T Cell Epitope Prediction, B Cell Epitope Prediction, and Analysis Tools. The purpose of the Analysis Resource of the IEDB is to provide computational tools that enhance the value of the IEDB database to the user. Providing access to tools in one centralized location helps make users aware of available solutions to their problems. All of the information contained within the Analysis Resource, including analysis tools and algorithms developed by the IEDB staff, are freely available to the scientific community.

The tools provided in the analysis resource fall into two categories – prediction tools and analysis tools. Prediction tools extrapolate beyond data held in the database. They can be used to predict epitopes in protein sequences or predict properties of known epitopes, such as their MHC binding affinity. Analysis tools help extract and interpret data contained in the database.

For prediction tools, it is important to differentiate between the **tool** making predictions, and the **method** used to generate that tool, given a set of training data. For example, the artificial neural network method or approach, when trained on a particular data set, will yield a prediction tool. As the ANN method is trained on different data sets, different corresponding prediction tools will result. In this way, the ANN method can be used to develop an MHC class I prediction tool and a separate MHC class II prediction tool. These tools can be refined as more data are available for training. One benefit of the IEDB is that it allows implementing methods to automatically generate new prediction tools as the database grows.

Prediction tools can be subdivided into categories by what they predict. The current tools fall into the subcategories listed below:

- T cell epitopes – MHC class I and II binding prediction
- T cell epitopes – Processing prediction

- B-cell epitope prediction

The next subsections will describe each prediction and analytical tool in more detail.

2.4.1 T Cell Epitope Prediction

2.4.1.1 T Cell Epitopes - MHC binding prediction

The Analysis Resource provides tools for predicting peptide binding to MHC class I and II molecules. For class I binding predictions, one new method, IEDB Recommended, was introduced in 2011. Users can select predictions performed with tools derived from eight different methods – IEDB Recommended, artificial neural network (ANN), average relative binding (ARB), stabilized matrix method (SMM), SMM with a peptide:MHC binding energy covariance matrix (SMMPMBEC), Scoring matrices derived from combinatorial peptide libraries (Comblib_Sidney2008), Consensus, and NetMHCpan. For class II binding predictions, one new method, IEDB Recommended, was added in 2011. Users can select IEDB Recommended, the Combinatorial Library method, the ARB method, the SMM_align method, a method devised by Sturniolo et al. and used in TEPIPOPE, and a consensus method derived from the ARB, SMM_align, Sturniolo methods, and NetMHCIIpan. Tutorials and example data are available for both the class I and II tools.

In 2011, a RESTful interface was added for MHC class I and class II prediction tools. This will allow users at other institutions to perform predictions on the server in batch mode without having to install any software on their own systems. Additionally, users will always be assured that they are using the latest version of the tools.

2.4.1.1.1 Peptide Binding to MHC Class I Molecules

Users can select from eight different methods for predicting class I epitopes – ANN, ARB, SMM, SMMPMBEC, Comblib_Sidney2008, Consensus, NetMHCpan, and IEDB recommended, which are described further below. In addition, a check box was added to the web page in 2011 to show only frequently occurring alleles. This allows the selection of only those alleles that occur in at least 1% of the human population or allele frequency of 1% or higher. However, un-checking the check-box will allow selection of all the alleles and corresponding peptide lengths for a particular species. Users can also upload an allele file instead of entering allele on the page one at a time.

Artificial Neural Network

Artificial neural networks (ANN) are computer algorithms modeled after the brain. They consist of many simple processing units which are wired together in a communication network. Each unit is a simplified model of a neuron which sends off a new signal if it receives a sufficiently strong input signal from the other units to which it is connected. The strength of these connections can be varied in order for the network to perform a desired pattern of node signal activity, which is learned from a set of input training data. The training data in this case are peptide sequences with quantitative affinities for a specific MHC molecule.

Many different implementations of artificial neural networks exist. The one utilized here is described for HLA-A2 binding predictions by Nielsen et al. (Protein Science, 2003) and has been applied to a number of different alleles (<http://www.cbs.dtu.dk/services/NetMHC/>).

Average Relative Binding (ARB)

Average relative binding (ARB) matrix binding prediction method is based on the assumption that each residue along the peptide molecule independently contributes to binding affinity. When a residue R occurs at position i in the peptide, it is assumed to contribute a constant amount of R_i to the free energy of binding of the peptide. The effect of each of the 20 possible amino acids at each possible position along

the peptide sequence, therefore, can be estimated by a matrix of coefficients. The overall binding propensity of each peptide sequence, an algorithm “score”, is calculated by multiplying the R_i coefficients. Predicted IC₅₀ values, which provide quantitative K_D (IC₅₀) predictions, are then calculated by mathematical transformations of the algorithm scores (Bui et al., Immunogenetics 2005).

Stabilized Matrix Method (SMM)

The Stabilized Matrix Method (SMM) described by Peters and Sette (BMC Bioinformatics, 2005) can be applied to calculate matrices from quantitative affinity data of peptides binding to MHC molecules. The advantage of this method is that it suppresses the noise present in the training data, caused by the inevitable experimental error as well as the limited number of data points.

Stabilized matrix Method with a Peptide:MHC Binding Energy Covariance matrix (SMMPMBEC)

SMMPMBEC is an improved version of SMM. It is different from SMM in that it addresses sparseness of peptide sequence coverage that is often found in binding data sets by using Peptide:MHC Binding Energy Covariance (PMBEC). The PMBEC matrix was derived from experimentally determined binding affinity measurements using combinatorial peptide libraries. SMMPMBEC is described in Kim et al. BMC Bioinformatics 2009.

Scoring matrices derived from combinatorial peptide libraries (Complib_Sidney2008)

Complib_Sidney2008 refers to a set of predictors (i.e. scoring matrices) that were derived from binding affinity measurements of combinatorial peptide libraries against a panel of MHC alleles. This work is described in Sidney et al. Immunome Res. 2008. This class of predictors is unique in that average binding energy contribution of a given residue at a position is directly measured, without worrying about limited peptide sequence coverage.

Consensus

The Consensus predictor was motivated by an idea that predictions made by consulting “consensus” of individual predictions from multiple predictors may result in improved performance over that of any individual ones. For MHC-I, a work describing an early implementation can be found in Moutafci M et al. Nat Biotech 2006. The methods used for Consensus are ANN, SMM, and CombLib_Sidney2008. The Consensus method uses as many of these three component methods as possible, depending on their applicability for the chosen allele and length.

NetMHCpan

NetMHCpan predicts binding of peptides to a MHC class I molecule using artificial neural networks (ANN). It predicts binding for over 1,650 alleles, including HLA-A, B, C, E, G; non-human primates; mouse; pig; and user-supplied MHC sequence. Predictions can be made for peptide sequences of 8 to 11 residues in length. The method has been trained on over 110,000 peptide/MHC interactions.

IEDB Recommended

IEDB recommended is the default prediction method selection. It considers all alleles and their corresponding peptide lengths for a particular species. For each allele-length combination, consensus method is used, which includes ANN, SMM, and CombLib. If none of these methods are available for the allele, NetMHCpan is used.

2.4.1.1.1 MHC Class I Binding Prediction Resource

In addition to prediction tools, the Analysis Resource makes data sets and method evaluations available to users. The IEDB MHC Class I Binding Prediction Resource (<http://mhcbindingpredictions.immuneepitope.org>) contains training data, test data, and other resources for tool developers interested in predictions of peptide binding to MHC class I molecules. The user can follow links to a manuscript describing the resource in detail (Peters et al., PLoS Comput. Biol. 2006), a

dataset of experimental affinities of peptide to MHC molecules, and a description of the framework used for the evaluation of prediction methods. A link to this site appears at the bottom of the T Cell Tools tab in the Analysis Resource.

As described in the manuscript, predictions were obtained from public web-servers for all relevant peptide-MHC affinities in the dataset. The correlation between predicted and measured affinities was evaluated using scatter plots, linear regression, and ROC analyses. The evaluation of these external tools can be accessed on the site by name of the method or the MHC allele. As carefully noted in the manuscript, this is not a fair evaluation of the value of each method, primarily because the data available to each method are highly divergent.

A similar evaluation of the prediction performance of three prediction methods available in the IEDB Analysis Resource (ANN, ARB, and SMM) was carried out using cross-validation on the dataset. In contrast to the comparison of external predictions, this is a fair evaluation of prediction performance of the three methods, since these three internal methods all used the same training data and testing data, while the external methods used a variety of training and testing data sets. Again, the evaluations of these three internal methods can be accessed by name of the method or the MHC allele.

2.4.1.1.2 Peptide Binding to MHC Class II Molecules

Users can select from eight different methods for predicting class II epitopes – IEDB recommended, ARB, SMM-align, Sturniolo, Combinatorial Library, Consensus, NN-align, and NetMHCIIpan. By default, the overall best method (IEDB recommended) is selected. However, not all methods can currently make predictions for all alleles, so only the alleles available will be displayed. The eight methods are described further below.

Average Relative Binding (ARB)

Average relative binding (ARB) matrix binding prediction method is based on the assumption that each residue along the peptide molecule independently contributes to binding affinity. When a residue R occurs at position i in the peptide, it is assumed to contribute a constant amount of R_i to the free energy of binding of the peptide. The effect of each of the 20 possible amino acids at each possible position along the peptide sequence, therefore, can be estimated by a matrix of coefficients. The overall binding propensity of each peptide sequence, an algorithm “score”, is calculated by multiplying the R_i coefficients. Predicted IC₅₀ values, which provide quantitative K_D (IC₅₀) predictions, are then calculated by mathematical transformations of the algorithm scores (Bui et al., Immunogenetics 2005).

SMM-align

The MHC class II binding groove is open at both ends making the correct alignment of a peptide in the binding groove a crucial part of identifying the core of an MHC class II binding motif. The stabilization matrix alignment method, SMM-align, allows for direct prediction of peptide:MHC binding affinities. The method uses amino terminal peptide flanking residues (PFR) to get a consistent gain in predictive performance by favoring binding registers with a minimum PFR length of two amino acids. The method predicts quantitative peptide:MHC binding affinity values. The method has been trained and evaluated on a data set that covers the nine HLA-DR supertypes suggested and three mouse H2-IA allele. The method is described by Nielsen et al. (BMC Bioinformatics, 2007).

Sturniolo

This matrix-based approach is used in the TEPIPOPE class II epitope prediction program. It is described in Sturniolo et al. (Nat. Biotechnol., 1999).

Combinatorial Library

The positional scanning combinatorial libraries approach utilized a pool of random peptide libraries to systematically measure the contribution to MHC binding from each amino acid at each of the nine positions at the binding peptide. Each pool in the library contains 9-mer peptides with one fixed residue at a single position. With each of the 20 naturally occurring residues represented at each position along the 9-mer backbone, the entire library consisted of 180 peptide mixtures. Competitive binding assays were then carried out to determine the IC₅₀ values for each pool. IC₅₀ values for each mixture were standardized as a ratio to the geometric mean IC₅₀ value of the entire set of 180 mixtures, and then normalized at each position so that the value associated with the optimal value at each position corresponds to 1. For each position, an average (geometric) relative binding affinity (ARB) was calculated, and then the ratio of the ARB for the entire library to the ARB for each position was derived. The final results are a set of 9 by 20 scoring matrices which could predict the binding of novel peptides to MHC molecules.

The methodology is the same as that used for the MHC class I combinatorial library tool as described in Sidney et al. Immunome Res. 2008. A paper specifically describing the class II tool will be published in 2010.

Consensus

The consensus method was developed by the IEDB team by exploiting features of the other three aforementioned methods. The method was updated with the introduction of NN-align, so the revised Consensus method uses NN-align, SMM-align, and the combinatorial peptide scanning library. When the scanning library is not available for an allele, the Sturniolo method is used instead. A paper describing the original method was published by Wang et al. (PLoS Comput Biol, 2008).

NN-align

NN-align is an artificial neural network-based alignment algorithm for MHC class II peptide binding prediction. It simultaneously identifies the MHC class II binding core and binding affinity. The method is trained using an algorithm that corrects bias in the training data caused by redundancy in binding core representation. Prediction accuracy has been shown to improve significantly when information about the residues flanking the peptide-binding core is taken into account. A 2009 paper in BMC Bioinformatics by Nielsen and Lund describe the method in detail (PMID: 19765293).

NetMHCIIpan

NetMHCIIpan predicts binding of peptides for over 500 HLA-DR alleles using artificial neural networks. A paper describing the method was published by Nielsen et al. in Immunome Research, November 2010.

The datasets used in assessing the performance of the ARB, SMM-align, and Sturniolo methods and in developing the Consensus method, as described in Wang et al., can be found at <http://mhcbindingpredictions.immuneepitope.org/MHCII/>. The three datasets can be used for developing algorithms that predict peptides binding to MHC class II molecules and/or activating CD4+ T cells. The first is a comprehensive dataset consisting of more than 10,000 previously unpublished MHC-peptide binding affinities for 16 alleles (peptide_affinity_dataset.zip). The second dataset is a text file of 29 peptide/MHC crystal structures found in the PDB that can be used for binding core predictions (non_redundant_pdb_core_pep_allele.txt). The third dataset contains 664 peptide sequences experimentally tested for CD4+ T-cell responses (LCMV_T_cell_activation.txt).

IEDB Recommended

IEDB recommended is the default prediction method selection. It considers all alleles and their corresponding peptide lengths for a particular species. For each allele-length combination, consensus

method is used, which includes NN, SMM, and CombLib. If none of these methods are available for the allele, NetMHCIIpan is used.

2.4.1.2 T Cell Epitopes – MHC I Processing Prediction

2.4.1.2.1 *Proteasomal cleavage/TAP transport/MHC class I combined predictor*

For the prediction of antigen processing through the MHC class I antigen presentation pathway, we incorporated predictions of proteasomal cleavage and TAP transport similar to the MHCPATHWAY website described in (Tenzer et al., CMLS, 2005). The predictions are based on in vitro experiments characterizing the sequence specificity of proteasomal cleavage and TAP transport. The goal of the prediction is to identify MHC-I ligands (peptides that are naturally processed from their source proteins and presented by MHC class I molecules).

The proteasomal cleavage predictions evaluate how efficiently a peptide or its N-terminally prolonged precursors can be liberated from its source protein. The TAP transport predictions evaluate how efficiently a peptide or its N-terminal prolonged precursors are transported into the ER by TAP (Peters et al., Immunol, 2003). When this information is taken together and combined with MHC class I binding predictions, the tool yields a prediction of the efficiency with which a peptide is presented on the cell surface. The methods available are ANN, SMM, ARB, SMMPMBEC, Comblib, NetMHCpan, which are described in Section 2.4.1.1.1.

In addition, a check box was added to the web page in 2011 to show only frequently occurring alleles. This allows the selection of only those alleles that occur in at least 1% of the human population or allele frequency of 1% or higher. However, un-checking the check-box will allow selection of all the alleles and corresponding peptide lengths for a particular species. Users can also upload an allele file instead of entering allele on the page one at a time.

2.4.1.2.2 *Neural network based prediction of proteasomal cleavage sites (NetChop) and T cell epitopes (NetCTL)*

NetChop produces neural network predictions for cleavage sites of the human proteasome (Kesmir et al., 2002). NetChop takes into account the characteristics of the structurally modified proteasomes found in cells stimulated by gamma-interferon under physiological conditions. The NetChop algorithm was trained on in vitro data and MHC Class I ligand data. The use of this training set, combined with the artificial neural network methodology, makes the prediction of cleavage sites more accurate. NetChop has been trained only on human data, but since the proteasome structure is quite conserved, the algorithm developers believe that the tool is capable of making reliable predictions for at least the other mammalian proteasomes.

NetCTL predicts CTL epitopes in protein sequences integrating prediction of peptide MHC binding, proteasomal C terminal cleavage and TAP transport efficiency. The method is described in detail in Larsen et al. (Eur J Immunol., 2005). In 2011, a third method, NetCTLpan was added. NetCTLpan is an update to the original NetCTL server that allows for prediction of CTL epitope with restriction to any MHC molecules of known protein sequence (Stranzl et al., Immunogenetics, 2010).

2.4.2 B Cell Epitope Prediction

2.4.2.1 *Prediction of linear epitopes from protein sequence*

Six different tools are provided that predict antibody epitope candidates from amino acid sequences. Five are based on amino acid property scales and a sixth method uses a Hidden Markov Model. Parameters such as hydrophilicity, flexibility, accessibility, and antigenic propensity of polypeptides chains have

been correlated with the location of continuous epitopes in a few well-characterized proteins. Based on these observations, amino acid property scales have been developed to predict antigenic determinants. Each scale consists of 20 values assigned to each of the amino acid residues on the basis of their relative propensity to possess the property described by the scale. The following amino acid property scales have been selected and implemented based on their popularity and coverage of different categories.

- Secondary structure - Chou and Fasman beta turn prediction
- Surface exposure - Emini surface accessibility prediction
- Flexibility - Karplus and Schulz flexibility prediction
- Antigenicity - Kolaskar and Tongaonkar antigenicity prediction
- Hydrophobicity/hydrophilicity - Parker hydrophilicity prediction

BepiPred combines the predictions of a hidden Markov model and the propensity scale of Parker et al. It is described in Larsen et al. (Immunome Research, 2006).

2.4.2.2 DiscoTope - Prediction of epitopes from protein structure

DiscoTope is designed specifically to predict discontinuous epitopes. It uses protein three-dimensional structural data in addition sequence data. The method is based on amino acid statistics, spatial information, and surface accessibility in a compiled data set of discontinuous epitopes determined by X-ray crystallography of antibody/antigen protein complexes. The method is described in Haste Andersen et al. (Protein Sci., 2006).

2.4.2.3 ElliPro - Epitope prediction based upon structural protrusion

ElliPro predicts linear and discontinuous antibody epitopes based on a protein antigen's 3D structure. ElliPro accepts either a protein structure (preferred) or a protein sequence as an input. If a protein sequence is used, ElliPro will predict its 3D structure by homology modeling. Its use is described in the Tutorial tab of the ElliPro section of the Analysis Resource. The method is described in Julia Ponomarenko et al. (BMC Bioinformatics, 2008).

2.4.3 Epitope Analysis Tools

2.4.3.1 Population coverage

T cells recognize a complex between a specific MHC type and a particular pathogen-derived epitope and thus a given epitope will elicit a response only in individuals that express an MHC molecule capable of binding that particular epitope. MHC molecules are extremely polymorphic (over a thousand different variants are known in humans). Therefore, selecting multiple peptides with different MHC binding specificities will afford increased coverage of the patient population targeted as vaccine recipients. The issue of population coverage in relation to MHC polymorphism is further complicated by the fact that different MHC types are expressed at dramatically different frequencies in different ethnicities. Thus, without careful consideration, a vaccine with ethnically biased population coverage could result. To address this issue, the actual/predicted binding capacity of potential epitopes to as many different MHC molecules possible (and when available, also restriction data of T cell responses recognizing the epitope) can be used to project the population coverage in different ethnicities of different vaccine candidates or epitope sets. Accordingly, epitope-based vaccines or diagnostics can be designed to maximize population coverage, while minimizing complexity (that is, the number of different epitopes included in the diagnostic or vaccine), and also minimizing the variability of coverage obtained or projected in different ethnic groups.

An important consideration in the process of epitope selection is that the patient population coverage afforded by a given set is not simply corresponding to the sum of the coverage of its individual

components. Thus, to calculate the coverage afforded by a given mixture of epitopes, a more comprehensive approach and a suitable algorithm has been developed for this specific purpose (Bui et al. BMC Bioinformatics 2006). This method calculates the fraction of individuals predicted to respond to a given epitope set on the basis of HLA genotypic frequencies, assuming non-linkage disequilibrium between HLA loci, and on the basis of MHC binding and/or T cell restriction data. The algorithm is briefly explained here. First, genotypic frequencies of various MHC are tabulated. Each time a peptide binds to a given MHC, a "hit" is recorded for that MHC. The process is repeated for all peptides. Then the hits for MHC are tallied. Next, the frequency of each possible diploid MHC combination (phenotype) is calculated. For n MHC types, this corresponds to an $n \times n$ tabulation of the frequency at which each specific pair of MHCs will be found in the population from which the MHC frequencies are derived. A similar table is generated to contain the number of hits per each of the MHC combinations by adding the number of hits associated with each of the two alleles of MHC in the combination (a simple exception is the case of homozygous combinations, where the number of hits is simply the number of hits of the given MHC). From these two tables, a frequency distribution is assembled, tabulating the genotypic frequency of all MHC combinations associated with a certain number of hits. The result of the analysis is displayed as a frequency distribution histogram and a cumulative frequency plot.

We have derived HLA allele genotypic frequencies from the dbMHC database (<http://www.ncbi.nlm.nih.gov/mhc/>) and stored them in a database on the IEDB tool server. At present, dbMHC provides allele frequencies for 78 populations and 11 different geographical areas. It is envisioned that the compiled data will be updated regularly as further HLA frequency data become available. Furthermore, customized frequency data can be utilized in the calculation, should studies of specific and particular patient populations be of interest to a given user. Multiple population coverages can be simultaneously calculated and an average population coverage is generated. Since MHC class I and II restricted epitopes elicit immune responses from two different T cell populations (CTL and Th cells, respectively), the program provides three different coverage calculation modes – (1) class I separate, (2) class II separate, and (3) class I and class II combined.

2.4.3.2 Epitope conservancy

In a diagnostic or epitope-based vaccine setting, focusing on conserved epitopes allows for targeting responses around pathogen variability, whether it exists prior to infection, or develops in the natural course of disease. The use of conserved epitopes would be expected to focus the immune response on sequences crucial for retaining biological function of the pathogen proteins, and thus with intrinsically lower variability, even under immune pressure. The epitope conservancy analysis tools implemented here aims to address the issue of variability (or conservation) of epitopes, and to assist in the selection of epitopes with the desired pattern of conservation. The algorithm has been implemented to calculate the degree of conservancy of an epitope within a given protein sequence set at different degree of identities. The degree of conservation is defined as the number of protein sequences that contain the epitope at a given identity level, divided by the total number of protein sequences found in the dataset analyzed (Bui et al. BMC Bioinformatics 2007).

2.4.3.3 Epitope Cluster Analysis

This tool groups epitopes into clusters based on sequence identity. A cluster is defined as a group of sequences that has a sequence similarity greater than the minimum sequence identity threshold specified. Epitope sequences can be either directly entered in the text area or uploaded from a file. Two acceptable sequence formats are PLAIN and FASTA. The user can select the sequence identity threshold at which they want to calculate epitope clusters. Clusters are displayed in a table format where clusters are indicated by table rows which have the same color. All calculated cluster results can be saved to a file by clicking on the "Download data to file" button.

2.4.3.4 Homology Mapping Tool and EpitopeViewer

This Homology Mapping Tool maps linear epitopes to 3D structures of proteins (Beaver, et al., Immunome Res 2007). This is done by comparing the epitope source protein sequence with that of proteins with known 3D structures in the PDB. The tool generates an alignment between the query sequence of the epitope source sequence and a homologous sequence from the PDB, and visualizes the result in an EpitopeViewer. For input, the tool uses the SwissProt ID of the antigen protein, the epitope sequence, and the position of the epitope in the antigen sequence as curated within the IEDB or input by the user. The tool applies the NCBI BLAST algorithm for performing sequence homology search, and provides options for the sophisticated user to choose cutoff values on parameters used in the search programs (such as e-value and penalty on gap initiation and gap extension). The tool output page displays the alignment between the query sequence of the antigen containing the epitope and the sequence from the PDB representing significant hits (matches). The region within the epitope is highlighted in the alignment, and the sequence identity for the epitope and homologous region is provided. The EpitopeViewer application for visualization of homologous epitope/antigen and its further structural analysis is launched from the output page.

Functionality was added to the homology mapping tool in 2010 to allow users to input their own conformational epitopes and map them to protein structures. This feature was documented on the "Example 5" tab of the homology mapping web page. The "Help" tab was also updated.

The convenient and easy to use EpitopeViewer, a Java application running JOGL, has been developed for three-dimensional visualization of immune epitopes and analyses of their interactions with antigen-specific receptors of the immune system (antibodies, T cell receptors, MHC molecules) for structures available in the Protein Data Bank (PDB). The EpitopeViewer is based on the Molecular Biology Toolkit (MBT; <http://mbt.sdsc.edu/>) developed at the San Diego Supercomputer Center (SDSC). It uses data both from the PDB and the IEDB, and visualizes one epitope at a time from a particular PDB structure (Beaver, et al., Immunome Res 2007).

The EpitopeViewer provides the following functionality:

- Link to the PDB web-page displaying a particular structure.
- Visualization of the 3D structure of epitope/antigen in complex with immune receptor(s) as curated within the IEDB and available in the PDB.
- Visualization of the 3D structure of epitope and antigen mapped to a PDB structure using the Homology Mapping tool.
- Visualization of sequences of epitope/antigen and immune receptor(s).
- 3D-visualization of intermolecular (epitope-paratope, epitope-antibody CDR, epitope-MHC, pMHC-TCR, pMHC-TCR CDR), inter-atom and inter-residue interactions curated within the IEDB and/or calculated on the fly from the PDB file with essential details (contact type, atoms, distance) provided;
- 2D-plot of inter-residue interactions between epitope and immune receptor.
- Generation of publication-quality pictures of structures, sequences, and plots of contacting residues.

2.5 Support Overview

The Support pull-down menu contains items that aid the user to understand and utilize the features of the website. Users can access relevant documentation, request help, and provide feedback.

2.5.1 Solutions Center

The IEDB Solutions Center is the primary resource for information on using the website's features. The user can submit help requests, check on the status of requests, browse and search the knowledge base and forums, and link to help documentation, such as the Curation Manual. In order to submit and subsequently track a help request via the Solutions Center, users must follow a simple registration procedure in order to provide an email address, name, and password. The Solutions Center can also be accessed by a link at the bottom of each web page.

2.5.2 Provide Feedback

All users are able to submit feedback, which will transmit an email message to the IEDB team. Feedback is intended for questions, input, and suggestions, such as new features they would like to see added in the future. Feedback helps the IEDB team update the system to provide users with the best possible experience. If users need help using the system or handling an unexpected result, a Help Request is more appropriate. The feedback feature can be accessed with the Support pull-down menu and the "Provide Feedback" at the bottom of each web page. Both initiate a submission to the IEDB Solutions Center.

2.5.3 Help Request

Users can submit help requests in two ways. At the bottom of most pages is a "Help request" link. This will initiate a submission to the IEDB Solutions Center. The second method also utilizes the IEDB Solutions Center. The top menu bar on the IEDB Solutions Center web page has a "SUBMIT A REQUEST TO THE HELP DESK" link. Selecting this link brings the user to a "Submit a request" web page. The user must fill in their email address, the subject line, and a description of the help request. All help requests are forwarded to the same help desk.

Help requests should consist of problems that users have with the application, such as a certain function of the system not working. Questions on how to use features of the application should be covered in the online help available in the Solutions Center. After submitting a help request, a confirmation e-mail will be sent to the user's e-mail address, which will include the help request number. When the help request issue has been resolved, an e-mail will be sent to notify the user that the help request has been satisfied.

Help requests are generally responded to within one business day. Requests that are specific to analytical tools or the method used to curate data are answered initially to inform the requestor that their question/comment is being forwarded to team specialists, and an approximate date of full response is provided. Based on the complexity of the request or if that request prompts the team to make changes to the system or curate additional data/source organisms, requests are resolved immediately in some cases, while others are resolved in future IEDB system builds, or later curation.

2.5.4 Data Field Descriptions

The Data Field Descriptions item in the Support pull-down menu gives the user access to the Curation Manual. Using the Find function of their web browser, users can search for the data field name of interest in order to gain a fuller understanding of the field definition and the possible values.

2.5.5 Video Tutorials

A new link was added in 2011 to access the IEDB video tutorials. Video tutorials were updated and expanded in 2011. The fourteen tutorials are listed in Table 2.1

Category	Topic
Overview of the IEDB	Introduction to the IEDB site and Search Options Simple Search Overview
Searching the IEDB	Search by Disease Type Simple Search: Finding Epitopes from a Protein Using the Organism Finder Peptide/Protein Homology Search Linear Sequence Queries Advanced Search Overview Advanced B cell search: Example of finding antibody cross-reaction Advanced T cell search: Example of designating assay type How do I search for human epitope data and specify geographic region? How do I generate a list of all proteins from which epitopes have been identified for an organism of interest? Using the Disease Finder
Understanding Query Results	Results: Epitope Listing, Details of Individual Entries and Using the Export Function

Table 2.1 Available IEDB video tutorials

2.5.6 Help with Common Queries

A series of 16 queries has been designed to parallel the IEDB meta-analysis efforts. A link to this information can be found at the bottom of the Home Page Search. Meta-analyses are performed at intervals to query the database for all data relating to subjects of interest (e.g. [Influenza](#), [Malaria](#), [Tuberculosis](#)). The queries represent a simplified version of such analysis. Two examples from the series are “How do I generate a list of all the different species and strains reported for an organism of interest?” and “How do I search for human data and specify geographic region?” The user can click on the button (+) next to each query for step-by-step instructions on how to find the answer. Data generated through use of the tutorial can be downloaded for further analysis using Excel. When available, the option to download data appears in the upper left-hand side of the page (Excel icon). Tools for performing specific analyses are also available through the Analysis Resource on the IEDB website.

2.6 More IEDB

The "More IEDB" pull-down menu contains links to other relevant information that may be of interest to users. Its component links are described below.

2.6.1 Acknowledgements

A host of talented individuals have worked hard to make the Immune Epitope Database a reality. A roster of the current team members can be viewed on this page.

2.6.2 Citing the IEDB

Data and tools within the IEDB are presented as a public resource. Users are requested to consider citing the IEDB when they present information obtained from the IEDB or use tools contained in the Analysis Resource. It is expected that the authors of an entry as well as the IEDB are properly cited whenever their work is referred to:

1. The IEDB website should be cited using the URL: www.iedb.org

2. The journal reference for the IEDB was updated after the release of IEDB 2.0. The IEDB should be cited as:

Vita R, Zarebski L, Greenbaum JA, Emami H, Hoof I, Salimi N, Damle R, Sette A, Peters B. The immune epitope database 2.0. *Nucleic Acids Res.* 2010 Jan; 38(Database issue):D854-62. Epub 2009 Nov 11.

2.6.3 Database Export

The contents of the Immune Epitope Database are exported weekly to files in XML format. The database export page (Figure 2-34) contains a complete database export in XML format along with exports of the various records that are referenced in the complete database export. The complete dataset export is provided as a ZIP archive (iedb_export.zip) containing one XML file for each reference contained in the database. The export also contains ZIP archives of XML files that provide users with the full record for the various identifiers that are referenced in the full database export, such as the IEDB source organism accession identifier list, the MHC allele name list, and the organism list. The supporting XML files only contain full records when the record is not otherwise available from the original source.

The database export page also provides the relevant XML Schema Definition (XSD) files for each of the XML files provided. The XSD file(s) for a particular XML file will be located in the second column of the export table. In the case of the complete database export, multiple schemas are provided, with the primary schema being listed first, followed by any supporting schemas.

In addition to the XML export, the contents of the IEDB are exported weekly as a MySQL Structure Query Language (SQL) database. The database export page contains the complete database export in two formats, a single SQL script (iedb_public.sql.gz), and a TAR archive of MyISAM binary tables (iedb_public.tar.gz). Both export formats are generated from a MySQL v5.0 database server. The database export page also provides an entity-relationship diagram (ERD) for the MySQL database.

Archives of the data as they appeared in IEDB 1.0, 2.0, 2.1, and 2.3 are available by clicking on the *Archived Versions*. For each version, there is a compress file that contains an XML for each reference. The corresponding XSD files are also available for download.

In addition to the files available on the Database Export web page, comma separated values (CSV) file exports are available on-demand from all list pages and list tabs throughout the site, except for the patent list, which is only provided in PDF format. The CSV file exports are available in two formats, a compact format that only contains the data presented in the list the user is viewing, and a full record format that contains all of the data associated with the records in the list the user is viewing.

As of 2011, select compilations of data are available for download from the Database Export web page in CSV format in the section titled CSV Metric Exports. Users can download these files to conveniently obtain all the information in the IEDB for specific categories. For example, reference_compact.zip and reference_full.zip contain the list of all references (literature and submissions) in the database. The compact version contains reference ID, reference type, PubMed ID, Author(s), Title, Abstract, Journal, and Year. The full version contains the same information plus author affiliations, Journal volume, Article pages, MeSH terms, and all other reference related information captured in the database. Files are available for all peptidic epitopes, non-peptidic epitopes, T cell assays, B cell assays, MHC binding assays, MHC ligand elutiaon assays, and source organisms.

Database Export			
Information about our database export features can be found in our developer's forum .			
Version 2.4			
XML Database Export			IEDB Schema
Complete Database Export	72MB	Curation.xsd (Primary IEDB schema)	46kB
		CurationSimpleTypes.xsd	134kB
		IedbPDBViewerSchema.xsd	7kB
IedbAccessionList.zip	23kB	IedbAccessionList.xsd	909B
MhcAlleleNameList.zip	20kB	MhcAlleleNameList.xsd	2kB
OrganismList.zip	14MB	OrganismList.xsd	751B
AssayTypeList.zip	4kB	AssayTypeList.xsd	771B
MySQL Database Export			Physical Entity Relationship Diagram
SQL Statement Export	82MB	iedb_public_erd.pdf	25kB
MyISAM Binary Export	153MB		
CSV Metric Exports			
peptidic_full.zip	5MB	nonpeptidic_full.zip	47kB
tcell_compact.zip	6MB	tcell_full.zip	27MB
bcell_compact.zip	5MB	bcell_full.zip	25MB
elution_compact.zip	208kB	elution_full.zip	544kB
mhc_compact.zip	4MB	mhc_full.zip	10MB
sourceOrganism_compact.zip	36kB	sourceOrganism_full.zip	36kB
reference_compact.zip	7MB	reference_full.zip	9MB

Archived Versions

Figure 2-34 IEDB Database Export web page

2.6.4 Documents

A variety of IEDB reference materials is available for download by all users. The Documents page lists the files available for download by category. The files available for download include an Introduction to IEDB and Analysis Resource, a System Architecture and Database Design Specification, IEDB Annual Workshop Executive Summaries, the Annual Compendia, and quarterly newsletters. Additional reference materials will be added for download over time.

2.6.5 IEDB Ontology

Selecting IEDB Ontology from the pull-down menu takes the user to <http://ontology.iedb.org>, the home page for the Ontology of Immune Epitopes (ONTIE). The IEDB ontology is available to download in a format that can be viewed with the Protégé OWL editor. The file ONTIE.owl contains the classes and relations used in the IEDB export. IEDB-export.owl is the ONTIE-annotated export of the IEDB T cell epitope data. Smaller versions of the file are available for download.

2.6.6 Links to External Sources

The IEDB system provides a list of links to external resources solely for the convenience of Immune Epitope Database visitors. The Immune Epitope Database has no interest in, responsibility for, or control over the linked-site. The Immune Epitope Database makes no promises or warranties of any kind, express or implied, including those of fitness for any particular purpose, as to the content of the linked-site. To view the links available, select Links under the Resources heading on the main menu. The hyperlinks on the links page are grouped by category:

- Public Databases, Prediction Algorithms, and Other Tools
- Antibody Related Links
- Bioinformatics Resource Centers
- MHC and TCR Related Links
- Protein Related Links
- Laboratory Resources
- Biodefense Resources

2.6.7 Patent List

As part of the IEDB curation effort, the Derwent World Patent Index has been searched for potentially relevant patent items. These are presented in a table on the Patent List web page that lists the publication number, patent title, inventors, assignee name, patent abstract, date filed, and date published. The enhanced abstracts of all of the 774 listed patent items have been reviewed, but the actual patents have not been read or curated. This information is presented for those users who wish to explore these patent items further.

The list mostly includes patents related to Category A-C priority pathogens, emerging and re-emerging infectious diseases, Malaria, Hepatitis B, Clostridium tetani, Leishmania, and Candida albicans, as well as other diseases. Users can search the table by using the "find" feature of their browser.

2.6.8 Publications

A list of publications relevant to the IEDB can be found on the Publications page. They have been grouped into four categories – General IEDB, Epitope Meta-analyses, Analysis Resource, and Curation.

2.6.9 Terms of Use

The Terms of Use page is a collection of statements that outline the conditions related to using the IEDB system. The Terms of use includes our privacy notice, copyright information, and various disclaimers. The IEDB privacy policy describes what user information is collected, the circumstances for collecting it, and how it is used. Personal information about users is not collected unless the users choose to provide it.

3 Scientific Publications

This section lists the scientific publications for which the IEDB played a contributory role. The first section lists publications authored by the IEDB contractor team over the past seven years. The second section lists references that cited the IEDB. This list was compiled by using Google Scholar and the ISI Web of Knowledge to find citations for each one of the IEDB team authored papers.

3.1 Publications of the IEDB team by Year

Scientific articles written by the IEDB team members that are relevant to the IEDB are listed below by year of publication. In 2011, three articles were published, in 2010, nine articles were published, while seven were published in 2009, nine were published in 2008, twelve in 2007, five in 2006, six in 2005, and one in 2004. In all, the team has written 52 scientific articles about the IEDB in the last eight years.

3.1.1 2011

1. Seymour E., Damle R., Sette A., Peters B. (2011). "Cost sensitive hierarchical document classification to triage PubMed abstracts for manual curation." *BMC Bioinformatics* 12(1): 482. [Epub ahead of print]. PMID: 22182279.
2. Vaughan K, Greenbaum J, Kim Y, Vita R, Chung J, Peters B, Broide D, Goodman R, Grey H, Sette A. Towards defining molecular determinants recognized by adaptive immunity in allergic disease: an inventory of the available data. *J Allergy (Cairo)*. 2010;2010:628026. Epub 2011 Feb 13. PubMed PMID: 21403821
3. Vita R, Peters B, Josephs Z, de Matos P, Ennis M, Turner S, Steinbeck C, Seymour E, Zarebski L, Sette A. (2011). "A Model for Collaborative Curation, The IEDB and ChEBI Curation of Non-peptidic Epitopes." *Immunome Res.* 2011 Apr 1;7(1):1-8. PubMed PMID: 21897450

3.1.2 2010

4. Brinkman RR, Courtot M, Derom D, Fostel JM, He Y, Lord P, Malone J, Parkinson H, Peters B, Rocca-Serra P, Ruttenberg A, Sansone SA, Soldatova LN, Stoeckert CJ Jr, Turner JA, Zheng J; OBI consortium. Modeling biomedical experimental processes with OBI. *J Biomed Semantics*. 2010 Jun 22;1 Suppl 1:S7. PubMed PMID: 20626927
5. Diehl AD, Augustine AD, Blake JA, Cowell LG, Gold ES, Gondré-Lewis TA, Masci AM, Meehan TF, Morel PA, Nijnik A, Peters B, Pulendran B, Scheuermann RH, Yao QA, Zand MS, Mungall CJ. "Hematopoietic cell types: Prototype for a revised cell ontology. *J Biomed Inform.* 2010 Feb 1. [Epub ahead of print] PMID: 20123131
6. Kim Y, Sette A, Peters B. Applications for T-cell epitope queries and tools in the Immune Epitope Database and Analysis Resource. *J Immunol Methods*. 2010 Oct 31. [Epub ahead of print] PubMed PMID: 21047510.
7. Nielsen M, Lund O, Buus S, Lundsgaard C. MHC class II epitope predictive algorithms. *Immunology*. 2010 Jul;130(3):319-28. Epub 2010 Apr 12. Review. PubMed PMID: 20408898;
8. Ponomarenko J, Papangelopoulos N, Zajonc DM, Peters B, Sette A, Bourne PE. IEDB-3D: structural data within the immune epitope database. *Nucleic Acids Res.* 2010 Oct 28. [Epub ahead of print] PubMed PMID: 21030437.
9. Salimi N, Fleri W, Peters B, Sette A. Design and utilization of epitope-based databases and predictive tools. *Immunogenetics*. 2010 Apr;62(4):185-96. Epub 2010 Mar 6. Review. PubMed PMID: 20213141; PubMed Central PMCID: PMC2843836.

10. Vaughan K, Greenbaum J, Blythe M, Peters B, Sette A. Meta-analysis of all immune epitope data in the Flavivirus genus: inventory of current immune epitope data status in the context of virus immunity and immunopathology. *Viral Immunol.* 2010 Jun;23(3):259-84. PubMed PMID: 20565291; PubMed Central PMCID: PMC2942863.
11. Wang P, Sidney J, Kim Y, Sette A, Lund O, Nielsen M, Peters B. Peptide binding predictions for HLA DR, DP and DQ molecules. *BMC Bioinformatics.* 2010 Nov 22;11:568. PubMed PMID: 21092157; PubMed Central PMCID: PMC2998531.
12. Zhang H, Wang P, Papangelopoulos N, Xu Y, Sette A, Bourne PE, Lund O, Ponomarenko J, Nielsen M, Peters B. Limitations of Ab initio predictions of peptide binding to MHC class II molecules. *PLoS One.* 2010 Feb 17;5(2):e9272. PubMed PMID: 20174654; PubMed Central PMCID: PMC2822856.

3.1.3 2009

13. Davies V, Vaughan K, Damle R, Peters B, Sette A. Classification of the universe of immune epitope literature: representation and knowledge gaps. *PLoS One.* 2009 Sep 14;4(9):e6948. PubMed PMID: 19774228;
14. Greenbaum JA, Kotturi MF, Kim Y, Oseroff C, Vaughan K, Salimi N, Vita R, Ponomarenko J, Scheuermann RH, Sette A, Peters B. Pre-existing immunity against swine-origin H1N1 influenza viruses in the general human population. *Proc Natl Acad Sci U S A.* 2009 Dec 1;106(48):20365-70. Epub 2009 Nov 16. PubMed PMID: 19918065; PubMed Central PMCID: PMC2777968.
15. Hoof I, Peters B, Sidney J, Pedersen LE, Sette A, Lund O, Buus S, Nielsen M, NetMHCpan, a method for MHC class I binding prediction beyond humans. *Immunogenetics.* 2009 Jan;61(1):1-13. PMID: 19002680
16. Kim Y, Sidney J, Pinilla C, Sette A, Peters B. Derivation of an amino acid similarity matrix for peptide: MHC binding and its application as a Bayesian prior. *BMC Bioinformatics.* 2009 Nov 30;10:394. PubMed PMID: 19948066.
17. Vaughan K, Blythe M, Greenbaum J, Zhang Q, Peters B, Doolan DL, Sette A, Meta-analysis of immune epitope data for all Plasmodia: overview and applications for malarial immunobiology and vaccine-related issues. *Parasite Immunol.* 2009 Feb;31(2):78-97. [PMID: 19149776]
18. Vita R, Zarebski L, Greenbaum JA, Emami H, Hoof I, Salimi N, Damle R, Sette A, Peters B. The Immune Epitope Database 2.0. *Nucleic Acids Res.* 2009 Nov 11. [Epub ahead of print] PubMed PMID: 19906713.
19. Zhang H, Lund O, Nielsen M. The PickPocket method for predicting binding specificities for receptors based on receptor pocket similarities: Application to MHC-peptide binding. *Bioinformatics.* 2009 Mar 17. PMID: 19297351

3.1.4 2008

20. Lundegaard C., K. Lamberth, M. Harndahl, S. Buus, O. Lund, M. Nielsen. (2008). "NetMHC-3.0: accurate web accessible predictions of human, mouse and monkey MHC class I affinities for peptides of length 8-11." *Nucleic Acids Res.* 2008 36:W509-12. PMID: 18996943
21. Nielsen, M., C. Lundegaard, T. Blicher, B. Peters, A. Sette, S. Justesen, S. Buus, O. Lund. (2008). "Quantitative Predictions of Peptide Binding to Any HLA-DR Molecule of Known Sequence: NetMHCIIpan." *PLoS Computational Biology* 4(7). PMID: 18604266

22. Ponomarenko J, H. H. Bui, W. Li, N. Fusseder, P. E. Bourne, A. Sette, B. Peters. (2008). "ElliPro: a new structure-based tool for the prediction of antibody epitopes." *BMC Bioinformatics*, 9(514). PMID: 19055730
23. Ponomarenko J. V., M. H. C. van Regenmortel (2008) "B-cell epitope prediction." *Structural Bioinformatics*, Ed: Bourne PE, Gu J. Wiley-Liss; 2 edition.
24. Rapin N., I. Hoof, O. Lund, M. Nielsen. (2008). "MHC motif viewer." *Immunogenetics*. 60(12): 759-65. PMID: 18766337
25. Vita R., B. Peters, A. Sette. (2008). "The Curation Guidelines of the Immune Epitope Database and Analysis Resource." *Cytometry A* 73(11): 1066-1070. PMID: 18688821
26. Wang, P., J. Sidney, C. Dow, B. Mothe, A. Sette, B. Peters. (2008). "A Systematic Assessment of MHC Class II Peptide Binding Predictions and Evaluation of a Consensus Approach." *PLoS Computational Biology* 4(4). PMID: 18389056
27. Zarebski L. M., K. Vaughan, J. Sidney, B. Peters, H. Grey, K. D. Janda, A. Casadevall, A. Sette. (2008). "Analysis of epitope information related to *Bacillus anthracis* and *Clostridium botulinum*." *Expert Rev Vaccines* 7(1): 55-74. PMID: 18251694
28. Zhang, Q., P. Wang, et al. (2008). "Immune epitope database analysis resource (IEDB-AR)." *Nucleic Acids Research* 36: W513-W518. PMID: 18515843

3.1.5 2007

29. Beaver JE, Bourne PE, Ponomarenko JV. EpitopeViewer: a Java application for the visualization and analysis of immune epitopes in the Immune Epitope Database and Analysis Resource (IEDB). *Immunome Res*. 2007 Feb 21;3:3. PMID: 17313688
30. Blythe MJ, Zhang Q, Vaughan K, de Castro R Jr, Salimi N, Bui HH, Lewinsohn DM, Ernst JD, Peters B, Sette A. An analysis of the epitope knowledge related to Mycobacteria. *Immunome Res*. 2007 Dec 14;3(1):10. PMID: 18081934
31. Bui HH, Peters B, Assarsson E, Mbawuike I, Sette A. Ab and T cell epitopes of influenza A virus, knowledge and opportunities. *Proc Natl Acad Sci U S A*. 2007 Jan 2;104(1):246-51. PMID: 17200302
32. Bui HH, Sidney J, Li W, Fusseder N, Sette A. Development of an epitope conservancy analysis tool to facilitate the design of epitope-based diagnostics and vaccines. *BMC Bioinformatics*. 2007 Sep 26;8(1):361. PMID: 17897458
33. Ernst JD, Lewinsohn DM, Behar S, Blythe M, Schlesinger LS, Kornfeld H, Sette A. Meeting Report: NIH Workshop on the Tuberculosis Immune Epitope Database. *Tuberculosis (Edinb)*. 2007 Dec 6. PMID: 18068490
34. Greenbaum JA, Andersen PH, Blythe M, Bui HH, Cachau RE, Crowe J, Davies M, Kolaskar AS, Lund O, Morrison S, Mumey B, Ofran Y, Pellequer JL, Pinilla C, Ponomarenko JV, Raghava GP, van Regenmortel MH, Roggen EL, Sette A, Schlessinger A, Sollner J, Zand M, Peters B. Towards a consensus on datasets and evaluation metrics for developing B-cell epitope prediction tools. *J Mol Recognit*. 2007 Mar-Apr;20(2):75-82. PMID: 17205610
35. Lundsgaard C, Lund O, Kesmir C, Brunak S, Nielsen M. Modeling the adaptive immune system: predictions and simulations. *Bioinformatics*. 2007 Dec 15;23(24):3265-75. PMID: 18045832
36. Nielsen M, Lundsgaard C, Blicher T, Lamberth K, Harndahl M, Justesen S, Røder G, Peters B, Sette A, Lund O, Buus S. NetMHCpan, a method for quantitative predictions of peptide binding

- to any HLA-A and -B locus protein of known sequence. *PLoS ONE*. 2007 Aug 29;2(8):e796. PMID: 17726526
37. Peters B, Sette A. Integrating epitope data into the emerging web of biomedical knowledge resources. *Nat Rev Immunol*. 2007 Jun;7(6):485-90. PMID: 17479127
 38. Ponomarenko JV, Bourne PE., Antibody-protein interactions: benchmark datasets and prediction tools evaluation. *BMC Struct Biol*. 2007 Oct 2;7(1):64. PMID: 17910770
 39. Sette A, Peters B., Immune epitope mapping in the post-genomic era: lessons for vaccine development. *Curr Opin Immunol*. 2007 Feb;19(1):106-10. PMID: 17113275
 40. Wang P, Morgan AA, Zhang Q, Sette A, Peters B. Automating document classification for the Immune Epitope Database. *BMC Bioinformatics*. 2007 Jul 26;8:269. PMID: 17655769

3.1.6 2006

41. Bui HH, Sidney J, Dinh K, Southwood S, Newman MJ, Sette A. Predicting population coverage of T-cell epitope-based diagnostics and vaccines. *BMC Bioinformatics*. 2006 Mar 17;7(1):153. PMID: 16545123
42. Peters B, Bui HH, Frankild S, Nielson M, Lundsgaard C, Kostem E, Basch D, Lamberth K, Harndahl M, Flerl W, Wilson SS, Sidney J, Lund O, Buus S, Sette A., A community resource benchmarking predictions of peptide binding to MHC-I molecules, *PLoS Comput Biol*. 2006 Jun 9;2(6):e65. Epub 2006 Jun 9. PMID: 16789818
43. Salimi N, R. Vita. (2006). "The biocurator: connecting and enhancing scientific data". *PLoS Comput Biol* 2(10) :e125. PMID: 17069454
44. Sette, A., H. H. Bui, S. Buus, W. Flerl, R. Kubo, O. Lund, D. Nemazee, J. V. Ponomarenko, M. Sathiamurthy, S. Stewart, S. Way, S. S. Wilson, B. Peters. (2006). "The Immune Epitope Database and Analysis Resource." *Pattern Recognition in Bioinformatics: International Workshop*, Hong Kong, China, August 20, 2006 : Proceedings, Springer, Jagath C. Rajapakse, Limsoon Wong, Raj Acharya (Eds). ISBN: 3540374469 9783540374466
45. Vita R, K. Vaughan, L. Zarebski, N. Salimi, W. Flerl , H. Grey, M. Sathiamurthy, J. Mokili, H. H. Bui, P. E. Bourne, J. V. Ponomarenko, R. de Castro Jr, R. K. Chan, J. Sidney, S. S. Wilson, S. Stewart, S. Way, B. Peters, A. Sette. (2006) "Curation of complex, context-dependent immunological data." *BMC Bioinformatics*. 12(7): 341. PMID: 16836764

3.1.7 2005

46. Bui HH, Sidney J, Peters B, Sathiamurthy M, Sinichi A, Purton KA, Mothé BR, Chisari FV, Watkins DI, Sette A. Automated generation and evaluation of specific MHC binding predictive tools: ARB matrix applications. *Immunogenetics*. 2005 Jun;57(5):304-14. Epub 2005 May 3. PMID: 15868141
47. Peters B, Sette A. Generating quantitative models describing the sequence specificity of biological processes with the stabilized matrix method. *BMC Bioinformatics*. 2005 May 31;6:132. PMID: 15927070
48. Peters, B., J. Sidney, P. Bourne, H. H. Bui, S. Buus, G. Doh, W. Flerl, M. Kronenberg, R.Kubo, O. Lund, D. Nemazee, J. V. Ponomarenko, M. Sathiamurthy, S. Schoenberger, S. Stewart, P. Surko, S. Way, S. Wilson, A. Sette. (2005). "The design and implementation of the immune epitope database and analysis resource." *Immunogenetics* 57(5): 326-336. PMID: 15895191

49. Peters, B., J. Sidney, P. Bourne, H. H. Bui, S. Buus, G. Doh, W. Flerl, M. Kronenberg, R. Kubo, O. Lund, D. Nemazee, J. V. Ponomarenko, M. Sathiamurthy, S. Schoenberger, S. Stewart, P. Surko, S. Way, S. Wilson, A. Sette. (2005). "The Immune Epitope Database and Analysis Resource: From Vision to Blueprint." *PLoS Biology* 3(3). PMID: 15760272
50. Sathiamurthy, M., B. Peters, H. H. Bui, J. Sidney, J. Mokili, S. S. Wilson, W. Flerl, D. McGuinness, P. Bourne, A. Sette. (2005). "An ontology for immune epitopes: application to the design of a broad scope database of immune reactivities." *Immunome Res* 1(2): 1745-7580. PMID: 16305755
51. Sette, A., W. Flerl, B. Peters, M. Sathiamurthy, H. H. Bui, S. Wilson. (2005). "A Roadmap for the Immunomics of Category A-C Pathogens." *Immunity* 22(2): 155-161. PMID: 15773067

3.1.8 2004

52. Sette A. (2004). "The immune epitope database and analysis resource: from vision to blueprint." *Genome Inform Ser Workshop Genome Inform* 15(2):299. PMID: 16312048

3.2 Publications Citing the IEDB in 2011

In 2011, 296 references cited at least one of the 52 papers written by the IEDB team over the past eight years. This list was compiled by using Google Scholar and the ISI Web of Knowledge to find citations for each one of the 52 papers. The list excludes self-citations by the 52 IEDB papers. This total may increase over time since these databases may not include references published late in 2011.

The papers have been categorized by the type of IEDB paper they cited – General IEDB (G), Analysis Resource (RA), Curation (C), or Meta-analysis (MA). All papers listed below denote their category or categories with these abbreviations since a paper can cite several IEDB papers that belong in different categories. For example, a paper that cites an analysis resource paper may also cite the primary IEDB PLoS Biology (2005) paper, and thus is listed under General IEDB and has an [AR, G] to indicate the Analysis Resource citation. Any paper that has "General" as one of its categories has been listed in the General category below. All papers having "Analysis Resource" as a category and not having "General" have been listed in the "Analysis Resource" list below. A similar hierarchy has been applied for the Curation papers. That means all papers listed under "Meta-analysis" below only belong to that category. belonging to the General category and one of the papers belong to more than one category, they have been placed in the first Papers belonging to more than one category are listed a paper cites an additional IEDB reference that is in a different category, the additional category is denoted with one of the three initials given above.

The "General" category IEDB papers were cited 107 times in 2011. The Analysis Resource papers received 108 citations. The Curation category papers received four. The meta-analysis papers received 77.

3.2.1 General IEDB

1. Ackerman, M.E., Lai, J.I., Pastan I., and Wittrup, K.D. (2011). "Exploiting bias in a non-immune human antibody library to predict antigenicity." *Protein Engineering Design and Selection* 24(11): 845-853. [G]
2. Almeida, M.B. and Andrade, A. (2011). "Information, reality and epistemology: an ontological take." *Proceedings of the OBML 2011 – Workshop of Ontologies in Biomedicine and Life Sciences at Informatik; 6-7 October 2011, Berlin (DE);* <http://www.ontomed.de/obml/ws2011/obmlreport.pdf>. [G]

3. Almeida, M.B., Proietti, A.B.F.C., Ai, J., and Smith, B. (2011). "The Blood Ontology: An Ontology in the Domain of Hematology." ICBO: International Conference on Biomedical Ontology; 28-30 July 2011, Buffalo, NY, USA: 227-229; http://ontology.buffalo.edu.smith/articles/BLO_ICBO_2011.pdf. [G]
4. Antunes, D.A., Rigo, M.M., Silva, J.P., Cibulski, S.P., Sinigaglia, M., Chies, J.A.B., and Vieira, G.F. (2011). "Structural in silico analysis of cross-genotype-reactivity among naturally occurring HCV NS3-1073-variants in the context of HLA-A*02:01 allele." Molecular Immunology 48(12-13): 1461-1467. [G]
5. Atanasova, M., Dimitrov, I., Flower, D.R., and Doytchinova, I. (2011). "MHC class II binding prediction by molecular docking." Molecular Informatics 30(4): 368-375. [G, AR]
6. Axelsson-Robertson, R., Ahmed, R.K., Weichold, F.F., Ehlers, M.M., Kock, M.M., Sizemore, D., Sadoff, J., and Maeurer, M. (2011). "Human leukocyte antigens A*3001 and A*3002 show distinct peptide-binding patterns of the Mycobacterium tuberculosis protein TB10.4: consequences for immune recognition." Clinical and Vaccine Immunology 18(1): 125-134. [G]
7. Azevedo, V. Abreu, V., Almeida, S., Santos, A., Soares, S., Ali, A., Pinto, A., Magalhães, A., Barbosa, E., Ramos, R., Cerdeira, L., Carneiro, A., Schneider, P., Silva, A., and Miyoshi, A. (2011). "Whole Genome Annotation: In Silico Analysis." Bioinformatics - Trends and Methodologies (ed M.A. Mahdavi), InTech, ISBN: 978-953-307-282-1; <http://www.intechopen.com/articles/show/title/whole-genome-annotation-in-silico-anaylsis>; 679-704. [G]
8. Barbarini, N., Tiengo, A., and Bellazzi, R. (2011). "Prediction of Peptide Reactivity with Human IV Ig through a Knowledge-Based Approach." PLoS One 6(8): e23616; 10.1371/journal.pone.0023616. [G, AR]
9. Bavaro, S.L. and Kanduc, D. (2011). "Pentapeptide commonality between Corynebacterium diphtheriae toxin and the Homo sapiens proteome." Immunotherapy 3(1): 49-58. [G]
10. Bi, J., Song, R., Yang, H., Li, B., Fan, J., Liu, Z., and Long, C. (2011). "Stepwise identification of HLA-A*0201-restricted CD8+ T-cell epitope peptides from herpes simplex virus type 1 genome boosted by a StepRank scheme." Peptide Science 96(3): 328-339. [G, AR]
11. Bi J., Yang, H., Yan, H., Song, R., and Fan, J. (2011). "Knowledge-based virtual screening of HLA-A*0201-restricted CD8(+) T-cell epitope peptides from herpes simplex virus genome." Journal of Theoretical Biology 28(1): 133-139. [G]
12. Bittner, T. (2011). "Vague size predicates." Applied Ontology 6(4): 317-343. [G]
13. Bramouille, A. (2011). "Identification des peptides du complexe majeur d'histocompatibilite de classe I par spectrometrie de masse." https://papyrus.bib.umontreal.ca/jspui/bitstream/1866/5255/4/Bramouille_Alexandre_2011_memoire.pdf. Dissertation. [G, AR]
14. Bulik, D.B.S. and Olbertz, J.H. (2011). "Theoretische Untersuchungen zur MHC I Antigenpräsentation." <http://edoc.hu-berlin.de/dissertationen/bulik-sascha-2011-06-10/PDF/bulik.pdf>. Dissertation. [G]
15. Caoili, S. (2011). "B-cell epitope prediction for peptide-based vaccine design: towards a paradigm of biological outcomes for global health." Immunome Research 7(2): 15. [C, AR]
16. Caron, E., Vincent, K., Fortier, M.H., Laverdure, J.P., Bramouille, A., Hardy, M.P., Voisin, G., Roux, P.P., Lemieux, S., Thibault, P., and Perreault, C. (2011). "The MHC I immunopeptidome conveys to the cell surface an integrative view of cellular regulation." Molecular Systems Biology 7: 533; doi: 10.1038/msb.2011.68. [G]

17. Carter, C.J. (2011). "Vaccinia and other viruses with available vaccines show marked homology with the HIV-1 envelope glycoprotein: The prospect of using existing vaccines to stem the AIDS pandemic." *Immunopharmacology and Immunotoxicology*: epub ahead of print; doi: 10.3109/08923973.2011.596542. [G]
18. Castiglione, F., Santoni, D., and Rapin, N. (2011). "CTLs' repertoire shaping in the thymus: A Monte Carlo simulation." *Autoimmunity* 44(4): 261-270. [G, AR]
19. Chang, C.X., Dai, L., Tan, Z.W., Choo, J.A., Bertoletti, A., and Grotengreg, G.M. (2011). "Sources of diversity in T cell epitope discovery." *Frontiers in Bioscience* 17: 3014-3035. [G, AR, MA]
20. Darewicz, M., Dziuba, B., Minkiewicz, P., and Dziuba, J. (2011). "The Preventive Potential of Milk and Colostrum Proteins and Protein Fragments." *Food Reviews International* 27(4): 357-388. [G]
21. Dimitrov, I., Flower, D.R., and Doytchinova, I. (2011). "Improving in Silico Prediction of Epitope Vaccine Candidates by Union and Intersection of Single Predictors." *World Journal of Vaccines* 1(2): 15-22; doi: 10.4236/wjv.2011.12004. [G, AR]
22. Doolan, D.L. (2011). "Plasmodium immunomics." *International Journal for Parasitology* 41(1): 3-20. [G]
23. Doytchinova, I., Petkov, P., Dimitrov, I., Atanasova, M., and Flower, D.R. (2011). "HLA-DP2 binding prediction by molecular dynamics simulations." *Protein Science* 20(11):1918-28; doi: 10.1002/pro.732. [G, AR]
24. El-Manzalawy, Y., Dobbs, D., and Honavar, V. (2011). "Predicting MHC-II binding affinity using multiple instance regression." *IEEE/ACM Transactions on Computational Biology and Bioinformatics* 8(4): 1067-1079. [G, AR]
25. Fasano, C. and Kanduc, D. (2011). "Selfness-nonselfness in designing an anti-B19 erythrovirus vaccine." *Self/Nonself* 2(2): 114-119. [G]
26. Fung, K.W. and Bodenreider, O. (2011). "Knowledge Representation and Ontologies." *Clinical Research Informatics* (eds R.L. Richesson and J.E. Andrews), Springer, New York: in press. [G]
27. Gok, M. and Ozcerit, A.T. (2011). "OETMAP: a new feature encoding scheme for MHC class I binding prediction." *Molecular and Cellular Biochemistry* 359(1-2): 67-72. [G, AR]
28. Gunther, S. (2011). "Structural Investigations of MHC Class II Conformers." http://www.diss.fu-berlin.de/diss/receive/FUDISS_thesis_000000034810. Dissertation. [G]
29. Ghazvinian, A., Noy, N.F., and Musen, M.A. (2011). "How orthogonal are the OBO Foundry ontologies?" *Journal of Biomedical Semantics* 2(Suppl 2): S2. [G]
30. Ghosh, A. and Nandy, A. (2011). "Graphical representation and mathematical characterization of protein sequences and applications to viral proteins." *Advances in Protein Chemistry and Structural Biology* 83: 1-42. [G]
31. Giles, B.M. (2011). "Development of a broadly reactive vaccine for highly pathogenic H5N1 influenza." http://d-scholarship.pitt.edu/6238/1/BMG_Dissertation_FINAL.pdf. Dissertation. [G]
32. Giles, B.M. and Ross, T.M. (2011). "A computationally optimized broadly reactive antigen (COBRA) based H5N1 VLP vaccine elicits broadly reactive antibodies in mice and ferrets." *Vaccine* 29(16): 3043-3054. [G]
33. Guttula, C., Dhamanaskar, A., Wang, R., Miller, J.A., Kissinger, J.C., Zheng, J., and Stoeckert Jr., C.J. (2011). "Enriching the Ontology for Biomedical Investigations (OBI) to Improve its

- Suitability for Web Service Annotations." ICBO: International Conference on Biomedical Ontology; 26-30 July 2011, Buffalo, NY, USA; mango.ctegd.uga.edu/jkissingLab/SWS/Presentations/ICBOPosterFinalVersionPDF.pdf. [G]
34. Handlogten, M.W., Kiziltepe, T., Moustakas, D.T., and Bilgicer, B. (2011). "Design of a Heterobivalent Ligand to Inhibit IgE Clustering on Mast Cells." *Chemistry & Biology* 18(9): 1179-1188. [G]
 35. Hastings, J., Chepelev, L., Willighagen, E., Adams, N., Steinbeck, C., and Dumontier, M. (2011). "The Chemical Information Ontology: Provenance and Disambiguation for Chemical Data on the Biological Semantic Web." *PLoS One* 6(10): e25513; doi: 10.1371/journal.pone.0025513. [G]
 36. Henry, S.M., Komaraju, S., Heathcote, D., and Rodionov, I.L. (2011). "Designing peptide-based FSL constructs to create Miltenberger kodecytes." *ISBT Science Series* 6(2): 306-312; doi: 10.1111/j.1751-2824.2011.01505.x. [G]
 37. Henry, S.M. and Rodionov, I. (2011). "FSL-RFG (Maleimide) FSL construction kit." Technical Bulletin: 1-10; [http://aut.researchgateway.ac.nz/bitstream/handle/10292/2241/20110928_FSL_RGF\(Mal\).pdf?sequence=2](http://aut.researchgateway.ac.nz/bitstream/handle/10292/2241/20110928_FSL_RGF(Mal).pdf?sequence=2). [G]
 38. Hertz, T., Nolan, D., James, I., John, M., Gaudieri, S., Phillips, E., Huang, J.C., Riadi, G., Mallal, S., and Jovicic, N. (2011). "Mapping the landscape of host-pathogen coevolution: HLA class I binding and its relationship with evolutionary conservation in human and viral proteins." *Journal of Virology* 85(3): 1310-1321. [G, AR]
 39. Jahn-Schmid, B., Pickl, W.F., and Bohle, B. (2011). "Interaction of Allergens, Major Histocompatibility Complex Molecules, and T Cell Receptors: A 'Menage à Trois' That Opens New Avenues for Therapeutic Intervention in Type I Allergy." *International Archives of Allergy and Immunology* 156(1): 27-42. [G, AR]
 40. Jimenez-Ruiz, E., Grau, B.C., Horrocks, I., and Berlanga, R. (2011). "Logic-based assessment of the compatibility of UMLS ontology sources." *Journal of Biomedical Semantics* 2(Suppl 1): S2; doi: 10.1186/2041-1480-2-S1-S2. [G]
 41. Jupp, S., Klein, J., Schanstra, J., and Stevens, R. (2011). "Developing a kidney and urinary pathway knowledge base." *Journal of Biomedical Semantics* 2(Suppl 2): S7; doi: 10.1186/2041-1480-20S2-S7. [G]
 42. Karosiene, E., Lundsgaard, C., Lund, O., and Nielsen, M. (2011). "NetMHCcons: a consensus method for the major histocompatibility complex class I predictions." *Immunogenetics: epub ahead of print*; doi: 10.1007/s00251-011-0579-8. [G, AR]
 43. Kindsmueller, K. and Wagner, R. (2011). "Synthetic biology: Impact on the design of innovative vaccines." *Human Vaccines* 7(6): 658-662. [G]
 44. King R.D., Liakata, M., Lu, C., Oliver, S.G., and Soldatova, L.N. (2011). "On the formalization and reuse of scientific research." *Journal of the Royal Society Interface* 8(63): 1440-1448. [G]
 45. Knapp, B., Giczi, V., Ribarics, R., and Schreiner, W. (2011). "PeptX: Using Genetic Algorithms to optimize peptides for MHC binding." *BMC Bioinformatics* 12: 241; doi: 10.1186/1471-2105-12-241. [G, AR]
 46. Kovjazin, R., Volovitz, I., Daon, Y., Vider-Shalit, T., Azran, R., Tsaban, L., Carmon, L., and Louzoun, Y. (2011). "Signal peptides and trans-membrane regions are broadly immunogenic and have high CD8+ T cell epitope densities: Implications for vaccine development." *Molecular Immunology* 48(8): 1009-1018. [G]

47. Kovjazin, R., Volovitz, I., Kundel, Y., Rosenbaum, E., Medalia, G., Horn, G., Smorodinsky, N.I., Brenner, B., and Carmon, L. (2011). "ImMucin: A novel therapeutic vaccine with promiscuous MHC binding for the treatment of MUC1-expressing tumors." *Vaccine* 29(29-30): 4676-86. [G]
48. Kumar, S., Singh, S.K., Wang, X., Rup, B., and Gill, D. (2011). "Coupling of Aggregation and Immunogenicity in Biotherapeutics: T-and B-Cell Immune Epitopes May Contain Aggregation-Prone Regions." *Pharmaceutical Research* 28(5): 949-961. [G, AR]
49. Lees, W.D., Moss, D.S., and Shepherd, A.J. (2011). "Analysis of Antigenically Important Residues in Human Influenza A Virus in Terms of B-Cell Epitopes." *Journal of Virology* 85(17): 8548-8555. [G]
50. Lin, Y., Xiang, Z., and He, Y. (2011). "Brucellosis Ontology (IDOBSTRU) as an extension of the Infectious Disease Ontology." *Journal of Biomedical Semantics* 2(1):9; doi: 10.1186/2041-1480-2-9. [G]
51. Lin, Y., Xiang, Z., and He, Y. (2011). "Towards a Semantic Web Application: Ontology-Driven Ortholog Clustering Analysis." ICBO: International Conference on Biomedical Ontology; 28-30 July 2011, Buffalo, NY, USA; http://www.hegroup.org/docs/OntoCOG_ICBO-2011_Proceeding.pdf. [G]
52. Liu, I.H., Lo, Y.S., and Yang, J.M. (2011). "PAComplex: a web server to infer peptide antigen families and binding models from TCR-pMHC complexes." *Nucleic Acids Research* 39(Web Server issue): W254-W260; doi: 10.1093/nar/gkr434. [G, AR]
53. Lollier, V., Denery-Papini, S., Larre, C., and Tessier, D. (2011). "A generic approach to evaluate how B-cell epitopes are surface-exposed on protein structures." *Molecular Immunology* 48(4): 577-585. [G, AR]
54. Lund, O., Nascimento, E.J.M., Maciel, M., Nielsen, M., Larsen, M.V., Lundegaard, C., Harndahl, M., Lamberth, K., Buus, S., Salmon, J., August, T.J., and Marques E.T. Jr. (2011). "Human Leukocyte Antigen (HLA) Class I Restricted Epitope Discovery in Yellow Fever and Dengue Viruses: Importance of HLA Binding Strength." *PLoS One* 6(10): e26494; doi: 10.1371/journal.pone.0026494. [G]
55. Maleki, S.J., Teuber, S.S., Cheng, H., Chen, D., Comstock, S.S., Ruan, S., and Schein, C.H. (2011). "Computationally predicted IgE epitopes of walnut allergens contribute to cross-reactivity with peanuts." *Allergy* 66(12): 1522-1529. [G]
56. Majo V., Crespo J., Garcia-Remesal M., de la Iglesia, D., Perez-Ray, D., and Kulikowski, C. (2011). "Biomedical Ontologies: Toward Scientific Debate." 50(3): 203-216. [G]
57. Meehan, T.F., Masci, A.M., Abdulla, A., Cowell, L.G., Blake, J.A., Mungall, C.J., and Diehl, A.D. (2011). "Logical development of the cell ontology." *BMC Bioinformatics* 12: 6; doi: 10.1186/1471-2105-12-6. [G]
58. Messitt, T.J., Terry, F., Moise, L., Martin, W., and De Groot, A.S. (2011). "A comparison of two methods for T cell epitope mapping: "cell free" in vitro versus immunoinformatics." *Immunome Research* 7(2): 6. [G]
59. Miller, L., Richter, M., Hapke, C., Stern, D., and Nitsche, A. (2011). "Genomic Expression Libraries for the Identification of Cross-Reactive Orthopoxvirus Antigens." *PLoS One* 6(7): e21950; 10.1371/journal.pone.0021950. [G]
60. Minkiewicz, P., Dziuba, J., and Gladkowska-Balewicz, I. (2011). "Update of the List of Allergenic Proteins From Milk, Based on Local Amino Acid Sequence Identity with Known Epitopes From Bovine Milk Proteins-a Short Report." *Polish Journal of Food and Nutrition Sciences* 61(2): 153-158. [G]

61. Nijveen, H., Kester, M.G., Hassan, C., Viars, A., de Ru, A.H., de Jager, M., Falkenburg, J.H., Leunissen, J.A., and van Veelen, P.A. (2011). "HSPVdb--the Human Short Peptide Variation Database for improved mass spectrometry-based detection of polymorphic HLA-ligands." *Immunogenetics* 63(3): 143-153. [G]
62. Oh, H.L., Chia, A., Chang, C.X., Leong, H.N., Ling, K.L., Grotenbreg, G.M., Gehring, A.J., Tan, Y.J., and Bertoletti, A. (2011). "Engineering T cells specific for a dominant SARS coronavirus CD8 T cell epitope." *Journal of Virology* 85(20): 10464-10471. [G]
63. Olsen, L.R., Zhang, G.L., Reinherz, E.L., and Brusic, V. (2011). "FLAVIdB: A data mining system for knowledge discovery in flaviviruses with direct applications in immunology and vaccinology." *Immunome Research* 7(3): 1-9. [G]
64. Pacios, L.F., Tordesillas, L., Palacin, A., Sanchez-Monge, R., Salcedo, G., and Diaz-Perales, A. (2011). "LocaPep: localization of epitopes on protein surfaces using peptides from phage display libraries." *Journal of Chemical Information and Modeling* 51(6): 1465-1473. [G, AR]
65. Pang, C., Adamusiak, T., Parkinson, H., and Malone, J. "Rapid Development of an Ontology of Coriell Cell Lines." (2011). ICBO: International Conference on Biomedical Ontology; 28-30 July 2011, Buffalo, NY, USA; icbo.buffalo.edu/2011/slides/.../Icbo_2011_coriell.ppt. [G]
66. Patronov, A., Dimitrov, I., Flower, D., and Doytchinova, I. (2011). "Peptide binding prediction for the human class II MHC allele HLA-DP2: a molecular docking approach." *BMC Structural Biology* 11: 32; doi: 10.1186/1472-6807-11-32. [G, AR]
67. Petrovsky, N. (2011). "Immunome Research-Five Years On." *Immunome Research* 7(1): 1-4. [G, MA]
68. Pfafferott, K., Gaudieri, S., Ulsenheimer, A., James, I., Heeg, M., Nolan, D., John, M., Rauch, A., Mallal, S., Lucas, A., Klenerman, P., Diepolder, H.M., and Lucas, M. (2011). "Constrained pattern of viral evolution in acute and early HCV infection limits viral plasticity." *PLoS One* 6(2): e16797; doi: 10.1371/journal.pone.0016797. [G]
69. Pickett, B.E., Sadat, E.L., Zhang, Y., Noronha, J.M., Squires, R.B., Hunt, V., Liu, M., Kumar, S., Zaremba, S., Gu, Z., Zhou, L., Larson, C.N., Dietrich, J., Klem, E.B., and Scheuermann, R.H. (2011). "ViPR: an open bioinformatics database and analysis resource for virology research." *Nucleic Acids Research* 40(1): D593-D598; doi: 10.1093/nar/gkr859. [G]
70. Rao, X., Hoof, I., Costa, A.I., van Baarle, D., and Kesmir, C. (2011). "HLA class I allele promiscuity revisited." *Immunogenetics* 63(11): 691-701. [G, AR]
71. Ren, Y., Chen, X., Feng, M., Wang, Q., and Zhou, P. (2011). "Gaussian Process: A Promising Approach for the Modeling and Prediction of Peptide Binding Affinity to MHC Proteins." *Protein and Peptide Letters* 18(7): 670-678. [G, AR]
72. Reyes, V.M. (2011). "Representation of protein 3D structures in spherical (ρ , Φ , θ) coordinates and two of its potential applications." *Interdisciplinary Sciences: Computational Life Sciences* 3(3): 161-174. [G]
73. Robles-Contreras, A., Santacruz, C., Ayala, J., Bracamontes, E., Godinez, V., Estrada-Garcia, I., Estrada-Parra, S., Chavez, R., Perez-Tapia, M., Bautista De-Lucio, V.M., and Jimenez-Martinez, M.C. (2011). "Allergic Conjunctivitis: An Immunological Point of View." *Conjunctivitis – A Complex and Multifaceted Disorder* (ed Z. Pelikan), InTech, ISBN: 978-953-307-750-5; <http://www.intechopen.com/articles/show/title/allergic-conjunctivitis-an-immunological-point-of-view>. [G]
74. Rocca-Serra, P., Bellaousov, S., Birmingham, A., Chen, C., Cordero, P., Das, R., Davis-Neulander, L., Duncan, C.D., Halvorsen, M., Knight, R., Leontis, N.B., Mathews, D.H., Ritz, J.,

- Stombaugh, J., Weeks, K.M., Zirbel, C.L., and Laederach, A. (2011). "Sharing and archiving nucleic acid structure mapping data." *RNA* 17(7): 1204-1212. [G]
75. Rocca-Serra, P., Ruttenberg, A., O'Connor, M.J., Whetzel, P.L., Schober, D., Greenbaum, J., Courtot, M., Sansone, S.A., Scheuermann, R., and Peters, B. (2011). "Overcoming the ontology enrichment bottleneck with quick term templates." *Journal of Applied Ontology* 6: 13-22. [G]
76. Roder, G., Geironson, L., Rasmussen, M., Harndahl, M., Buus, S., and Paulsson, K. (2011). "Tapasin Discriminates Peptide-Human Leukocyte Antigen-A*02:01 Complexes Formed with Natural Ligands." *Journal of Biological Chemistry* 286(23): 20547-20557. [G]
77. Rohrs, H. (2011). "Mass Spectrometry of Antigenic Peptides." *Protein and Peptide Mass Spectrometry in Drug Discovery* (eds M.L. Gross, G. Chen, and B.N. Pramanik), John Wiley & Sons, Inc., Hoboken, NJ, USA; doi: 10.1002/9781118116555.ch13; 371-392. [G]
78. Roomp, K. and Domingues, F.S. (2011). "Predicting interactions between T cell receptors and MHC-peptide complexes." *Molecular Immunology* 48(4): 553-562. [G, AR]
79. Rump, K. (2011). "Computational immunology: analyses of viral escape, epitope binding and T cell receptor recognition." http://scidok.sulb.uni-saarland.de/volltexte/2011/4233/pdf/Rump_Diss.pdf. Dissertation. [G]
80. Russ, T.A., Ramakrishnan, C., Hovy, E.H., Bota, M., and Burns, G. (2011). "Knowledge engineering tools for reasoning with scientific observations and interpretations: a neural connectivity use case." *BMC Bioinformatics* 12: 351; doi: 10.1186/1471-2105-12-351. [G]
81. Schriml, L.M., Arze, C., Nadendla, S., Chang, Y.W., Mazaitis, M., Felix, V., Feng, G., and Kibbe, W.A. (2011). "Disease Ontology: a backbone for disease semantic integration." *Nucleic Acids Research* 40(1): D940-D946; doi: 10.1093/nar/gkr972. [G]
82. Smith, B. and Scheuermann, R.H. (2011). "Ontologies for clinical and translational research: Introduction." *Journal of Biomedical Informatics* 44(1): 3-7. [G]
83. Soam, S.S., Khan, F., Bhasker, B., and Mishra, B.N. (2011). "Identification of MHC Class II Binders/Non-binders using Negative Selection Algorithm." *Nature Precedings*; <http://hdl.handle.net/10101/npre.2011.6608.1>. [G, AR]
84. Soldatova, L.N. and Rzhetsky, A. (2011). "Representation of research hypotheses." *Journal of Biomedical Semantics* 2(Suppl 2): S9; doi: 10.1186/2041-1480-2-S2-S9. [G]
85. Splendiani, A., Gundel, M., Austyn, J.M., Cavalieri, D., Scognamiglio, C., and Brandizi, M. (2011). "Knowledge sharing and collaboration in translational research, and the DC-THERA Directory." *Briefings in Bioinformatics* 12(6): 562-575. [G]
86. Sun, P., Chen, W., Huang, Y., Wang, H., Ma, Z., and Lv, Y. (2011). "Epitope prediction based on random peptide library screening: benchmark dataset and prediction tools evaluation." *Molecules* 16(6): 4971-4993. [G, AR]
87. Tan, P.T., Khan, A.M., and August, J.T. (2011). "Highly conserved influenza A sequences as T cell epitopes-based vaccine targets to address the viral variability." *Human Vaccines* 7(4): 402-409. [G]
88. Trieu, A., Kayala, M.A., Burk, C., Molina, D.M., Freilich, D.A., Richie, T.L., Baldi, P., Felgner, P.L., and Doolan, D.L. (2011). "Sterile protective immunity to malaria is associated with a panel of novel *P. falciparum* antigens." *Molecular & Cellular Proteomics* 10(9): M111.007948; doi: 10.1074/mcp.M111.007948. [G]

89. Tung, C.W., Ziehm, M., Kamper, A., Kohlbacher, O., and Ho, S.Y. (2011). "POPISK: T-cell reactivity prediction using support vector machines and string kernels." *BMC Bioinformatics* 12: 446; doi: 10.1186/1471-2105-12-446. [G, AR]
90. Turner, J.A. and Laird, A.R. (2011). "The cognitive paradigm ontology: design and application." *Neuroinformatics*: epub ahead of print; doi: 10.1007/s12021-011-9126-x. [G]
91. Uplekar, S., Heym, B., Friocourt, V., Rougemont, J., and Cole, S.T. (2011). "Comparative genomics of Esx genes from clinical isolates of *Mycobacterium tuberculosis* provides evidence for gene conversion and epitope variation." *Infection and Immunity* 79(10): 4042-4049. [G]
92. Valentino, M.D., Abdul-Alim, C.S., Maben, Z.J., Skrombolas, D., Hensley, L.L., Kuwala, T.H., Dziejman, M., Lord, E.M., Frelinger, J.A., and Frelinger, J.G. (2011). "A broadly applicable approach to T cell epitope identification: Application to improving tumor associated epitopes and identifying epitopes in complex pathogens." *Journal of Immunological Methods* 373(1-2): 111-126. [G, C]
93. Valentino, M.D., Maben, Z.J., Hensley, L.L., Woolard, M.D., Kawula, T.H., Frelinger, J.A., and Frelinger, J.G. (2011). "Identification of T-cell epitopes in *Francisella tularensis* using an ordered protein array of serological targets." *Immunology* 132(3): 348-360; doi: 10.1111/j.1365-2567.2010.03387.x. [G, AR]
94. Visser, U., Abeyruwan, S., Vempati, U., Smith, R., Lemmon, V., and Schurer, S. (2011). "BioAssay Ontology (BAO): a semantic description of bioassays and high-throughput screening results." *BMC Bioinformatics* 12: 257; doi: 10.1186/1471-2105-12-257. [G]
95. Wang, Y., Wu, W., Negre, N.N., White, K.P., Li, C., and Shah, P.K. (2011). "Determinants of antigenicity and specificity in immune response for protein sequences." *BMC Bioinformatics* 12: 251; doi: 10.1186/1471-2105-12-251. [G]
96. Washington, N.L., Stinson, E.O., Perry, M.D., Ruzanov, P., Contrino, S., Smith, R., Zha, Z., Lyne, R., Carr, A., Lloyd, P., Kephart, E., McKay, S.J., Micklem, G., Stein, L.D., and Lewis, S.E. (2011). "The modENCODE Data Coordination Center: lessons in harvesting comprehensive experimental details." *Database (Oxford): The Journal of Biological Databases and Curation* 2011: bar023; doi: 10.1093/database/bar023. [G]
97. Weiskopf, D., Yauch, L.E., Angelo, M.A., John, D.V., Greenbaum, J.A., Sidney, J., Kolla, R.V., De Silva, A.D., de Silva, A.M., Grey, H., Peters, B., Shresta, S., and Sette, A. (2011). "Insights into HLA-Restricted T Cell Responses in a Novel Mouse Model of Dengue Virus Infection Point toward New Implications for Vaccine Design." *The Journal of Immunology* 187(8): 4268-4279. [G, AR]
98. Woelke, A.L., von Eichborn, J., Murgueitio, M.S., Worth, C.L., Castiglione, F., and Preissner, R. (2011). "Development of Immune-Specific Interaction Potentials and their Application in the Multi-Agent-System VaccImm." *PLoS One* 6(8): e23257; doi: 10.1371/journal.pone.0023257. [G, AR]
99. Worm, M., Lee, H.H., Kleine-Tebbe, J., Hafner, R.P., Laidler, P., Healey, D., Buhot, C., Verhoef, A., Maillere, B., Kay, A.B., and Larche, M. (2011). "Development and preliminary clinical evaluation of a peptide immunotherapy vaccine for cat allergy." *Journal of Allergy and Clinical Immunology* 127(1): 89-97, 97.e1-14; doi: 10.1016/j.jaci.2010.11.029. [G, AR]
100. Xu, Y., Guan, W., Xu, J.N., Cao, D.P., Yang, B.B., Chen, D.L., and Chen, J.P. (2011). "Evaluation of the protective immunity of the *Legionella pneumophila* recombinant protein FlaA/MompS/PilE in an A/J mouse model." *Vaccine* 29(23): 4051-4057. [G]

101. Yang, B., Sayers, S., Xiang, Z., and He, Y. (2011). "Protegen: a web-based protective antigen database and analysis system." Nucleic Acids Research 39(Database issue): D1073-D1078; doi: 10.1093/nar/gkq944. [G]
102. Yang, F., Yang, I.H., Wang, H., and Yang, X.F. (2011). "Database Mining: Defining the Pathogenesis of Inflammatory and Immunological Diseases." Bioinformatics – Trends and Methodologies (ed M.A. Mahdavi), InTech, ISBN: 978-953-307-282-1; <http://www.intechopen.com/articles/show/title/database-mining-defining-the-pathogenesis-of-inflammatory-and-immunological-diseases>; 143-156. [G]
103. Zhang, G.L., Ansari, H.R., Bradley, P., Cawley, G.C., Hertz, T., Hu, X., Jovic, N., Kim, Y., Kohlbacher, O., Lund, O., Lundgaard, C., Magaret, C.A., Nielsen, M., Papadopoulos, H., Raghava, G.P., Tal, V.S., Xue, L.C., Yanover, C., Zhu, S., Rock, M.T., Crowe, J.E., Panayiotou, C., Polycarpou, M.M., Duch, W., and Brusic, V. (2011). "Machine Learning Competition in Immunology-Prediction of HLA class I molecules." Journal of Immunological Methods 374(1-2): 1-4; doi: 10.1016/j.jim.2011.09010. [G, AR]
104. Zhang, G.L., Lin, H.H., Keskin, D.B., Reinherz, E.L., and Brusic, V. (2011). "Dana-Farber repository for machine learning in immunology." Journal of Immunological Methods 374(1-2): 18-25. [G, AR]
105. Zhang, L., Ueda, K., Mamitsuka, H., and Zhu, S. (2011). "Toward more accurate pan-specific MHC-peptide binding prediction: a review of current methods and tools." Briefings in Bioinformatics: epub ahead of print; doi: 10.1093/bib/bbr060. [G, AR]
106. Zheng, L.N., Lin, H., Pawar, R., Li, Z.X., and Li, M.H. (2011). "Mapping IgE binding epitopes of major shrimp (*Penaeus monodon*) allergen with immunoinformatics tools." Food and Chemical Toxicology 49(11): 2954-2960. [G]
107. Zvi, A., Rotem, S., Bar-Haim, E., Cohen, O., and Shafferman, A. (2011). "Whole-Genome Immunoinformatic Analysis of *F. tularensis*: Predicted CTL Epitopes Clustered in Hotspots Are Prone to Elicit a T-Cell Response." PLoS One 6(5): e20050; doi: 10.1371/journal.pone.0020050. [G, AR, MA]

3.2.2 Analysis Resource

1. Ahlen, M.T. (2011). "Specificity and HLA-restriction of CD4 T Cells Associated with Neonatal Alloimmune Thrombocytopenia." <http://www.ub.uit.no/munin/bitstream/handle/10037/3100/thesis.pdf?sequence=1>. Dissertation. [AR]
2. Akhoon B.A., Slathia, P.S., Sharma, P., Gupta, S.K., and Verma, V. (2011). "In silico identification of novel protective VSG antigens expressed by *Trypanosoma brucei* and an effort for designing a highly immunogenic DNA vaccine using IL-12 as adjuvant." Microbial Pathogenesis 51(1-2): 77-87. [AR]
3. Alaez, C., Flores, A., Concha Del Rio, L.E., Munguia, A., Rodriguez, A., Garcia, D., Arellanes, L., and Gorodezky, C. (2011). "Major histocompatibility complex and strong human leukocyte antigen-DRB1 and gender association with Vogt-Koyanagi-Harada syndrome in Mexican Mestizos." Human Immunology 72(12): 1198-1203. [AR]
4. Ambroise, J., Giard, J., Gala, J.L., and Macq, B. (2011). "Identification of relevant properties for epitopes detection using a regression model." IEEE/ACM Transactions on Computational Biology and Bioinformatics (TCBB) 8(6): 1700-1707. [AR]

5. Andreatta, M., Schafer-Nielsen, C., Lund, O., Buus, S., and Nielsen, M. (2011). "NNAlign: A Web-Based Prediction Method Allowing Non-Expert End-User Discovery of Sequence Motifs in Quantitative Peptide Data." *PLoS One* 6(11): e26781; doi: 10.1371/journal.pone.0026781. **[AR]**
6. Armistead, P.M., Liang, S., Li, H., Lu, S., Van Bergen, C.A.M., Alatrash, G., John, L.S., Hunsucker, S.A., Sarantopoulos, S., Falkenburg, J.H.F., and Molldrem, J.J. (2011). "Common Minor Histocompatibility Antigen Discovery Based upon Patient Clinical Outcomes and Genomic Data." *PLoS One* 6(8): e23217; doi: 10.1371/journal.pone.0023217. **[AR]**
7. Bade-Doeding, C., Theodossis A., Gras S., Kier-Nielsen, L., Eiz-Vesper, B., Seltsam, A., Huyton, T., Rossjohn, J., McCluskey, J., and Blasczyk, R. (2011). "The impact of human leukocyte antigen (HLA) micropolymorphism on ligand specificity within the HLA-B*41 allotypic family." *Haematologica* 96(1): 110-118. **[AR]**
8. Baloria, U., Akhoon, B.A., Gupta, S.K., Sharma, S., and Verma, V. (2011). "In silico proteomic characterization of human epidermal growth factor receptor 2 (HER-2) for the mapping of high affinity antigenic determinants against breast cancer." *Amino Acids*: epub ahead of print; doi: 10.1007/s00726-010-0830-x. **[AR]**
9. Bernardeau, K., Kerzhero, J., Fortun, A., Moreau-Aubry, A., Favry, E., Echasserieau, K., Tartour, E., Maillere, B., and Lang, F. (2011). "A simple competitive assay to determine peptide affinity for HLA class II molecules: a useful tool for epitope prediction." *Journal of Immunological Methods* 371(1-2): 97-105. **[AR]**
10. Bruner, B.F., Vista, E.S., Wynn, D.M., and James, J.A. (2011). "Epitope specificity of myeloperoxidase antibodies: identification of candidate human immunodominant epitopes." *Clinical & Experimental Immunology* 164(3): 330-336. **[AR]**
11. Cantor, J.R., Yoo, T.H., Dixit, A., Iverson, B.L., Forsthuber, T.G., and Georgiou, G. (2011). "Therapeutic enzyme deimmunization by combinatorial T-cell epitope removal using neutral drift." *Proceedings of the National Academy of Sciences* 108(4): 1272-1277. **[AR]**
12. Cao, Y., Schmitz, J.L., Yang, J., Hogan, S.L., Bunch, D., Hu, Y., Jennette, C.E., Berg, E.A., Arnett, F.C. Jr., Falk, R.J., and Preston, G.A. (2011). "DRB1*15 Allele Is a Risk Factor for PR3-ANCA Disease in African Americans." *Journal of the American Society of Nephrology* 22(6): 1161-1167. **[AR]**
13. Caoili, S. (2011). "B-cell epitope prediction for peptide-based vaccine design: towards a paradigm of biological outcomes for global health." *Immunome Research* 7(2): 15. **[AR, C]**
14. Castiglione, F. and Bernaschi, M. (2011). "Epitope screening and cell cooperation in the immune response." ISMS 2011: 2011 Second International Conference on Intelligent Systems, Modelling and Simulation; 22 and 27-28 January 2011, Kuala Lumpur, Malaysia and Phnom, Penh, Cambodia: 127-132; http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=5730333. **[AR]**
15. Chaudhuri, R., Ansari, F.A., Raghunandanan, M., and Ramachandran, S. (2011). "FungalRV: adhesin prediction and immunoinformatics portal for human fungal pathogens." *BMC Genomics* 12(1): 192; doi: 10.1186/1471-2164-12-192. **[AR]**
16. Chen, C., Dow, C., Wang, P., Sidney, J., Read, A., Harmsen, A., Samuel, J.E., and Peters, B. (2011). "Identification of CD4+ T Cell Epitopes in *C. burnetii* Antigens Targeted by Antibody Responses." *PloS ONE* 6(3): e17712; doi: 10.1371/journal.pone.0017712. **[AR]**
17. Chen, W., Sun, P., Lu, Y., Guo, W., Huang, Y., and Ma, Z. (2011). "MimoPro: a more efficient Web-based tool for epitope prediction using phage display libraries." *BMC Bioinformatics* 12:199; doi: 10.1186/1471-2105-12-199. **[AR]**

18. Chrobak, J.M. and Herrero, H. (2011). "A mathematical model of induced cancer-adaptive immune system competition." *Journal of Biological Systems* 19(3): 521-532. [AR]
19. Cifuentes, R.A., Rojas-Villarraga, A., and Anaya, J.M. (2011). "Human leukocyte antigen class II and type 1 diabetes in Latin America: A combined meta-analysis of association and family-based studies." *Human Immunology* 72(7): 581-586. [AR]
20. Comas, I. and Gagneux, S. (2011). "A role for systems epidemiology in tuberculosis research." *Trends in Microbiology* 19(10): 492-500. [AR]
21. Cong, H., Mui, E.J., Witola, W.H., Sidney, J., Alexander, J., Sette, A., Maewal, A., El Bissati, K., Zhou, Y., Suzuki, Y., Lee, D., Woods, S., Sommerville, C., Henriquez, F.L., Roberts, C.W., and McLeod, R. (2011). "Toxoplasma gondii HLA-B(*)0702-restricted GRA7(20-28) peptide with adjuvants and an universal helper T cell epitope elicits CD8(+) T cells producing IFN- γ and reduces parasite burden in HLA-B(*)0702 mice." *Human Immunology*: epub ahead of print; doi: 10.1016/j.humimm.2011.10.006. [AR]
22. Cong, H., Mui, E.J., Witola, W.H., Sidney, J., Alexander, J., Sette, A., Maewal, A., and McLeod, R. (2011). "Towards an immunosense vaccine to prevent toxoplasmosis: protective Toxoplasma gondii epitopes restricted by HLA-A*0201." *Vaccine* 29(4): 754-762. [AR]
23. Dall'Antonia, F., Gieras, A., Devanaboyina, S.C., Valenta, R., and Keller, W. (2011). "Prediction of IgE-binding epitopes by means of allergen surface comparison and correlation to cross-reactivity." *Journal of Allergy and Clinical Immunology* 128(4): 872-879. [AR]
24. De Groot, A.S., Ardito, M., Tassone, R., Knopf, P., Moise, L., and Martin, W. (2011). "Tools for Vaccine Design: Prediction and Validation of Highly Immunogenic and Conserved Class II Epitopes and Development of Epitope-Driven Vaccines." *Development of Vaccines: From Discovery to Clinical Testing* (eds M. Singh and I. K. Srivastava), John Wiley & Sons, Inc., Hoboken, NJ, USA; doi: 10.1002/9781118023648.ch3; 65-94. [AR]
25. Doeschl-Wilson, A.B. (2011). "The role of mathematical models of host-pathogen interactions for livestock health and production - a review." *Animal* 5(6): 895-910; doi: 10.1017/S1751731110002557. [AR]
26. Doucet, J.D., Gauchat, D., and Lapointe, R. (2011). "Identification of T-cell epitopes by a novel mRNA PCR-based epitope chase technique." *Journal of Immunotherapy* 34(2): 183-186. [AR]
27. Erup Larsen, M., Kloverpris, H., Stryhn, A., Koofhethile, C.K., Sims, S., Ndung'u, T., Goulder, P., Buus, S., and Nielsen, M. (2011). "HLArestrictor--a tool for patient-specific predictions of HLA restriction elements and optimal epitopes within peptides." *Immunogenetics* 63(1): 43-55. [AR]
28. Escobar, H., Reyes-Vargas, E., Jensen, P.E., Delgado, J.C., and Crockett, D.K. (2011). "Utility of characteristic QTOF MS/MS fragmentation for MHC class I peptides." *Journal of Proteome Research* 10(5): 2494-2507. [AR]
29. Gangwar, R.S., Shil, P., Sapkal, G.N., Khan, S.A., and Gore, M.M. (2011). "Induction of virus-specific neutralizing immune response against West Nile and Japanese encephalitis viruses by chimeric peptides representing T-helper and B-cell epitopes." *Virus Research*: epub ahead of print; doi: 10.1016/j.virusres.2011.08.008. [AR]
30. Gauba, V., Grünwald, J., Gorney, V., Deaton, L.M., Kang, M., Bursulaya, B., Ou, W., Lerner, R.A., Schmedt, C., Geierstanger, B.H., Schultz, P.G., and Ramirez-Montagut, T. (2011). "Loss of CD4 T-cell-dependent tolerance to proteins with modified amino acids." *Proceedings of the National Academy of Sciences* 108(31): 12821-12826. [AR]

31. Gleimer, M., Wahl, A.R., Hickman, H.D., Abi-Rached, L., Norman, P.J., Guethlein, L.A., Hammond, J.A., Draghi, M., Adams, E.J., Juo, S., Jalili, R., Gharizadeh, B., Ronaghi, M., Garcia, K.C., Hildebrand, W.H., Parham, P. (2011). "Although divergent in residues of the peptide binding site, conserved chimpanzee Patr-AL and polymorphic human HLA-A*02 have overlapping peptide-binding repertoires." *The Journal of Immunology* 186(3): 1575-1588. [AR]
32. Greenbaum, J., Sidney, J., Chung, J., Brander, C., Peters, B., and Sette, A. (2011). "Functional classification of class II human leukocyte antigen (HLA) molecules reveals seven different supertypes and a surprising degree of repertoire sharing across supertypes." *Immunogenetics* 63(6): 325-335. [AR]
33. Gupta, S.K., Srivastava, M., Akhoon, B.A., Smita, S., Schmitz, U., Wolkenhauer, O., Vera, J., and Gupta, S.K. (2011). "Identification of immunogenic consensus T-cell epitopes in globally distributed influenza-A H1N1 neuraminidase." *Infection Genetics and Evolution* 11(2): 308-319. [AR]
34. He, J., Yang, G., Rao, H., Li, Z., Ding, X., and Chen, Y. (2011). "Prediction of human major histocompatibility complex class II binding peptides by continuous kernel discrimination method." *Artificial Intelligence in Medicine*: epub ahead of print; doi: 10.1016/j.artmed.2011.10.005. [AR]
35. He, L., Friedman, A.M., and Bailey-Kellogg, C. (2011). "A divide and conquer approach to determine the Pareto frontier for optimization of protein engineering experiments." *Proteins: Structure, Function, and Bioinformatics*: epub ahead of print; doi: 10.1002/prot.23237. [AR]
36. Hoft, D.F., Brusic, V., and Sakala, I.G. (2011). "Optimizing vaccine development." *Cellular Microbiology* 13: 934-942; doi: 10.1111/j.1462-5822.2011.01609.x. [AR]
37. Ivanciu, O., Gendel, S.M., Power, T.D., Schein, C.H., and Braun, W. (2011). "AllerML: Markup language for allergens." *Regulatory Toxicology and Pharmacology* 60(1): 151-160. [AR]
38. Iyer, J.G., Afanasiev, O.K., McClurkan, C., Paulson, K., Nagase, K., Jing, L., Marshak, J.O., Dong, L., Carter, J., Lai, I., Farrar, E., Byrd, D., Galloway, D., Yee, C., Koelle, D.M., and Nghiem, P. (2011). "Merkel cell polyomavirus-specific CD8+ and CD4+ T-cell responses identified in Merkel cell carcinomas and blood." *Clinical Cancer Research* 17(21): 6671-6680. [AR]
39. Jin, M., Chen, J., Zhang, X.H., Zhang, M., Li, H.Y., Cheng, W.X., Liu, N., Tan, M., Jiang, T., and Duan, Z.J. (2011). "Genetic diversity of noroviruses in Chinese adults: Potential recombination hotspots and GII-4/Den Haag-specific mutations at a putative epitope." *Infection Genetics and Evolution* 11(7): 1716-1726. [AR]
40. Jones, G.J., Bagaini, F., Hewinson, R.G., and Vordermeier, H.M. (2011). "The use of binding-prediction models to identify *M. bovis*-specific antigenic peptides for screening assays in bovine tuberculosis." *Veterinary Immunology and Immunopathology* 141(3-4): 239-245. [AR]
41. Kong, Y.M., Brown, N.K., Flynn, J.C., McCormick, D.J., Brusic, V., Morris, G.P., and David, C.S. (2011). "Efficacy of HLA-DRB1*03:01 and H2E transgenic mouse strains to correlate pathogenic thyroglobulin epitopes for autoimmune thyroiditis." *Journal of Autoimmunity* 37(2): 63-70. [AR]
42. Kotturi, M.F., Swann, J.A., Peters, B., Arlehamn, C.L., Sidney, J., Kolla, R.V., James, E.A., Akondy, R.S., Ahmed, R., Kwok, W.W., Buchmeier, M.J., and Sette, A. (2011). "Human CD8+ and CD4+ T Cell Memory to Lymphocytic Choriomeningitis Virus Infection." *Journal of Virology* 85(22): 11770-11780. [AR]

43. Lanteri, M.C., Kaidarova, Z., Peterson, T., Cate, S., Custer, B., Wu, S., Agapova, M., Law, J.P., Bielawny, T., Plummer, F., Tobler, L.H., Loeb, M., Busch, M.P., Bramson, J., Luo, M., and Norris, P.J. (2011). "Association between HLA Class I and Class II Alleles and the Outcome of West Nile Virus Infection: An Exploratory Study." *PLoS One* 6(8): e22948; doi: 10.1371/journal.pone.0022948. [AR]
44. Lenz, T.L. (2011). "Computational prediction of MHC II-antigen binding supports divergent allele advantage and explains trans-species polymorphism." *Evolution* 65(8): 2380-2390. [AR]
45. Lenz, T.L. (2011). "Uterine selection for immunocompetent offspring." *Proceedings of the National Academy of Sciences* 108(27): E253; doi: 10.1073/pnas.1107082108. [AR]
46. Li, L., Goedegebuure, P., Mardis, E.R., Ellis, M.J.C., Zhang, X., Herndon, J.M., Fleming, T.P., Carreno, B.M., Hansen, T.H., and Gillanders, W.E. (2011). "Cancer Genome Sequencing and Its Implications for Personalized Cancer Vaccines." *Cancers* 3(4): 4191-4211. [AR]
47. Liao, W.W. and Arthur, J.W. (2011). "Predicting Peptide Binding Affinities to MHC Molecules Using a Modified Semi-Empirical Scoring Function." *PLoS One* 6(9): e25055; doi: 10.1371/journal.pone.0025055. [AR]
48. Liao, W.W. and Arthur, J.W. (2011). "Predicting Peptide Binding to Major Histocompatibility Complex Molecules." *Autoimmunity Reviews* 10(8): 469-473. [AR]
49. Liu, K.Y., Shi, Y., Luo, P., Yu, S., Chen, L., Zhao, Z., Mao, X.H., Guo, G., Wu, C., and Zou, Q.M. (2011). "Therapeutic efficacy of oral immunization with attenuated *Salmonella typhimurium* expressing *Helicobacter pylori* CagA, VacA and UreB fusion proteins in mice model." *Vaccine* 29(38): 6679-6685. [AR]
50. Liu, R. and Hu, J. (2011). "Prediction of Discontinuous B-Cell Epitopes Using Logistic Regression and Structural Information." *Journal of Proteomics and Bioinformatics* 4: 010-015; doi: 10.4172/jpb.1000161. [AR]
51. Liu, T., Zhang, Z.X., Wei, H., Hu, H.K., and Wang, F.M. (2011). "The Study of Specificities of Interaction between Peptides and MHC Molecules." *Advanced Materials Research* 143-144: 1254-1258; doi: 10.402/www.scientific.net/AMR.143-144.1254. [AR]
52. Lu, Y., Xiao, Y., Li, Q., and Liu, M. (2011). "An introduction to main B-cell epitope prediction methods and software based on phase display library." CCDC: Control and Decision Conference; 23-25 May 2011, Mianyang, China; <http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=5968954&isnumber=5968129>; doi: 10.1109/CCDC.2011.5968954. [AR]
53. Lyke, K.E., Fernandez-Vina, M.A., Cao, K., Hollenbach, J., Coulibaly, D., Kone, A.K., Guindo, A., Burdett, L.A., Hartzman, R.J., Wahl, A.R., Hildebrand, W.H., Doumbo, O.K., Plowe, C.V., and Sztein, M.B. (2011). "Association of HLA alleles with *Plasmodium falciparum* severity in Malian children." *Tissue Antigens* 77(6): 562-571. [AR]
54. Mahmood, M.D., Matsuo, Y., Neya, S., and Hoshino, T. (2011). "Computational Analysis on the Binding of Epitope Peptide to Human Leukocyte Antigen Class I Molecule A*2402 Subtype." *Chemical & Pharmaceutical Bulletin* 59(10): 1254-1262. [AR]
55. Majumder, P. and Boss, J.M. (2011). "Cohesin Regulates MHC Class II Genes through Interactions with MHC Class II Insulators." *The Journal of Immunology* 187(8): 4236-4244. [AR]
56. Mikkelsen, H., Aagaard C., Nielsen, S.S., and Junghansen, G. (2011). "Review of *Mycobacterium avium* subsp. *paratuberculosis* antigen candidates with diagnostic potential." *Veterinary Microbiology* 152(1-2): 1-20. [AR]

57. Misra, N., Panda, P.K., Shah, K., Sukla, L.B., and Chaubey, P. (2011). "Population coverage analysis of T-Cell epitopes of *Neisseria meningitidis* serogroup B from Iron acquisition proteins for vaccine design." *Bioinformation* 6(7): 255-261. [AR]
58. Mostowy, R.J. (2011). "Understanding antagonistic coevolution via mathematical modelling and data analysis." <http://e-collection.library.ethz.ch/eserv/eth:4594/eth-9594-02.pdf>. Dissertation. [AR]
59. Mustafa, A.S. (2011). "Comparative Evaluation of MPT83 (Rv2873) for T Helper-1 Cell Reactivity and Identification of HLA-Promiscuous Peptides in *Mycobacterium bovis* BCG-Vaccinated Healthy Subjects." *Clinical and Vaccine Immunology* 18(10): 1752-1759. [AR]
60. Nair, S., Kukreja, N., Singh, B.P., and Arora, N. (2011). "Identification of B Cell Epitopes of Alcohol Dehydrogenase Allergen of *Curvularia lunata*." *PLoS One* 6(5): e20020; doi: 10.1371/journal.pone.0020020. [AR]
61. Nelson, B.H. and Webb, J.R. (2011). "Tumor-Specific Mutations as Targets for Cancer Immunotherapy." *Experimental and Applied Immunotherapy* (eds J. Medin and D. Fowler), Humana Press; doi: 10.1007/978-1-60761-980-2_7; 151-172. [AR]
62. Pan, X., Qi, J., Zhang, N., Li, Q., Yin, C., Chen, R., Gao, F., and Xia, C. (2011). "Complex assembly, crystallization and preliminary X-ray crystallographic studies of the swine major histocompatibility complex molecule SLA-1*1502." *Acta Crystallographica Section F: Structural Biology and Crystallization Communications* 67(Pt 5): 568-571. [AR]
63. Paris, R., Bejrchandra, S., Thongcharoen, P., Nitayaphan, S., Pitisuttithum, P., Sambor, A., Gurunathan, S., Francis, D., Ratto-Kim, S., Karnasuta, C., de Souza, M.S., Polonis, V.R., Brown, A.E., Kim, J.H., and Stephens, H.A. (2011). HLA class II restriction of HIV-1 clade-specific neutralizing antibody responses in ethnic Thai recipients of the RV144 prime-boost vaccine combination of ALVAC-HIV and AIDSVAX B/E." *Vaccine*: epub ahead of print; doi: 10.1016/j.vaccine.2011.11.002. [AR]
64. Parker, A.S., Griswold, K.E., and Bailey-Kellogg, C. (2011). "Optimization of therapeutic proteins to delete T-cell epitopes while maintaining beneficial residue interactions." *Journal of Bioinformatics and Computational Biology* 9(2): 207-229. [AR]
65. Patarroyo, M.E., Bermudez, A., and Patarroyo, M.A. (2011). "Structural and Immunological Principles Leading to Chemically Synthesized, Multiantigenic, Multistage, Minimal Subunit-Based Vaccine Development." *Chemical Reviews* 111(5): 3459-3507. [AR]
66. Patch, J.R., Pedersen, L.E., Toka, F.N., Moraes, M., Grubman, M.J., Nielsen, M., Jungersen, G., Buus, S., and Golde, W.T. (2011). "Induction of Foot-and-Mouth Disease Virus-Specific Cytotoxic T Cell Killing by Vaccination." *Clinical and Vaccine Immunology* 18(2): 280-288. [AR]
67. Pedersen, L.E., Harndahl, M., Rasmussen, M., Lamberth, K., Golde, W.T., Lund, O., Nielsen, M., and Buus, S. (2011). "Porcine major histocompatibility complex (MHC) class I molecules and analysis of their peptide-binding specificities." *Immunogenetics* 63(12): 821-834. [AR]
68. Pedotti, M., Simonelli, L., Livoti, E., and Varani, L. (2011). "Computational Docking of Antibody-Antigen Complexes, Opportunities and Pitfalls Illustrated by Influenza Hemagglutinin." *International Journal of Molecular Sciences* 12(1): 226-251. [AR]
69. Rapin, N., Lund, O., and Castiglione, F. (2011). "Immune system simulation online." *Bioinformatics* 27(14): 2013-2014. [AR]
70. Ravindranath, M.H., Pham, T., El-Awar, N., Kaneku, H., and Terasaki, P.I. (2011). "Anti-HLA-E mAb 3D12 mimics MEM-E/02 in binding to HLA-B and HLA-C alleles: Web-tools validate the

- immunogenic epitopes of HLA-E recognized by the antibodies." Molecular Immunology 48(4): 423-430. [AR]
71. Reed, J.S., Sidney, J., Piaskowski, S.M., Glidden, C.E., Leon, E.J., Burwitz, B.J., Kolar, H.L., Eernisse, C.M., Furlott, J.R., Maness, N.J., Walsh, A.D., Rudersdorf, R.A., Bardet, W., McMurtrey, C.P., O'Connor, D.H., Hildebrand, W.H., Sette, A., Watkins, D.I., and Wilson, N.A. (2011). "The role of MHC class I allele Mamu-A*07 during SIV(mac)239 infection." Immunogenetics 63(12): 789-807. [AR]
 72. Ruhl, M., Knuschke, T., Schewior, K., Glavinic, L., Neumann-Haefelin, C., Chang, D.I., Klein, M., Heinemann, F.M., Tenckhoff, H., Wiese, M., Horn, P.A., Viazov, S., Spengler, U., Roggendorf, M., Scherbaum, N., Nattermann, J., Hoffmann, D., Timm, J. and East German HCV Study Group. (2011). "CD8(+) T-Cell Response Promotes Evolution of Hepatitis C Virus Nonstructural Proteins." Gastroenterology 140(7): 2064-2073. [AR]
 73. Samudzi, R.R. and Campus, B. (2011). "Preparation of recombinant antigens for demonstrating antibody responses in patients with Crimean-Congo haemorrhagic fever virus infections." <http://etd.uovs.ac.za/ETD-db/theses/available/etd-10042011-095133/unrestricted/SamudziRR.pdf>. Dissertation. [AR]
 74. Schulten, V., Nagl, B., Scala, E., Bernardi, M.L., Mari, A., Ciardiello, M.A., Lauer, I., Scheurer, S., Briza, P., Jurets, A., Ferreira, F., Jahn-Schmid, B., Fischer, G.F., and Bohle, B. (2011). "Pru p 3, the nonspecific lipid transfer protein from peach, dominates the immune response to its homolog in hazelnut." Allergy 66(8): 1005-1013. [AR]
 75. Seward, R.J., Drouin, E.E., Steere, A.C., and Costello, C.E. (2011). "Peptides presented by HLA-DR molecules in synovia of patients with rheumatoid arthritis or antibiotic-refractory Lyme arthritis." Molecular & Cellular Proteomics 10(3): M110.002477; doi: 10.1074/mcp.M110.002477. [AR]
 76. Seyed, N., Zahedifard, F., Safaiyan, S., Gholami, E., Doustdari, F., Azadmanesh, K., Mirzaei, M., Saeedi Eslami, N., Khadem Sadegh, A., Sharifi, I., and Rafati, S. (2011). "In Silico Analysis of Six Known Leishmania major Antigens and In Vitro Evaluation of Specific Epitopes Eliciting HLA-A2 Restricted CD8 T Cell Response." PLoS Neglected Tropical Diseases 5(9): e1295; doi: 10.1371/journal.pntd.0001295. [AR]
 77. Shao, X., Tan, C.S.H., Voss, C., Li, S.S.C., Deng, N., and Bader, G.D. (2011). "A regression framework incorporating quantitative and negative interaction data improves quantitative prediction of PDZ domain-peptide interaction from primary sequence." Bioinformatics 27(3): 383-390. [AR]
 78. Sirskyj, D., Diaz-Mitoma, F., Golshani, A., Kumar, A., and Aziz, A. (2011). "Innovative bioinformatic approaches for developing peptide-based vaccines against hypervariable viruses." Immunology and Cell Biology 89(1): 81-89. [AR, MA]
 79. Somogyi, E., Xu, J., Gudics, A., Tóth, J., Kovács, A.L., Lori, F., and Lisziewicz, J. (2011). "A plasmid DNA immunogen expressing fifteen protein antigens and complex virus-like particles (VLP+) mimicking naturally occurring HIV." Vaccine 29(4): 744-753. [AR]
 80. Srinivasan, P., Kumar, S.P., Karthikeyan, M., Jeyakanthan, J., Jasrai, Y.T., Pandya, H.A., Rawal, R.M., and Patel, S.K. (2011). "Epitope-Based Immunoinformatics and Molecular Docking Studies of Nucleocapsid Protein and Ovarian Tumor Domain of Crimean-Congo Hemorrhagic Fever Virus." Frontiers in Genetics 2; doi: 10.3389/fgene.2011.00072. [AR]
 81. Sun, J., Xu, T., Wang, S., Li, G., Wu, D., and Cao, Z. (2011). "Does difference exist between epitope and non-epitope residues? Analysis of the physicochemical and structural properties on conformational epitopes from B-cell protein antigens." Immunome Research 7(3): 1-11. [AR]

82. Sutherland, J.N. (2011). "The potently neutralizing monoclonal antibody 1B7: Its unique epitope, effects on intracellular trafficking, and elicitation upon infection with pertussis." <http://gradworks.umi.com/34/28/3428995.htm>. Dissertation. [AR]
83. Tai, D.F., Ho, Y.F., Wu, C.H., Lin, T.C., Lu, K.H., and Lin, K.S. (2011). "Artificial-epitope mapping for CK-MB assay." *Analyst* 136(11): 2230-2233. [AR]
84. Tedesco, F. and Marzari, R. (2011). "Anti-C5 alpha antibodies." <http://www.patentgenius.com/patent/7999081.html>. Patent 7999081. [AR]
85. Trost, B. and Kusalik, A. (2011). "Computational prediction of eukaryotic phosphorylation sites." *Bioinformatics* 27(21): 2927-2935. [AR]
86. van Deutekom, H.W., Hoof, I., Bontrop, R.E., and Kesmir, C. (2011). "A Comparative Analysis of Viral Peptides Presented by Contemporary Human and Chimpanzee MHC Class I Molecules." *The Journal of Immunology* 187(11): 5995-6001. [AR]
87. van Haren, S.D., Herczenik, E., ten Brinke, A., Mertens, K., Voorberg, J., and Meijer, A.B. (2011). "HLA-DR-presented Peptide Repertoires Derived from Human Monocyte-derived Dendritic Cells Pulsed with Blood Coagulation Factor VIII." *Molecular & Cellular Proteomics* 10(6): M110.002246; doi: 10.1074/mcp.M110.002246. [AR]
88. Van Regenmortel, M.H. (2011). "Limitations to the structure-based design of HIV-1 vaccine immunogens." *Journal of Molecular Recognition* 24(5): 741-753; doi: 10.1002/jmr.1116. [AR]
89. Van Regenmortel, M.H. (2011). "Requirements for empirical immunogenicity trials, rather than structure-based design, for developing an effective HIV vaccine." *Archives of Virology*: epub ahead of print; doi: 10.1007/s00705-011-1145-2. [AR]
90. Wang, H.W., Lin, Y.C., Pai, T.W., and Chang, H.T. (2011). "Prediction of B-cell Linear Epitopes with a Combination of Support Vector Machine Classification and Amino Acid Propensity Identification." *Journal of Biomedical and Biotechnology* 2011: 43280; doi: 10.115/2011/43280. [AR]
91. Wang, J., Wang, X.Y., Shu, M., Wang, Y.Q., Lin, Y., Wang, L., Cheng, X.M., and Lin, Z.H. (2011). "QSAR Study on MHC Class I a Alleles Based on the Novel Parameters of Amino Acids." *Protein and Peptide Letters* 18(9): 956-963. [AR]
92. Wang, M., Tang, S.T., Stryhn, A., Justesen, S., Larsen, M.V., Dziegiej, M.H., Lewinsohn, D.M., Buus, S., Lund, O., and Claesson, M.H. (2011). "Identification of MHC class II restricted T-cell-mediated reactivity against MHC class I binding Mycobacterium tuberculosis peptides." *Immunology* 132(4): 482-491; doi: 10.1111/j.1365-2567.2010.03383.x. [AR]
93. Wang, S.T., Chang, C.C., Yen, M.C., Tu, C.F., Chu, C.L., Peng, Y.T., Chen, D.Y., Lan, J.L., and Lin, C.C. (2011). "RNA interference-mediated silencing of Foxo3 in antigen-presenting cells as a strategy for the enhancement of DNA vaccine potency." *Gene Therapy* 18(4): 372-383. [AR]
94. Wang, X., Xie, G., Liao, J., Yin, D., Guan, W., Pan, M., Li, J., and Li, Y. (2011). "Design and evaluation of a multi-epitope assembly Peptide (MEAP) against herpes simplex virus type 2 infection in BALB/c mice." *Virology Journal* 8: 232; doi: 10.1186/1743-422X-8-232. [AR]
95. Wauthier, F., Jordan, M., and Jojic, N. (2011). "Nonparametric combinatorial sequence models." *Journal of Computational Biology* 18(11): 1649-1660; doi: 10.1089/cmb.2011.0175. [AR]
96. Whiteaker, J.R. and Paulovich, A.G. (2011). "Peptide Immunoaffinity Enrichment Coupled with Mass Spectrometry for Peptide and Protein Quantification." *Clinics in Laboratory Medicine* 31(3): 385-396. [AR]

97. Winarsih, S., Wardani, A.K., Risandiansyah, R., and Santoso, S. (2011). "The Similarity and Epitope Prediction of Adhesin OMP Among *Salmonella* Species Based on Multiple Sequence Alignment." Canadian Journal on Biomedical Engineering and Technology 2(3): 18-26. [AR]
98. Xin, F. and Radivojac, P. (2011). "Computational methods for identification of functional residues in protein structures." Current Protein and Peptide Science 12(6): 456-469. [AR]
99. Xu, W., Li, H.Z., Liu, J.J., Guo, Z., Zhang, B.F., Chen, F.F., Pei, D.S., and Zheng, J.N. (2011). "Identification of HLA-A*0201-restricted cytotoxic T lymphocyte epitope from proliferating cell nuclear antigen." Tumor Biology 32(1): 63-69. [AR]
100. Yanover, C. and Bradley, P. (2011). "Large-scale characterization of peptide-MHC binding landscapes with structural simulations." Proceedings of the National Academy of Sciences 108(17): 6981-6986. [AR]
101. Yanover, C., Jain, N., Pierce, G., Howard, T.E., and Sauna, Z.E. (2011). "Pharmacogenetics and the immunogenicity of protein therapeutics." Nature Biotechnology 29(10): 870-873; doi: 10.1038/nbt.2002. [AR]
102. Yanover, C., Petersdorf, E.W., Malkki, M., Gooley, T., Spellman, S., Velardi, A., Bardy, P., Madrigal, A., Bignon, J.D., and Bradley, P. (2011). "HLA mismatches and hematopoietic cell transplantation: structural simulations assess the impact of changes in peptide binding specificity on transplant outcome." Immunome Research 7(2): 24. [AR]
103. Zembe, L., Burgers, W.A., Jaspan, H.B., Bekker, L.G., Bredell, H., Stevens, G., Gilmour, J., Cox, J.H., Fast, P., Hayes, P., Vardas, E., Williamson, C., and Gray, C.M. (2011). "Intra-and Inter-clade Cross-reactivity by HIV-1 Gag Specific T-Cells Reveals Exclusive and Commonly Targeted Regions: Implications for Current Vaccine Trials." PLoS One 6(10): e26096; doi: 10.1371/journal.pone.0026096. [AR]
104. Zhang, N., Qi, J., Feng, S., Gao, F., Liu, J., Pan, X., Chen, R., Li, Q., Chen, Z., Li, X., Xia, C., and Gao, G.F. (2011). "Crystal Structure of Swine Major Histocompatibility Complex Class I SLA-1*0401 and Identification of 2009 Pandemic Swine-Origin Influenza A H1N1 Virus Cytotoxic T Lymphocyte Epitope Peptides." Journal of Virology 85(22): 11709-11724. [AR, MA]
105. Zhang, W., Xiong, Y., Zhao, M., Zou, H., Ye, X., and Liu, J. (2011). "Prediction of conformational B-cell epitopes from 3D structures by random forests with a distance-based feature." BMC Bioinformatics 12: 341; doi: 10.1186/1471-2105-12-341. [AR]
106. Zhao, L., Wong, L., and Li, J. (2011). "Antibody-Specified B-Cell Epitope Prediction in Line with the Principle of Context-Awareness." IEEE/ACM Transactions on Computational Biology and Bioinformatics 8(6): 1483-1494. [AR]
107. Zheng, Y., Wen, Y., George, A.M., Steinbach, A.M., Phillips, B.E., Giannoukakis, N., Gawalt, E.S., and Meng, W.S. (2011). "A peptide-based material platform for displaying antibodies to engage T cells." Biomaterials 32(1): 249-257. [AR]
108. Zhu, X., Xu, L., Wang, M., Wang, Z., Liu, R., and Zhao, J. (2011). "Electrosyntheses and Characterizations of a Soluble Blue Fluorescent Copolymer Based on Pyrene and Carbazole." International Journal of Electrochemical Science 6(5): 1730-1746. [AR]

3.2.3 Curation

1. Chatr-Aryamontri, A., Winter, A., Perfetto, L., Briganti, L., Licata, L., Iannuccelli, M., Castagnoli, L., Cesareni, G., and Tyers, M. (2011). "Benchmarking of the 2010 BioCreative

Challenge III text-mining competition by the BioGRID and MINT interaction databases." BMC Bioinformatics 12(Suppl 8): S8. [C]

2. Costanzo, M.C., Park, J., Balakrishnan, R., Cherry, J.M., and Hong, E.L. (2011). "Using computational predictions to improve literature-based Gene Ontology annotations: a feasibility study." Database: The Journal of Biological Databases and Curation; doi: 10.1093/database/bar004. [C]
3. Jung, Y., Seo, H.J., Park, R.Y., Kim, J., Bien, S.J., and Kim, J.H. (2011). "Standard-based Integration of Heterogeneous Large-scale DNA Microarray Data for Improving Reusability." Genomics & Informatics 9(1): 19-27. [C]
4. Krallinger, M., Vazquez, M., Leitner, F., Salgado, D., Chatr-Aryamontri, A., Winter, A., Perfetto, L., Briganti, L., Licata, L., Iannuccelli, M., Castagnoli, L., Cesareni, G., Tyers, M., Schneider, G., Rinaldi, F., Leaman, R., Gonzalez, G., Matos, S., Kim, S., Wilbur, W.J., Rocha, L., Shatkay, H., Tendulkar, A.V., Agarwal, S., Liu, F., Wang, X., Rak, R., Noto, K., Elkan, C., Lu, Z., Dogan, R.I., Fontaine, J.F., Andrade-Navarro, M.A., and Valencia, A. (2011). "The Protein-Protein Interaction tasks of BioCreative III: classification/ranking of articles and linking bio-ontology concepts to full text." BMC Bioinformatics 12(Suppl 8): S3. [C]

3.2.4 Epitope Meta-Analyses

1. Adisasmito, W., Hunter, B.M., Krumkamp, R., Latief, K., Rudge, J.W., Hanvoravongchai, P., and Coker, R.J. (2011). "Pandemic Influenza and Health System Resource Gaps in Bali: An Analysis Through a Resource Transmission Dynamics Model." Asia-Pacific Journal of Public Health: epub ahead of print; doi: 10.1177/1010539511421365. [MA]
2. Air, G.M., Feng, J.Q., Chen, T., Joachims, M.L., James, J.A., and Thompson, L.F. (2011). "Individual Antibody and T Cell Responses to Vaccination and Infection with the 2009 Pandemic Swine-Origin H1N1 Influenza Virus." Journal of Clinical Immunology 31(5): 900-912. [MA]
3. Almogren, A. (2011). "Pulmonary tuberculosis associated with increased number and percentage of natural killer and B cells in the peripheral blood." African Journal of Microbiology Research 5(15): 2048-2052. [MA]
4. Ashraf, S., Kong, W., Wang, S., Yang, J., and Curtiss III, R. (2011). "Protective cellular responses elicited by vaccination with influenza nucleoprotein delivered by a live recombinant attenuated Salmonella vaccine." Vaccine 29(23): 3990-4002. [MA]
5. Baras, B., de Waal, L., Stittelaar, K.J., Jacob, V., Giannini, S., Veldhuis Kroese, E.J.B., van den Brand, J., van Amerongen, G., Simon, J.H., Hanon, E., Mossman, S.P., and Osterhaus, A.D. (2011). "Pandemic H1N1 vaccine requires the use of an adjuvant to protect against challenge in naive ferrets." Vaccine 29(11): 2120-2126. [MA]
6. Bodewes, R., Geelhoed-Mieras, M.M., Nieuwkoop, N.J., Hanson, J.A., David, C.S., Fouchier, R.A.M., Osterhaus, A., and Rimmelzwaan, G.F. (2011). "Redundancy of the influenza A virus-specific cytotoxic T lymphocyte response in HLA-B*2705 transgenic mice limits the impact of a mutation in the immunodominant NP(383-391) epitope on influenza pathogenesis." Virus Research 155(1): 123-130. [MA]
7. Chao, D.Y., Cheng, K.F., Li, T.C., Wu, T.N., Chen, C.Y., Tsai, C.A., Chen, J.H., Chiu, H.T., Lu, J.J., Su, M.C., Liao, Y.H., Chan, W.C., Hsieh, Y.H., and CIDER group. (2011). "Factors associated with infection by 2009 pandemic H1N1 influenza virus during different phases of the epidemic." International Journal of Infectious Diseases 15(10): e695-e701; doi:10.1016/j.ijid.2011.05.012. [MA]

8. Charneau, P. A. and Coutant, F. (2011). "Lentiviral vector based on immunological compounds against malaria." <https://data.epo.org/publication-server-rest/v1.0/publication-dates/20111109/patents/EP2385107NWA1/document.pdf>. Patent. [MA]
9. Chen, G.L., Lau, Y.F., Lamirande, E.W., McCall, A.W., and Subbarao, K. (2011). "Seasonal influenza infection and live vaccine prime for a response to the 2009 pandemic H1N1 vaccine." *Proceedings of the National Academy of Sciences* 108(3): 1140-1145. [MA]
10. Chen, G.L., Min, J.Y., Lamirande, E.W., Santos, C., Jin, H., Kemble, G., and Subbarao, K. (2011). "Comparison of a Live Attenuated 2009 H1N1 Vaccine with Seasonal Influenza Vaccines against 2009 Pandemic H1N1 Virus Infection in Mice and Ferrets." *Journal of Infectious Diseases* 203(7): 930-936. [MA]
11. Chen, P., Rayner, S., and Hu, K. (2011). "Advances of bioinformatics tools applied in virus epitopes prediction." *Virologica Sinica* 26(1): 1-7. [MA]
12. Chen, Q., He, J., Phoolcharoen, W., and Mason, H.S. (2011). "Geminiviral vectors based on bean yellow dwarf virus for production of vaccine antigens and monoclonal antibodies in plants." *Human Vaccine* 7(3): 331-338. [MA]
13. Chitlaru, T., Altboum, Z., Reuveny, S., and Shafferman, A. (2011). "Progress and novel strategies in vaccine development and treatment of anthrax." *Immunological Reviews* 239(1): 221-236; doi: 10.1111/j.1600-065X.2010.00969x. [MA]
14. Cobey, S. and Pascual, M. (2011). "Consequences of host heterogeneity, epitope immunodominance, and immune breadth for strain competition." *Journal of Theoretical Biology* 270(1): 80-87. [MA]
15. de Lavallade, H., Garland, P., Sekine, T., Hoschler, K., Marin, D., Stringaris, K., Loucaides, E., Howe, K., Szydlo, R., Kanfer, E., Macdonald, D., Kelleher, P., Cooper, N., Khoder, A., Gabriel, I.H., Milojkovic, D., Pavlu, J., Goldman, J.M., Apperley, J.F., and Rezvani, K. (2011). "Repeated vaccination is required to optimize seroprotection against H1N1 in the immunocompromised host." *Haematologica* 96(2): 307-314. [MA]
16. Delangue, J., Salez, N., Ninove, L., Kieffer, A., Zandotti, C., Seston, M., Lina, B., Nougairede, A., Charrel, R., Flahault, A., and de Lamballerie, X. (2011). "Serological study of the 2009 pandemic due to influenza A H1N1 in the metropolitan French population." *Clinical Microbiology and Infection*: epub ahead of print; doi: 10.1111/j.1469-0691.2011.03545.x. [MA]
17. Dellagi, K., Rollot, O., Temmam, S., Salez, N., Guernier, V., Pascalis, H., Gérardin, P., Fianu, A., Lapidus, N., Naty, N., Tortosa, P., Boussaïd, K., Jaffar-Banjee, M.C., Filleul, L., Flahault, A., Carrat, F., Favier, F., de Lamballerie, X. (2011). "Pandemic Influenza Due to pH1N1/2009 Virus: Estimation of Infection Burden in Reunion Island through a Prospective Serosurvey, Austral Winter 2009." *PLoS One* 6(9): e25738; doi: 10.1371/journal.pone.0025738. [MA]
18. Ding, H., Tsai, C., Zhou, F., Buchy, P., Deubel, V., and Zhou, P. (2011). "Heterosubtypic antibody response elicited with seasonal influenza vaccine correlates partial protection against highly pathogenic H5N1 virus." *PLoS One* 6(3): e17821; doi: 10.1371/journal.pone.001782. [MA]
19. Doucet, J.D., Forget, M.A., Grange, C., Rouxel, R.N., Arbour, N., von Messling, V., and Lapointe, R. (2011). "Endogenously expressed matrix protein M1 and nucleoprotein of influenza A are efficiently presented by class I and class II major histocompatibility complexes." *Journal of General Virology* 92(Pt 5): 1162-1171. [MA]
20. Dudareva, S., Schweiger, B., Thamm, M., Hohle, M., Stark, K., Krause, G., Buda, S., and Haas, W. (2011). "Prevalence of antibodies to 2009 pandemic influenza A (H1N1) virus in German

- adult population in pre-and post-pandemic period." PLoS One 6(6): e21340; doi: 10.1371/journal.pone.0021340. [MA]
21. Ellebedy, A.H., Ducatez, M.F., Duan, S., Stigger-Rosser, E., Rubrum, A.M., Govorkova, E.A., Webster, R.G., and Webby, R.J. (2011). "Impact of prior seasonal influenza vaccination and infection on pandemic A (H1N1) influenza virus replication in ferrets." Vaccine 29(17): 3335-3339. [MA]
 22. Garland, P., de Lavallade, H., Sekine, T., Hoschler, K., Sriskandan, S., Patel, P., Brett, S., Stringaris, K., Loucaides, E., Howe, K., Marin, D., Kanfer, E., Cooper, N., Macdonald, D., Rahemtulla, A., Atkins, M., Danga, A., Milojkovic, D., Gabriel, I., Khoder, A., Alsuliman, A., Apperley, J., and Rezvani, K. (2011). "Humoral and Cellular Immunity to Primary H1N1 Infection in Patients with Hematologic Malignancies following Stem Cell Transplantation." Biology of Blood and Marrow Transplantation 17(5): 632-639. [MA]
 23. Giudice, G. and Rappuoli, R. (2011). "Learning from the First Pandemic of the Twenty-First Century." Influenza Vaccines for the Future (eds R. Rappuoli and G. Del Giudice), Springer Basel, ISBN: 978-3-0346-0279-2; http://dx.doi.org/10.1007/978-3-0346-0279-2_18; 401-423. [MA]
 24. Graham, M., Liang, B., Van Domselaar, G., Bastien, N., Beaudoin, C., Tyler, S., Kaplen, B., Landry, E., National Influenza A/H1N1pdm Genomics Study Team (NIGST), and Li, Y. (2011). "Nationwide molecular surveillance of pandemic H1N1 influenza A virus genomes: Canada, 2009." PLoS One 6(1): e16087; doi: 10.1371/journal.pone.0016087. [MA]
 25. Guo, H., Santiago, F., Lambert, K., Takimoto, T., and Topham, D.J. (2011). "T cell-mediated protection against lethal 2009 pandemic H1N1 influenza virus infection in a mouse model." Journal of Virology 85(1): 448-455. [MA]
 26. Gustiananda, M. (2011). "Immunoinformatics analysis of H5N1 proteome for designing an epitope-derived vaccine and predicting the prevalence of pre-existing cellular-mediated immunity toward bird flu virus in Indonesian population." Immunome Research 7(3): 1-11. [MA]
 27. Hessel, A., Schwendinger, M., Holzer, G.W., Orlinger, K.K., Coulibaly, S., Savidis-Dacho, H., Zips, M.L., Crowe, B.A., Kreil, T.R., Ehrlich, H.J., Barrett, P.N., and Falkner, F.G. (2011). "Vectors based on modified vaccinia Ankara expressing influenza H5N1 hemagglutinin induce substantial cross-clade protective immunity." PLoS One 6(1): e16247; doi: 10.1371/journal.pone.0016247. [MA]
 28. Jacobson, M.J., Lin, G., Tepp, W., Dupuy, J., Stenmark, P., Stevens, R.C., and Johnson, E.A. (2011). "Purification, Modeling, and Analysis of Botulinum Neurotoxin Subtype A5 (BoNT/A5) from Clostridium botulinum Strain A661222." Applied and Environmental Microbiology 77(12): 4217-4222. [MA]
 29. Johnson, P.V., Blair, B.M., Zeller, S., Kotton, C.N., and Hohmann, E.L. (2011). "Attenuated Listeria monocytogenes vaccine vectors expressing Influenza A nucleoprotein: preclinical evaluation and oral inoculation of volunteers." Microbiology and Immunology 55(5): 304-317. [MA]
 30. Karageorgopoulos, D.E., Vouloumanou, E.K., Korbila, I.P., Kapaskelis, A., and Falagas, M.E. (2011). "Age distribution of cases of 2009 (H1N1) pandemic influenza in comparison with seasonal influenza." PLoS One 6(7): e21690; doi: 10.1371/journal.pone.0021690. [MA]
 31. Katriel, G., Yaari, R., Huppert, A., Roll, U., and Stone, L. (2011). "Modelling the initial phase of an epidemic using incidence and infection network data: 2009 H1N1 pandemic in Israel as a case study." Journal of the Royal Society Interface 8(59): 856-867. [MA]

32. Kelly, H., Peck, H.A., Laurie, K.L., Wu, P., Nishiura, H., and Cowling, B.J. (2011). "The age-specific cumulative incidence of infection with pandemic influenza H1N1 2009 was similar in various countries prior to vaccination." *PLoS One* 6(8): e21828; doi: 10.1371/journal.pone.0021828. [MA]
33. Koopmans, M., de Bruin, E., Godeke, G.J., Friesema, I., van Gageldonk, R., Schipper, M., Meijer, A., van Binnendijk, R., Rimmelzwaan, G., de Jong, M.D., Buisman, A., van Beek, J., van de Vijver, D., and Reimerink, J. (2011). "Profiling of humoral immune responses to influenza viruses by using protein microarray." *Clinical Microbiology and Infection*; doi: 10.1111/j.1469-0691.2011.0307.x. [MA]
34. Kumar, S., Fan, J., Melzer-Lange, M., Trost, J., Havens, P.L., Willoughby, R.E., Chusid, M.J., and Henrickson, K.J. (2011). "H1N1 Hemagglutinin-Inhibition Seroprevalence in Emergency Department Health Care Workers After the First Wave of the 2009 Influenza Pandemic." *Pediatric Emergency Care* 27(9): 804-807. [MA]
35. Kwan, C.K. and Ernst, J.D. (2011). "HIV and Tuberculosis: a Deadly Human Syndemic." *Clinical Microbiology Reviews* 24(2): 351-376. [MA]
36. Larrauri, A., Savulescu, C., Jimenez-Jorge, S., Perez-Brena, P., Pozo, F., Casas, I., Ledesma, J., de Mateo, S., and Spanish Influenza Surveillance System (SISS). (2011). "Influenza pandemic (H1N1) 2009 activity during summer 2009. Effectiveness of the 2008-9 trivalent vaccine against pandemic influenza in Spain." *Gaceta Sanitaria* 25(1): 23-28. [MA]
37. Lemaitre, M., Leruez-Ville, M., De Lamballerie, X.N., Salez, N., Garrone, P., Fluckiger, A.C., Klatzmann, D., and Carrat, F. (2011). "Seasonal H1N1 2007 influenza virus infection is associated with elevated pre-exposure antibody titers to the 2009 pandemic influenza A (H1N1) virus." *Clinical Microbiology and Infection* 17(5): 732-737. [MA]
38. Lynch, G.W., Selleck, P., Church, W.B., and Sullivan, J.S. (2011). "Seasoned adaptive antibody immunity for highly pathogenic pandemic influenza in humans." *Immunology and Cell Biology*: epub ahead of print; doi: 10.1038/icb.2011.38. [MA]
39. Marcellin, G., DuBois, R., Rubrum, A., Russell, C.J., McElhaney, J.E., and Webby, R.J. (2011). "A Contributing Role for Anti-Neuraminidase Antibodies on Immunity to Pandemic H1N1 2009 Influenza A Virus." *PLoS One* 6(10): e26335; doi: 10.1371/journal.pone.0026335. [MA]
40. Meier, S., Bel, M., L'huillier, A., Crisinel, P.A., Combescure, C., Kaiser, L., Grillet, S., Posfay-Barbe, K., Siegrist, C.A., and H1N1 Epidemiology Study Group of Geneva. (2011). "Antibody responses to natural influenza A/H1N1/09 disease or following immunization with adjuvanted vaccines, in immunocompetent and immunocompromised children." *Vaccine* 29(19): 3548-3557. [MA]
41. Moghadas, S.M., Pizzi, N.J., Wu, J., Tamblyn, S.E., and Fisman, D.N. (2011). "Canada in the face of the 2009 H1N1 pandemic." *Influenza and Other Respiratory Viruses* 592: 83-88. [MA]
42. Monsalvo, A.C., Bataille, J.P., Lopez, M.F., Krause, J.C., Klemenc, J., Hernandez, J.Z., Maskin, B., Bugna, J., Rubinstein, C., Aguilar, L., Dalurzo, L., Libster, R., Savy, V., Baumeister, E., Aguilar, L., Cabral, G., Font, J., Solari, L., Weller, K.P., Johnson, J., Echavarria, M., Edwards, K.M., Chappell, J.D., Crowe, J.E. Jr., Williams, J.V., Melendi, G.A., and Polack, F.F. (2011). "Severe pandemic 2009 H1N1 influenza disease due to pathogenic immune complexes." *Nature Medicine* 17(2): 195-199. [MA]
43. Moraes, T.J., Lin, G.H., Wen, T., and Watts, T.H. (2011). "Incorporation of 4-1BB ligand into an adenovirus vaccine vector increases the number of functional antigen-specific CD8 T cells and enhances the duration of protection against influenza-induced respiratory disease." *Vaccine* 29(37): 6301-6312. [MA]

44. Neumann, G. and Kawaoka, Y. (2011). "The first influenza pandemic of the new millennium." *Influenza and Other Respiratory Viruses* 5(3): 157-166; doi: 10.1111/j.1750-2659.2011.00231.x. [MA]
45. Omori, R. and Nishiura, H. (2011). "Theoretical basis to measure the impact of short-lasting control of an infectious disease on the epidemic peak." *Theoretical Biology and Medical Modelling* 8(1): 2. [MA]
46. Perez Diaz, A.B. and Beatriz, A. (2011). "Citoquinas reguladoras de la inflamacion y mediadores de citotoxicidad en la infeccion por dengue." http://tesis.repo.sld.cu/308/1/anab_perez.pdf. Dissertation. [MA]
47. Pallikkuth, S., Kanthikeel, S.P., Silva, S.Y., Fischl, M., Pahwa, R., and Pahwa, S. (2011). "Innate immune defects correlate with failure of antibody responses to H1N1/09 vaccine in HIV-infected patients." *Journal of Allergy and Clinical Immunology* 128(6): 1279-1285. [MA]
48. Pallikkuth, S., Kanthikeel, S.P., Silva, S.Y., Fischl, M., Pahwa, R., and Pahwa, S. (2011). "Upregulation of IL-21 Receptor on B Cells and IL-21 Secretion Distinguishes Novel 2009 H1N1 Vaccine Responders from Nonresponders among HIV-Infected Persons on Combination Antiretroviral Therapy." *Journal of Immunology* 186(11): 6173-6181. [MA]
49. Patel, A. (2011). "Comparative Evaluation of Human and Porcine Adenovirus Vectors for Vaccine Application Against Avian Influenza (H5N1)." <http://hdl.handle.net/1993/4529>. Dissertation. [MA]
50. Pearce, M.B., Belser, J.A., Houser, K.V., Katz, J.M., and Tumpey, T.M. (2011). "Efficacy of seasonal live attenuated influenza vaccine against virus replication and transmission of a pandemic 2009 H1N1 virus in ferrets." *Vaccine* 29(16): 2887-2894. [MA]
51. Roll, U., Yaari, R., Katriel, G., Barnea, O., Stone, L., Mendelson, E., Mendelboim, M., and Huppert, A. (2011). "Onset of a pandemic: characterizing the initial phase of the swine flu (H1N1) epidemic in Israel." *BMC Infectious Diseases* 11: 92; doi: 10.1186/1471-2334-11-92. [MA]
52. Roman, F., Clement, F., Dewe, W., Walravens, K., Maes, C., Willekens, J., De Boever, F., Hanon, E., and Leroux-Roels, G. (2011). "Effect on cellular and humoral immune responses of the AS03 adjuvant system in an A/H1N1/2009 influenza virus vaccine administered to adults during two randomized controlled trials." *Clinical and Vaccine Immunology* 18(5): 835-843. [MA]
53. Rosenkrands, I., Vingsbo-Lundberg, C., Bundgaard, T.J., Lindenstrom, T., Enouf, V., van der Werf, S., Andersen, P., and Agger, E.M. (2011). "Enhanced humoral and cell-mediated immune responses after immunization with trivalent influenza vaccine adjuvanted with cationic liposomes." *Vaccine* 29(37): 6283-6291. [MA]
54. Rothman, A.L. (2011). "Immunity to dengue virus: a tale of original antigenic sin and tropical cytokine storms." *Nature Reviews Immunology* 11(8): 532-543. [MA]
55. Sachdeva, V. and Banga, A.K. (2011). "Microneedles and their Applications." *Recent Patents on Drug Delivery and Formulation* 5(2): 95-132. [MA]
56. Samayoa, L., Diaz-Mitoma, F., and Azizi, A. (2011). "Characterization of a branched lipoptide candidate vaccine against influenza A/Puerto Rico 8/34 which is recognized by human B and T-cell immune responses." *Virology Journal* 8: 309; doi: 10.1186/1743-422X-8-309. [MA]
57. Savard, C., Guerin, A., Drouin, K., Bolduc, M., Laliberte-Gagne, M.E., Dumas, M.C., Majeau, N., and Leclerc, D. (2011). "Improvement of the Trivalent Inactivated Flu Vaccine Using PapMV Nanoparticles." *PLoS One* 6(6): e21522; doi: 10.1371/journal.pone.0021522. [MA]

58. Schanen, B.C., De Groot, A.S., Moise, L., Ardito, M., McClaine, E., Martin, W., Wittman, V., Warren, W.L., and Drake III, D.R. (2011). "Coupling sensitive in vitro and in silico techniques to assess cross-reactive CD4+ T cells against the swine-origin H1N1 influenza virus." *Vaccine* 29(17): 3299-3309. [MA]
59. Scheible, K., Zhang, G., Baer, J., Azadniv, M., Lambert, K., Pryhuber, G., Treanor, J.J., and Topham, D.J. (2011). "CD8+ T cell immunity to 2009 pandemic and seasonal H1N1 influenza viruses." *Vaccine* 29(11): 2159-2168. [MA]
60. Schneck, J. and Oelke, M. (2011). "Compositions and Methods for Inducing an Immune Response against Influenza Antigens." <http://www.freepatentsonline.com/20110300168.pdf>. US Patent 2011/0300168 A1. [MA]
61. Soboleski, M.R., Gabbard, J.D., Price, G.E., Misplon, J.A., Lo, C.Y., Perez, D.R., Ye, J., Tompkins, S.M., and Epstein, S.L. (2011). "Cold-Adapted Influenza and Recombinant Adenovirus Vaccines Induce Cross-Protective Immunity against pH1N1 Challenge in Mice." *PLoS One* 6(7): e21937; doi: 10.1371/journal.pone.0021937. [MA]
62. Soonawala, D., Rimmelzwaan, G.F., Gelinck, L.B., Visser, L.G., and Kroon, F.P. (2011). "Response to 2009 pandemic influenza A (H1N1) vaccine in HIV-infected patients and the influence of prior seasonal influenza vaccination." *PLoS One* 6(1): e16496; doi: 10.1371/journal.pone.0016496. [MA]
63. Sun, K., Ye, J., Perez, D.R., and Metzger, D.W. (2011). "Seasonal FluMist vaccination induces cross-reactive T cell immunity against H1N1 (2009) influenza and secondary bacterial infections." *The Journal of Immunology* 186(2): 987-993. [MA]
64. Sun, P., Beckett, C., Danko, J., Burgess, T., Liang, Z., Kochel, T., and Porter, K. (2011). "A dendritic cell-based assay for measuring memory T cells specific to dengue envelope proteins in human peripheral blood." *Journal of Virological Methods* 173(2): 175-181. [MA]
65. Tan, A.C., La Gruta, N.L., Zeng, W., and Jackson, D.C. (2011). "Precursor Frequency and Competition Dictate the HLA-A2G β Restricted CD8+ T Cell Responses to Influenza A Infection and Vaccination in HLA-A2.1 Transgenic Mice." *The Journal of Immunology* 187(4): 1895-1902. [MA]
66. Tang, S.T., van Meijgaarden, K.E., Caccamo, N., Guggino, G., Klein, M.R., van Weeren, P., Kazi, F., Stryhn, A., Zaigler, A., Sahin, U., Buus, S., Dieli, F., Lund, O., and Ottenhoff, T.H. (2011). "Genome-based in silico identification of new *Mycobacterium tuberculosis* antigens activating polyfunctional CD8+ T cells in human tuberculosis." *The Journal of Immunology* 186(2): 1068-1080. [MA]
67. Ulbert, S. (2011). "West Nile Virus: The Complex Biology of an Emerging Pathogen." *Intervirology* 54(4): 171-184; doi: 10.1159/000328320. [MA]
68. Valkenburg, S.A., Laurie, K., Kelso, A., Turner, S.J., Doherty, P.C., and Kedzierska, K. (2011). "T-cell immunity against the A (H1N1) 2009 pandemic virus." *Microbiology Australia* 32(1): 22-25. [MA]
69. Valkenburg, S.A., Rutigliano, J.A., Ellebedy, A.H., Doherty, P.C., Thomas, P.G., and Kedzierska, K. (2011). "Immunity to seasonal and pandemic influenza A viruses." *Microbes and Infection* 13(5): 489-501. [MA]
70. Wagar, L.E., Gentleman, B., Pircher, H., McElhaney, J.E., and Watts, T.H. (2011). "Influenza-Specific T Cells from Older People Are Enriched in the Late Effector Subset and Their Presence Inversely Correlates with Vaccine Response." *PLoS One* 6(8): e23698; doi: 10.1371/journal.pone.0023698. [MA]

71. Wagar, L.E., Rosella, L., Crowcroft, N., Lowcock, B., Drohomyrecky, P.C., Foisy, J., Gubbay, J., Rebbapragada, A., Winter, A.L., Achonu, C., Ward, B.J., and Watts, T.H. (2011). "Humoral and Cell-Mediated Immunity to Pandemic H1N1 Influenza in a Canadian Cohort One Year Post-Pandemic: Implications for Vaccination." *PLoS One* 6(11): e28063; doi: 10.1371/journal.pone.0028063. [MA]
72. Wang, D.Y., and Shu, Y.L. (2011). "Pre-existing Immunity is an Essential Factor for Mild Pandemic H1N1 2009." *Chinese Journal of Virology (Bing Du Xue Bao)* 27(3): 304-307. [MA]
73. Weinfurter, J.T., Brunner, K., Capuano, S.V. III, Li, C., Broman, K.W., Kawaoka, Y., and Friedrich, T.C. (2011). "Cross-Reactive T Cells Are Involved in Rapid Clearance of 2009 Pandemic H1N1 Influenza Virus in Nonhuman Primates." *PLoS Pathogens* 7(11): e1002381; doi: 10.1371/journal.ppat.1002381. [MA]
74. Wu, C., Zanker, D., Valkenburg, S., Tan, B., Kedzierska, K., Zou, Q.M., Doherty, P.C., and Chen, W. (2011). "Systematic identification of immunodominant CD8+ T-cell responses to influenza A virus in HLA-A2 individuals." *Proceedings of the National Academy of Sciences* 108(22): 9178-9183. [MA]
75. Zhan, Y., Yang, Z., Li, L., Ye, D., Wu, H., Fu, R., Zhao, S., Wang, Y., Zhou, R., and Chen, R. (2011). "Immunogenicity and Safety of a China-Made Monovalent Pandemic (H1N1) 2009 Influenza A Vaccine in Healthcare Workers in Guangzhou, China." *Japanese Journal of Infectious Diseases* 64(3): 190-194. [MA]
76. Zhao, R., Cui, S., Guo, L., Wu, C., Gonzalez, R., Paranhos-Baccalá, G., Vernet, G., Wang, J., and Hung, T. (2011). "Identification of a Highly Conserved H1 Subtype-Specific Epitope with Diagnostic Potential in the Hemagglutinin Protein of Influenza A Virus." *PLoS One* 6(8): e23374; doi: 10.1371/journal.pone.0023374. [MA]
77. Zhu, Y.H., Gao, Y.F., Chen, F., Liu, W., Zhai, M.X., Zhai, W.J., Qi, Y.M., and Ye, Y. (2011). "Identification of novel T cell epitopes from efflux pumps of *Mycobacterium tuberculosis*." *Immunology Letters* 140(1-2): 68-73. [MA]

4 References

- Beaver JE, Bourne PE, Ponomarenko JV. EpitopeViewer: a Java application for the visualization and analysis of immune epitopes in the Immune Epitope Database and Analysis Resource (IEDB). *Immunome Res.* 2007 Feb 21;3:3. PMID: 17313688
- Bui HH, Sidney J, Peters B, Sathiamurthy M, Sinichi A, Purton KA, Mothe BR, Chisari FV, Watkins DI, Sette A. Automated generation and evaluation of specific MHC binding predictive tools: ARB matrix applications. *Immunogenetics.* 2005 Jun;57(5):304-14. Epub 2005 May 3.
- Bui HH, Sidney J, Dinh K, Southwood S, Newman MJ, Sette A. Predicting population coverage of T-cell epitope-based diagnostics and vaccines. *BMC Bioinformatics.* 2006 Mar 17;7(1):153. PMID: 16545123
- Bui HH, Sidney J, Li W, Fusseder N, Sette A. Development of an epitope conservancy analysis tool to facilitate the design of epitope-based diagnostics and vaccines. *BMC Bioinformatics.* 2007 Sep 26;8(1):361. PMID: 17897458
- Chou P, Fasman G. Prediction of the secondary structure of proteins from their amino acid sequence. *Adv Enzymol Relat Areas Mol Biol.* 1978;45–148. PMID: 364941
- Emini E, Hughes J, Perlow D, Boger J. Induction of hepatitis A virus-neutralizing antibody by a virus specific synthetic peptide. *J Virol.* 1985;55:836–839. PMID: 2991600
- Haste Andersen P, Nielsen M, Lund O. Prediction of residues in discontinuous B-cell epitopes using protein 3D structures. *Protein Sci.* 2006 Nov;15(11):2558-67. Epub 2006 Sep 25. PMID: 17001032
- Karplus PA, Schulz GE. Prediction of chain flexibility in proteins. *Naturwissenschaften.* 1985. 72:212-213.
- Keşmir C, Nussbaum AK, Schild H, Detours V, Brunak S. Prediction of proteasome cleavage motifs by neural networks. *Protein Eng.* 2002 Apr;15(4):287-96. PMID: 11983929
- Kim Y, Sidney J, Pinilla C, Sette A, Peters B. Derivation of an amino acid similarity matrix for peptide: MHC binding and its application as a Bayesian prior. *BMC Bioinformatics.* 2009 Nov 30;10:394. PMID: 19948066
- Kolaskar AS, Tongaonkar PC. A semi-empirical method for prediction of antigenic determinants on protein antigens. *FEBS Lett.* 1990 Dec 10;276(1-2):172-4. PMID: 1702393
- Larsen JE, Lund O, Nielsen M. Improved method for predicting linear B-cell epitopes. *Immunome Res.* 2006 Apr 24;2:2. PMID: 16635264
- Larsen MV, Lundsgaard C, Lamberth K, Buus S, Brunak S, Lund O, Nielsen M. An integrative approach to CTL epitope prediction: a combined algorithm integrating MHC class I binding, TAP transport efficiency, and proteasomal cleavage predictions. *Eur J Immunol.* 2005 Aug;35(8):2295-303. PMID: 15997466
- Moutaftsi M, Peters B, Pasquetto V, Tscharke DC, Sidney J, Bui HH, Grey H, Sette A. A consensus epitope prediction approach identifies the breadth of murine T(CD8+)-cell responses to vaccinia virus. *Nat Biotechnol.* 2006 Jul;24(7):817-9. PMID: 16767078
- Nielsen M, Justesen S, Lund O, Lundsgaard C, Buus S. NetMHCIIpan-2.0 - Improved pan-specific HLA-DR predictions using a novel concurrent alignment and weight optimization training procedure. *Immunome Res.* 2010 Nov 13;6:9. PMID: 21073747

- Nielsen M, Lundegaard C, Blicher T, Lamberth K, Harndahl M, Justesen S, Roder G, Peters B, Sette A, Lund O, Buus S. 2007. NetMHCpan, a method for quantitative predictions of peptide binding to any HLA-A and -B locus protein of known sequence. *PLoS ONE* 2:e796. PMID: 17726526
- Nielsen M, Lundegaard C, Lund O. Prediction of MHC class II binding affinity using SMM-align, a novel stabilization matrix alignment method. *BMC Bioinformatics.* 2007 Jul 4;8:238. PMID: 17608956
- Nielsen M, Lundegaard C, Worning P, Lauemoller SL, Lamberth K, Buus S, Brunak S, Lund O., Reliable prediction of T-cell epitopes using neural networks with novel sequence representations, *Protein Sci.* 2003 May;12(5):1007-17
- Parker J, Guo D, Hodges R. New hydrophilicity scale derived from High-Performance Liquid Chromatography peptide retention data: correlation of predicted surface residues with antigenicity and X-ray-derived accessible sites. *Biochemistry.* 1986;25:5425–5432. PMID: 2430611
- Peters B, Sidney J, Bourne P, Bui HH, Buus S, Doh G, Fleri W, Kronenberg M, Kubo R, Lund O, Nemazee D, Ponomarenko JV, Sathiamurthy M, Schoenberger S, Stewart S, Surko P, Way S, Wilson S, Sette A. The immune epitope database and analysis resource: from vision to blueprint. *PLoS Biol.* 2005 Mar;3(3):e91. PMID: 15760272.
- Peters B, Bui HH, Frankild S, Nielson M, Lundegaard C, Kostem E, Basch D, Lamberth K, Harndahl M, Fleri W, Wilson SS, Sidney J, Lund O, Buus S, Sette A., A community resource benchmarking predictions of peptide binding to MHC-I molecules, *PLoS Comput. Biol.* 2006 Jun 9;2(6):e65. Epub 2006 Jun 9. PMID: 16789818
- Peters B, Sette A., "Generating quantitative models describing the sequence specificity of biological processes with the stabilized matrix method." *BMC Bioinformatics* 2005 May 31;6(1):132
- Peters B, Bulik S, Tampe R, Van Endert PM, Holzhutter HG. Identifying MHC class I epitopes by predicting the TAP transport efficiency of epitope precursors. *J Immunol.* 2003 Aug 15;171(4):1741-9.
- Ponomarenko J, H. H. Bui, W. Li, N. Fusseder, P. E. Bourne, A. Sette, B. Peters. (2008). "ElliPro: a new structure-based tool for the prediction of antibody epitopes." *BMC Bioinformatics*, 9(514). PMID: 19055730
- Sidney J, Assarsson E, Moore C, Ngo S, Pinilla C, Sette A, Peters B. Quantitative peptide binding motifs for 19 human and mouse MHC class I molecules derived using positional scanning combinatorial peptide libraries. *Immunome Res.* 2008 Jan 25;4:2. PMID: 18221540
- Stranzl T, Larsen MV, Lundegaard C, Nielsen M. NetCTLpan: pan-specific MHC class I pathway epitope predictions. *Immunogenetics.* 2010 Jun;62(6):357-68. Epub 2010 Apr 9. PubMed PMID: 20379710; PubMed Central PMCID: PMC2875469
- Sturniolo T, Bono E, Ding J, Raddrizzani L, Tuereci O, Sahin U, Braxenthaler M, Gallazzi F, Protti MP, Sinigaglia F, Hammer J. Generation of tissue-specific and promiscuous HLA ligand databases using DNA microarrays and virtual HLA class II matrices. *Nat Biotechnol.* 1999 Jun;17(6):555-61. PMID: 10385319
- Tenzer S, Peters B, Bulik S, Schoor O, Lemmel C, Schatz MM, Kloetzel PM, Rammensee HG, Schild H, Holzhutter HG. Modeling the MHC class I pathway by combining predictions of proteasomal cleavage, TAP transport and MHC class I binding. *Cell Mol Life Sci.* 2005 May;62(9):1025-37.
- Wang, P., J. Sidney, C. Dow, B. Mothe, A. Sette, B. Peters. (2008). "A Systematic Assessment of MHC Class II Peptide Binding Predictions and Evaluation of a Consensus Approach." *PLoS Computational Biology* 4(4). PMID: 18389056